AudioCodes Intuitive Human Communications for Chatbot Services

Voice.Al Gateway

Version 2.2





Table of Contents

1	Introduction	7
2	Architecture	9
3	Firewall Rules	11
4	Credentials	13
	OAuth 2.0 Authentication	
6	6 Disabling Services	
	6.1 Disabling Grafana6.2 Disabling Web UI	17



Notice

Information contained in this document is believed to be accurate and reliable at the time of printing. However, due to ongoing product improvements and revisions, AudioCodes cannot guarantee accuracy of printed material after the Date Published nor can it accept responsibility for errors or omissions. Updates to this document can be downloaded from https://www.audiocodes.com/library/technical-documents.

This document is subject to change without notice.

Date Published: October-19-2020

WEEE EU Directive

Pursuant to the WEEE EU Directive, electronic and electrical waste must not be disposed of with unsorted waste. Please contact your local recycling authority for disposal of this product.

Customer Support

Customer technical support and services are provided by AudioCodes or by an authorized AudioCodes Service Partner. For more information on how to buy technical support for AudioCodes products and for contact information, please visit our website at https://www.audiocodes.com/services-support/maintenance-and-support.

Stay in the Loop with AudioCodes



Abbreviations and Terminology

Each abbreviation, unless widely used, is spelled out in full when first used.

Related Documentation

Document Name	
Product Description	
Voice.Al Gateway API Reference Guide	
Voice.Al Gateway Integration Guide	
Voice.AI Gateway with One-Click Dialogflow Integration Guide	
AudioCodes Phone Number Connector	

General Notes, Warnings, and Safety Information



Note: OPEN SOURCE SOFTWARE. Portions of the software may be open source software and may be governed by and distributed under open source licenses, such as the terms of the GNU General Public License (GPL), the terms of the Lesser General Public License (LGPL), BSD and LDAP, which terms are located at https://www.audiocodes.com/services-support/open-source/ and all are incorporated herein by reference. If any open source software is provided in object code, and its accompanying license requires that it be provided in source code as well, Buyer may receive such source code by contacting AudioCodes, by following the instructions available on AudioCodes website.

Document Revision Record

LTRT	Description	
31000	Initial document release.	
31001	Updated to Ver. 2.2 (OAuth 2.0).	

Documentation Feedback

AudioCodes continually strives to produce high quality documentation. If you have any comments (suggestions or errors) regarding this document, please fill out the Documentation Feedback form on our website at https://online.audiocodes.com/documentation-feedback.

1 Introduction

This document provides security guidelines for safeguarding your network and AudioCodes Voice.AI Gateway's audio-centric (voice-bot) solution against malicious attacks.



2 Architecture

To effectively secure the network, it's important that you familiarize yourself with the architecture of the Voice.Al Gateway components.

The Voice.AI Gateway system is Docker-based, providing two installation variants:

- All-in-one: A single docker-compose file with all components.
- A single, central server with shared components such as a database, a web server and so on (called Center), and a separate (potentially multiple) session manager instance.

The following table lists the containers of the Voice.AI Gateway system.

Service	Description	Port
vag-session-manager	Main application.	8080
vag-version	Static version file and several helper scripts. The files are synchronized to the host, and then the container is stopped.	-
fluentd	Syslog server.	-
telegraf	Collects system statistics.	-
mongo	Mongo database (persistent). Stores the application data, configuration, transcripts, alarms and more.	27017
nginx	Web server. This is the user interface (UI) of the system and Grafana.	443
alarms	Raises alarms according to configuration.	161/UDP
influxdb	Time series database. Stores usage statistics.	8086
grafana	Grafana UI for the data from influxdb.	-
vag-ui-server	UI server.	-
vag-ui-client	Static client files. Synchronized to the host and then the container is stopped.	-
vag-services-mngr	Internal service for status queries, database cleanup and more.	8081

Table 2-1: Voice.Al Gateway Containers



3 Firewall Rules

Open ports allow access to services from the network. All incoming ports should be blocked by the firewall by default, except those that are required.

The Session Manager should be in a **private network** that the SBC can access.

The following table refers to the split variant. For the All-In-One variant, Center and Session Manager are the same host.

Source	Target	Port	Transport Protocol	Comments
SBC	Session Manager	8080	TCP	-
Session Manager	Center	27017, 8086	TCP	Only needed for Split variant. The port is not exposed in the All-In-One variant.
Private Network	Center	443	TCP	Optional. Only if you need UI / Grafana.

Table 3-1: Firewall Rules for Split Variant



Note: Grafana and the UI can only be accessed from NGINX. They don't expose any port to the host machine.



4 **Credentials**

If the Voice.AI Gateway system is public, it is highly recommended that you change the passwords of the UI and Grafana before going live.

The default credentials of the components that require authentication are listed in the following table:

Service	User:Password	How to change
Mongo	vag:voice-ai	Internal. Should not be accessible from outside.
Influx	admin:admin	Internal.
UI	admin:admin	Click Users -> Admin -> Set Password.
Grafana	admin:admin	Changed upon initial login.

Table 4-1: Default Credentials



5 OAuth 2.0 Authentication

It is recommended to implement OAuth 2.0 authentication and authorization. This can be used for the following applications:

- Outbound Calling application, where the dialer application (client) is authenticated by the Voice.Al Gateway (OAuth server).
- AudioCodes REST API for Partners, where the client performing actions on the Voice.AI Gateway through its APIs is authenticated by the Voice.AI Gateway (OAuth server)
- Bots based on AudioCodes Bot API, where the Voice.AI Gateway (as a client OAuth) requests an access key for the bot API from a third-party authentication server based on the bots (customers) client secret, client ID and scope. For more information, refer to the



6 **Disabling Services**

To reduce the attack surfaces (vulnerabilities) of the Voice.AI Gateway system, it's recommended to disable various services described in this section.

6.1 Disabling Grafana

If you are not using Grafana, you can disable it as follows:

- 1. Open the docker-compose file.
- 2. Delete or comment out the entire grafana service.
- 3. Delete or comment out grafana dependency in the NGINX service.

6.2 Disabling Web UI

If you are not using the Web user interface (UI), you can disable it as follows:

- 1. Disable Grafana (as described in the previous section).
- 2. Delete or comment out the entire nginx and vag-ui-client services.
- 3. For All-In-One variant only:
 - a. In telegraf dependencies, replace vag-ui-server with vag-session-manager.
 - **b.** Delete or comment out the entire vag-ui-server service.

International Headquarters

1 Hayarden Street, Airport City Lod 7019900, Israel Tel: +972-3-976-4000 Fax: +972-3-976-4040

AudioCodes Inc.

200 Cottontail Lane Suite A101E Somerset NJ 08873 Tel: +1-732-469-0880 Fax: +1-732-469-2298

Contact us: <u>https://www.audiocodes.com/corporate/offices-worldwide</u> Website: <u>https://www.audiocodes.com/</u>

©2020 AudioCodes Ltd. All rights reserved. AudioCodes, AC, HD VoIP, HD VoIP Sounds Better, IPmedia, Mediant, MediaPack, What's Inside Matters, OSN, SmartTAP, User Management Pack, VMAS, VoIPerfect, VoIPerfectHD, Your Gateway To VoIP, 3GX, VocaNom, AudioCodes One Voice, AudioCodes Meeting Insights, AudioCodes Room Experience and CloudBond are trademarks or registered trademarks of AudioCodes Limited. All other products or trademarks are property of their respective owners. Product specifications are subject to change without notice.

Document #: LTRT-31001

