AudioCodes High Definition IP Phones Series

C435HD IP Phone for Microsoft Teams

Version 1.12



Microsoft Partner

Gold Communications





Table of Contents

1	Intro	oducti	on		7
	1.1	Overv			
		1.1.1		he C435HD IP Phone	
	1.2				
	1.3	Audio	Codes II	P Phones for Microsoft Teams	10
2	Vers	sion 1.	12.52		11
	2.1	What'	s New in	version 1.12	11
	2.2	Resol	ved Limi	itations in Version 1.12	11
		2.2.1		Application	
		2.2.2			
	2.3	Know		tions in Version 1.12	
		2.3.1		Application	
		2.3.2	Device.		12
3	Prev	vious I	Release	9S	15
	3.1	Versio	on 1.12.5	51	15
		3.1.1	What's	New in Version 1.12	
		3.1.2	Resolve	ed Limitations in Version 1.12	
			3.1.2.1	Teams Application	
		3.1.3	3.1.2.2 Known	Device Limitations in Version 1.12	
		0.1.0	3.1.3.1	Teams Application	
			3.1.3.2	Device	
	3.2	Versio	on 1.12.4	17	
		3.2.1		New in Version 1.12	
		3.2.2		ed Limitations in Version 1.12	
			3.2.2.1 3.2.2.2	Teams Application Device	
		3.2.3		Limitations in Version 1.12	
		0.2.0	3.2.3.1	Teams Application	
			3.2.3.2	Device	19
	3.3	Versio		33	
		3.3.1		New in Version 1.12.33	
		3.3.2		ed Limitations in Version 1.12.33	
			3.3.2.1 3.3.2.2	Teams Application	
		3.3.3		Limitations in Version 1.12.33	
		0.0.0	3.3.3.1	Teams Application	
			3.3.3.2	Device	

List of Tables

Table 1-1: C435HD IP Phone for Microsoft Teams Software Specifications	7
Table 1-2: AudioCodes IP Phones for Microsoft Teams	10
Table 2-1: Resolved Teams Application Limitations in Version 1.12	11
Table 2-2: Resolved Device Limitations in Version 1.12	11
Table 2-3: Known Teams Application Limitations in Version 1.12	
Table 2-4: Known Device Limitations in Version 1.12	
Table 3-1: Resolved Teams Application Limitations in Version 1.12	
Table 3-2: Resolved Device Limitations in Version 1.12	
Table 3-3: Known Teams Application Limitations in Version 1.12	
Table 3-4: Known Device Limitations in Version 1.12	17
Table 3-5: Resolved Teams Application Limitations in Version 1.12	
Table 3-6: Resolved Device Limitations in Version 1.12	
Table 3-7: Known Teams Application Limitations in Version 1.12	
Table 3-8: Known Device Limitations in Version 1.12	19
Table 3-9: Resolved Teams Application Limitations in Version 1.12.33	
Table 3-10: Resolved Device Limitations in Version 1.12.33	
Table 3-11: Known Teams Application Limitations in Version 1.12.33	
Table 3-12: Known Device Limitations in Version 1.12.33	

Notice

Information contained in this document is believed to be accurate and reliable at the time of printing. However, due to ongoing product improvements and revisions, AudioCodes cannot guarantee accuracy of printed material after the Date Published nor can it accept responsibility for errors or omissions. Updates to this document can be downloaded from https://www.audiocodes.com/library/technical-documents.

This document is subject to change without notice. Date Published: Oct-13-2021

WEEE EU Directive

Pursuant to the WEEE EU Directive, electronic and electrical waste must not be disposed of with unsorted waste. Please contact your local recycling authority for disposal of this product.

Customer Support

Customer technical support and services are provided by AudioCodes or by an authorized AudioCodes Service Partner. For more information on how to buy technical support for AudioCodes products and for contact information, please visit our website at <u>https://www.audiocodes.com/services-support/maintenance-and-support</u>.

Stay in the Loop with AudioCodes



Abbreviations and Conventions

Each abbreviation, unless widely used, is spelled out in full when first used.

Related Documentation

Document Name
C448HD IP Phone for Microsoft Teams Quick Guide
C450HD IP Phone for Microsoft Teams Quick Guide
C470HD IP Phone for Microsoft Teams Quick Guide
C448HD C450HD C470HD IP Phone for Microsoft Teams User's and Administrator's Manual
https://docs.microsoft.com/en-us/MicrosoftTeams/phones-for-teams

Documentation Feedback

AudioCodes continually strives to produce high quality documentation. If you have any comments (suggestions or errors) regarding this document, please fill out the Documentation Feedback form on our website at https://online.audiocodes.com/documentation-feedback.

This page is intentionally left blank.

1 Introduction

This document describes the new features and known constraints of AudioCodes' C435HD IP Phone for Microsoft Teams.

1.1 Overview

The AudioCodes C435HD IP phones are Microsoft Teams-native entry level/common area phones designed to support the next generation of enterprise collaboration technologies with a large color touch screen and full UC integration for the Native Microsoft Teams Online market.

The phones can be managed by the Microsoft Teams & Skype for Business Admin Center. For more information, see <u>https://docs.microsoft.com/en-us/MicrosoftTeams/phones-for-teams</u>.

1.1.1 About the C435HD IP Phone

Feature highlights:

- Full duplex speakerphone and headset connectivity
- Color Screen 4.3": Graphic, 480x272 resolution, with multi-lingual support
- Multi-lingual support
- Full duplex speakerphone and headset connectivity
- Dual GbE support
- USB headset support
- PoE or external power supply
- Calendar and click-to-join support (Roadmap)

1.2 Specifications

The table below summarizes the software specifications of the C435HD IP Phone for Microsoft Teams.

Feature	Details
Media Processing	 Voice Coders: G.722 G.711 and SILK Opus (depending on the Teams app)
	 Acoustic Echo Cancelation: G.168-2004 compliant, 64-msec tail length
	Adaptive Jitter Buffer
	Voice Activity Detection
	Comfort Noise Generation
	Packet Lost Concealment
	 RTP/RTCP Packetization (RFC 3550, RFC 3551), SRTP (RFC 3711)
Microsoft Teams phones feature set	 For a summarized list of features, see <u>https://docs.microsoft.com/en-us/MicrosoftTeams/phones-for-teams.</u>
	 In addition, the phone features the following:
	 Sign-in with Modern Authentication, IP phone policies (including sign-in as Common Area Phone (CAP)), lock/unlock phone, unlock with smart PIN, 802.1x

Table 1-1: C435HD IP Phone for Microsoft Teams Software Specifications

Feature	Details
	 Authentication, SSH access, HTTPS Proxy Server, LLDP/CDP Incoming/outgoing P2P calls, PSTN calls, Regional Tone Settings, in-call controls via phone screen (mute, hold/resume, transfer, transfer to contacts, call merge, end call, auto dismiss rate my call and call ended screens, Group Call Pickup), auto-dialing to call an extension, distinctive ringtone per call type, People app, add/remove 'Favorites', E911, Visual Voicemail Presence (contact pictures; Corporate Directory access), Meetings (join Skype for Business meetings; meeting call controls [mute/unmute, hold/resume, hang up, add/remove participant, raise hand, live captions]) Language Localization; Virtual Keyboard: QWERTY Numeric, Global Network Banner, Dark Theme Better Together over Bluetooth incl. pairing with the Teams PC client and lock/unlock synchronization, VLANs AudioCodes Device Manager (OVOC plugin), AudioCodes Redirect Server Dumpstate option, Remote Logging (Syslog) / Device Diagnostics Logs, Android Debug Bridge (ADB) command-line tool
Configuration / Management	 Microsoft Teams & Skype for Business Admin Center (Provisioning and Logging) AudioCodes Device Manager
Debugging Tools	 Log upload to Microsoft server (certification for 3rd party Skype for Business clients) Remote logging via Syslog Diagnostic Data SSH Access Capturing the phone screen TCPdump Company Portal (Intune) logs Audio Debug recording logs Media logs (*.blog) Port mirroring network monitoring Remote Packet Capture network sniffer application
Localization Support	 Multi-lingual support; the language pack list is not yet final and is subject to modification.
C435HD Hardware	 Color Screen 4.3": Graphic, 480x272 resolution, with multilingual support Connectors interfaces: 2 x RJ-45 ports (10/100/1000BaseT Ethernet) for WAN and LAN (GbE support) RJ-9 port (jack) for headset RJ-9 port (jack) for handset USB interface for USB headset support RJ-11 interface for DHSG Mounting: Wall and desktop mounting options One angle for desktop mount, another angle for wall mount Power: DC jack adapter 12V Power supply AC 100 ~ 240V

Feature	Details
	 PoE Class 3: IEEE802.3af (optional) Keys: Hold Mute Transfer Volume Headset (including LED) Speaker (including LED) Back Teams

1.3 AudioCodes IP Phones for Microsoft Teams

The table below lists the AudioCodes IP Phones for Microsoft Teams.

Table 1-2: AudioCodes	IP Phones for	Microsoft Teams
-----------------------	---------------	-----------------

Part Number	Product Description
TEAMS-C435HD	Teams C435HD IP Phone PoE GbE, black
TEAMS-C448HD	Teams C448HD IP Phone PoE GbE, black
TEAMS-C450HD	Teams C450HD IP Phone PoE GbE, black
TEAMS-C470HD	Teams C470HD Total Touch IP Phone PoE GbE
TEAMS-C470HD-DBW	Teams C470HD Total Touch IP Phone PoE GbE with integrated Bluetooth and Dual Band Wi-Fi
TEAMS-C450HD-DBW	Teams C450HD IP Phone PoE GbE black, with integrated Bluetooth and Dual Band Wi-Fi
TEAMS-C450HD-BW	Teams C450HD IP Phone PoE GbE black, with integrated Bluetooth and Wi-Fi
TEAMS-C448HDPS	Teams C448HD IP Phone PoE GbE black, with an external power supply black
TEAMS-C450HDPS	Teams C450HD IP Phone PoE GbE black, with an external power supply black
TEAMS-C470HDPS	Teams C470HD Total Touch IP Phone PoE GbE with an external power supply
TEAMS-C470HDPS-DBW	Teams C470HD Total Touch IP Phone PoE GbE with integrated Bluetooth, Dual Band Wi-Fi and an external power supply
TEAMS-C450HDPS-DBW	Teams C450HD IP Phone PoE GbE with integrated Bluetooth, Dual Band Wi-Fi and an external power supply black
TEAMS-C450HDPS-BW	Teams C450HD IP Phone PoE GbE with integrated Bluetooth and Wi-Fi and an external power supply, black

2 Version 1.12.52

Note: Version 1.12.52 includes Microsoft Teams Version 2021031201.

2.1 What's New in Version 1.12

N/A

2.2 **Resolved Limitations in Version 1.12**

2.2.1 Teams Application

Table 2-1: Resolved Teams Application Limitations in Version 1.12

Incident	Description
N/A	N/A

2.2.2 Device

Table 2-2: Resolved Device Limitations in Version 1.12

Incident	Description
IPPAN-2611	Phone is reporting PoE Class 3 instead of PoE Class 2 via LLDP/CDP.

2.3 Known Limitations in Version 1.12

2.3.1 Teams Application

Here are the known Teams application limitations in Version 1.12.

Incident	Description
-	 The C435HD excludes few features that are supported by the other Teams Native phones. The Calendar and Meet now features are unavailable on the C435HD in this version release (Roadmap), though: The user can escalate a peer-to-peer call to meeting when adding another user
	 The user who joins from the PC client can add the phone as audio by selecting the Phone Audio option in the Join options, shown here:
	••• IPP R&D - PM sync meeting — 🗆 X
	Choose your video and audio options
	G Computer audio
	St Contraction
	Your camera is turned off Well give you a number to call after you join, or we can call you.
	C Room audio (suggetted)
	Image: Second filters Image: Second filters Image: Second filters Image: Second filters <
	 In addition, the following features are not supported: Call Park The 'Delegation' setting from the Teams application settings (though using the phone with a delegated user who was preconfigured from the client is possible) Accepting two incoming calls at the same time (only one call will be shown) (support pending in the next version release)
VSO240928	Transitioning from the 'home' screen to one of the tabs screens is slow.
IPPAN-3127	The phone gets stuck in a 'Verifying a few things' state after idle.
IPPAN-2270	The device sometimes displays 'Poor internet connection' in the main screen.
IPPAN-2566	A muted phone that receives another incoming call and rejects it results in a non-voluntary unmute of the original call.
-	When using right to left languages (Hebrew, for example) the soft dial pad and presented dial string are reverted.
IPPAN-2520	On some occasions, the phone displays a 'Connecting' message after boot up even though there is no real network issue.
IPPAN-2270	On some occasions, the phone displays a 'Poor internet connection' message after booting up even though there is no real network issue.
IPPAN-2510	An incorrect date format is displayed when the current language is Simple Chinese.

Table 2-3: Known Teams Application Limitations in Version 1.12

2.3.2 Device

Here are the known device limitations in Version 1.12.

Incident	Description
-	[Device Manager] Administrators are recommended not to provision phones from both the Device Manager and the Microsoft Admin Portal. Monitoring from both Device Manager and the Microsoft Admin Portal at the same time is not an issue.
-	An endless auto-negotiation with the Ethernet switch may occur if the phone is connected to the Power Supply and to PoE simultaneously. It's recommended to avoid connecting them simultaneously even though no damage occurs. If a Power Supply is used, users should disable the power from the ETH port.
IPPAN-3283	When using multiple users on a single phone (i.e., if user A signs out and then signs in with user B), AudioCodes' Device Manager may present the wrong username.
IPPAN-3343	The date format does not take effect on the phone when the configuration file is loaded from the Device Manager.

This page is intentionally left blank.

3 Previous Releases

3.1 Version 1.12.51

Note: Version 1.12.51 includes Microsoft Teams Version 2021031201.

3.1.1 What's New in Version 1.12

N/A

3.1.2 Resolved Limitations in Version 1.12

3.1.2.1 Teams Application

Table 3-1: Resolved Teams Application Limitations in Version 1.12

Incident	Description
N/A	N/A

3.1.2.2 Device

Table 3-2: Resolved Device Limitations in Version 1.12

Incident	Description
IPPAN-4254 The maximum volume in handsfree mode needs to be increased.	

15

3.1.3 Known Limitations in Version 1.12

3.1.3.1 Teams Application

Here are the known Teams application limitations in Version 1.12.

Incident	Description	
-	 The C435HD excludes few features that are supported by the other Teams Native phones. The Calendar and Meet now features are unavailable on the C435HD in this version release (Roadmap), though: The user can escalate a peer-to-peer call to meeting when adding another user The user who joins from the PC client can add the phone as audio by selecting the Phone Audio option in the Join options, shown here: 	
	X	
	Choose your video and audio options	
	Gi Computer audio	
	St St	
	Your camera is turned off We'll give you a number to call after you join, or we can call you.	
	C Room audio (suggested)	
	🔯 💽 191 Background filters 😵 🖫 Dorituse audio	
	Cancel Join now	
	In addition, the following features are not supported:	
	Call Park	
	 The 'Delegation' setting from the Teams application settings (though using the phone with a delegated user who was preconfigured from the client is possible) 	
	 Accepting two incoming calls at the same time (only one call will be shown) (support pending in the next version release) 	
VSO240928	Transitioning from the 'home' screen to one of the tabs screens is slow.	
IPPAN-3127	The phone gets stuck in a 'Verifying a few things' state after idle.	
IPPAN-2270	The device sometimes displays 'Poor internet connection' in the main screen.	
IPPAN-2566	A muted phone that receives another incoming call and rejects it results in a non-voluntary unmute of the original call.	
-	When using right to left languages (Hebrew, for example) the soft dial pad and	
	presented dial string are reverted.	
IPPAN-2520	presented dial string are reverted. On some occasions, the phone displays a 'Connecting' message after boot up even though there is no real network issue.	
IPPAN-2520 IPPAN-2270	On some occasions, the phone displays a 'Connecting' message after boot up	

Table 3-3: Known Teams	Application Limitations in Vers	ion 1.12

3.1.3.2 Device

Here are the known device limitations in Version 1.12.

Incident	Description
-	[Device Manager] Administrators are recommended not to provision phones from both the Device Manager and the Microsoft Admin Portal. Monitoring from both Device Manager and the Microsoft Admin Portal at the same time is not an issue.
-	An endless auto-negotiation with the Ethernet switch may occur if the phone is connected to the Power Supply and to PoE simultaneously. It's recommended to avoid connecting them simultaneously even though no damage occurs. If a Power Supply is used, users should disable the power from the ETH port.
IPPAN-3283	When using multiple users on a single phone (i.e., if user A signs out and then signs in with user B), AudioCodes' Device Manager may present the wrong username.
IPPAN-3343	The date format does not take effect on the phone when the configuration file is loaded from the Device Manager.

Table 3-4: Known Device Limitations in Version 1.12

3.2 Version 1.12.47



Note: Version 1.12.47 includes Microsoft Teams Version 2021031201.

3.2.1 What's New in Version 1.12

Voice quality improvements were made.

3.2.2 Resolved Limitations in Version 1.12

3.2.2.1 Teams Application

Table 3-5: Resolved Teams Application Limitations in Version 1.12

Incident	Description
N/A	N/A

3.2.2.2 Device

Table 3-6: Resolved Device Limitations in Version 1.12

Incident	Description
IPPAN-2889 - [VSO 249099]	The phone uses the incorrect intent to restart the admin agent. This sometimes causes the device not to appear in the TAC.
IPPAN-3878	[AudioCodes Device Manager] The phone may malfunction when pulling a configuration from the Device Manager.

3.2.3 Known Limitations in Version 1.12

3.2.3.1 Teams Application

Here are the known Teams application limitations in Version 1.12.

Table 3-7: Known Teams Application Limitations in Version 1.12

Incident	Description
VSO240928	Transitioning from the 'home' screen to one of the tabs screens is slow.
IPPAN-3127	The phone gets stuck in a 'Verifying a few things' state after idle.
IPPAN-2270	The device sometimes displays 'Poor internet connection' in the main screen.
IPPAN-2566	A muted phone that receives another incoming call and rejects it results in a non-voluntary unmute of the original call.
-	When using right to left languages (Hebrew, for example) the soft dial pad and presented dial string are reverted.
IPPAN-2520	On some occasions, the phone displays a 'Connecting' message after boot up even though there is no real network issue.

Incident	Description	
VSO240928	Transitioning from the 'home' screen to one of the tabs screens is slow.	
IPPAN-2270	On some occasions, the phone displays a 'Poor internet connection' message after booting up even though there is no real network issue.	
IPPAN-2510	An incorrect date format is displayed when the current language is Simple Chinese.	

3.2.3.2 Device

Here are the known device limitations in Version 1.12.

Table 3-8: Known Devic	e Limitations in Version 1.12

Incident	Description
-	[Device Manager] Administrators are recommended not to provision phones from both the Device Manager and the Microsoft Admin Portal. Monitoring from both Device Manager and the Microsoft Admin Portal at the same time is not an issue.
-	An endless auto-negotiation with the Ethernet switch may occur if the phone is connected to the Power Supply and to PoE simultaneously. It's recommended to avoid connecting them simultaneously even though no damage occurs. If a Power Supply is used, users should disable the power from the ETH port.
IPPAN-3283	When using multiple users on a single phone (i.e., if user A signs out and then signs in with user B), AudioCodes' Device Manager may present the wrong username.
IPPAN-3343	The date format does not take effect on the phone when the configuration file is loaded from the Device Manager.

3.3 Version 1.12.33



Note: Version 1.12.33 includes Microsoft Teams Version 2021031201.

3.3.1 What's New in Version 1.12.33

This is the first release of the C435HD IP Phone.

3.3.2 Resolved Limitations in Version 1.12.33

3.3.2.1 Teams Application

This is the first release of the C435HD IP Phone. This section is not applicable in this version.

Table 3-9: Resolved Teams Application Limitations in Version 1.12.33

Incident	Description
N/A	N/A

3.3.2.2 Device

This is the first release of the C435HD IP Phone. This section is not applicable in this version.

Table 3-10: Resolved Device Limitations in Version 1.12.33

Incident	Description	
N/A	N/A	

3.3.3 Known Limitations in Version 1.12.33

3.3.3.1 Teams Application

Here are the known Teams application limitations in Version 1.12.33.

Table 3-11: Known Teams Application Limitations in Version 1.12.33

Incident	Description
VSO240928	Transitioning from the 'home' screen to one of the tabs screens is slow.
IPPAN-3127	The phone gets stuck in a 'Verifying a few things' state after idle.
IPPAN-2270	The device sometimes displays 'Poor internet connection' in the main screen.
IPPAN-2566	A muted phone that receives another incoming call and rejects it results in a non-voluntary unmute of the original call.
-	When using right to left languages (Hebrew, for example) the soft dial pad and presented dial string are reverted.
IPPAN-2520	On some occasions, the phone displays a 'Connecting' message after boot up even though there is no real network issue.

Incident	Description
VSO240928	Transitioning from the 'home' screen to one of the tabs screens is slow.
IPPAN-2270	On some occasions, the phone displays a 'Poor internet connection' message after booting up even though there is no real network issue.
IPPAN-2510	An incorrect date format is displayed when the current language is Simple Chinese.

3.3.3.2 Device

Here are the known device limitations in Version 1.12.33.

Incident	Description
-	[Device Manager] Administrators are recommended not to provision phones from both the Device Manager and the Microsoft Admin Portal. Monitoring from both Device Manager and the Microsoft Admin Portal at the same time is not an issue.
-	An endless auto-negotiation with the Ethernet switch may occur if the phone is connected to the Power Supply and to PoE simultaneously. It's recommended to avoid connecting them simultaneously even though no damage occurs. If a Power Supply is used, users should disable the power from the ETH port.
IPPAN-3283	When using multiple users on a single phone (i.e., if user A signs out and then signs in with user B), AudioCodes' Device Manager may present the wrong username.
IPPAN-3343	The date format does not take effect on the phone when the configuration file is loaded from the Device Manager.

Table 3-12: Known Device Limitations in Version 1.12.33

International Headquarters

1 Hayarden Street, Airport City Lod 7019900, Israel Tel: +972-3-976-4000 Fax: +972-3-976-4040

AudioCodes Inc.

200 Cottontail Lane Suite A101E, Somerset, NJ 08873 Tel: +1-732-469-0880 Fax: +1-732-469-2298

Contact us: https://www.audiocodes.com/corporate/offices-worldwide Website: https://www.audiocodes.com/

©2021 AudioCodes Ltd. All rights reserved. AudioCodes, AC, HD VoIP, HD VoIP Sounds Better, IPmedia, Mediant, MediaPack, What's Inside Matters, OSN, SmartTAP, User Management Pack, VMAS, VoIPerfect, VoIPerfectHD, Your Gateway To VoIP, 3GX, VocaNom, AudioCodes One Voice, AudioCodes Meeting Insights, AudioCodes Room Experience and CloudBond are trademarks or registered trademarks of AudioCodes Limited. All other products or trademarks are property of their respective owners. Product specifications are subject to change without notice.

Document #: LTRT-08518

