

Voca Conversational Interaction Center

Version 11



Notice

Information contained in this document is believed to be accurate and reliable at the time of printing. However, due to ongoing product improvements and revisions, AudioCodes cannot guarantee accuracy of printed material after the Date Published nor can it accept responsibility for errors or omissions. Updates to this document can be downloaded from <https://www.audiocodes.com/library/technical-documents>.

This document is subject to change without notice.

Date Published: May-29-2024

Security Vulnerabilities

All security vulnerabilities should be reported to vulnerability@audiocodes.com.

Customer Support

Customer technical support and services are provided by AudioCodes or by an authorized AudioCodes Service Partner. For more information on how to buy technical support for AudioCodes products and for contact information, please visit our website at <https://www.audiocodes.com/services-support/maintenance-and-support>.

Documentation Feedback

AudioCodes continually strives to produce high quality documentation. If you have any comments (suggestions or errors) regarding this document, please fill out the Documentation Feedback form on our website at <https://online.audiocodes.com/documentation-feedback>.

Stay in the Loop with AudioCodes



Related Documentation

Document Name
Voca Release Notes
Voca Flow Builder User's Manual

Document Revision Record

LTRT	Description
28841	Initial document release for Ver. 10.
28842	Real-time Dashboard Reporting added.
28843	Managing Departments and Adding a Call Queue sections updated; removed Freeing Bindings, App Reports, Sending a VocaNOM App Invitation sections.
28844	Changes for Ver. 10.1 including Configuring Telephony settings.
28845	Major changes for Ver. 10.3.
28846	Access Management section added ; extended Supervisors' capabilities with new fields in the Configuring Call Queues and Workers sections.
28847	Journey Manager Report added to Call Queue Reports and Interaction Center Reports.
28848	Updated to Ver. 11.0; Interaction Manager added.

Software Revision Record

Software Revision	Release Date
10	April 2022
10.0.2	July 2022
10.1	December 2022
10.2	June 2023
10.3	September 2023
10.4	December 2023
10.5	January 2024
11.0	April 2024

Table of Contents

1	Introduction	1
	About this Guide	1
	Voca Benefits	1
2	Getting Started	3
	Logging in to Voca	3
	Changing your Password	3
	Getting Familiar with the GUI	4
	Sidebar Panel	4
	Dashboard	5
	Logging Out	5
3	Managing Contacts	7
	Contact Details Actions	7
	Adding a Contact	7
	Editing a Contact	9
	Creating an Alias for a Contact	10
	Deleting a Contact	12
	Searching a Contact	13
	Protecting a Contact	13
	Removing Protection from a Contact	14
	Activating a Contact	14
	Disabling a Contact	15
	Importing and Exporting Contact List	16
	Importing Contact Information	16
	Exporting Contact Information	19
	Defining Additional Employees	20
4	Managing Departments	22
	Using the Dictionary List	22
	Adding Department Dictionary	22
	Editing Department Dictionary	23
	Deleting Department Dictionary	24
	Adding a Department Manually	24
	Editing a Department	26
	Configuring Department Prompts	29
	Creating Keywords for a Department	32
	Deleting a Department	32
	Searching a Department	33
	Disabling a Department	33
	Activating a Department	34
	Keyword to Department Mapping	35
	Searching for a Keyword	36

Importing/Exporting Department List	37
Importing Department Information	37
Exporting Department Information	40
5 Flow Designer	41
6 Configuration	42
Adding a Voice Prompt	42
Configuring Interaction Manager	44
Configuring Voice Settings	44
Adding a Flow Setting	45
Editing a Flow Setting	47
Deleting a Flow Setting	49
Configuring Email Interaction	49
Adding Email Interactions	50
Editing Email Interaction Settings	52
Deleting an Email Interaction Setting	53
Configuring Webchat Interaction Settings	54
Adding a Webchat Interaction Settings	54
Connecting Webchat Interaction to Website	58
Editing Webchat Interaction Settings	59
Deleting Webchat Interaction Settings	59
Configuring Menu Settings	60
Adding a DTMF Menu	60
Adding a Speech Menu	62
Editing Menu Settings	69
Deleting Menu Settings	70
Recompile Menus	71
Configuring Routing	72
Configuring Skills	72
Adding a Skill	72
Editing a Skill	73
Editing a Skill	73
Deleting a Skill	74
Configuring Workers	75
Adding a Worker	75
Editing a Worker	77
Deleting a Worker	78
Configuring Worker Status Events	79
Adding Worker Status Events	80
Editing Worker Status Events	82
Deleting Worker Status Events	83
Configuring Conversation Template Center	84
Adding a Conversation Template Center	84
Editing Conversation Template	86
Deleting a Conversation Template	87

Configuring Workers Group	88
Adding a Worker Group	88
Editing a Worker Group	89
Deleting a Worker Group	90
Configuring Queues	91
Configuring Call Queues	91
Configuring Skill-Based Routing Queues	96
Defining Working Hours	103
Adding Working Hours Set	103
Editing Working Hours Set	105
Deleting Working Hours Set	107
Defining Events and Holidays	108
Adding Events and Holidays	108
Editing Events and Holidays	109
Delete Events and Holidays	110
System Settings	111
Teams Presence Settings	111
Directory Synchronization	113
Email Setting Configuration	120
General Email Configuration	121
Omnichannel Email Configuration	123
Access Management	125
Configuring Access Management	126
System Profiles	129
Dialplan Settings	129
Configuring Outgoing Rules	129
Configuring Incoming Rules	131
7 Generating Reports	133
Call Queue Reports	133
Report Scheduler	133
Adding a Report Scheduler	133
Editing a Report Scheduler	136
Delete a Report Scheduler	137
Journey Manager Report	138
Overall Report	140
Call Date Report	142
Drilldown Report	144
Real-Time Dashboard	146
Adding a New Dashboard	146
Editing a Dashboard	148
Deleting a Dashboard	149
Interaction Center Reports	150
Report Scheduler	150
Adding a Report Scheduler	150

Editing a Report Scheduler	153
Deleting a Report Scheduler	155
Interaction Center Reports - Voice	155
Journey Manager Report	156
Worker Activity Report	158
Queue Activity Report	160
Abandoned Call Report	163
Worker Call Report	164
Worker Login-Logout Report	166
Worker State Detail Report	168
Worker State Summary Report	170
Interaction Center Reports - Email	172
Email Worker Activity Report	172
Queue Activity Report	174
Worker Report	176
Interaction Center Reports - Webchat Reports	178
Webchat Worker Activity Report	178
Webchat Queue Activity Report	180
Webchat Worker Report	182
Real-Time Dashboard	184
Adding a Real-Time Dashboard	184
Editing a Real-Time Dashboard	187
Deleting a Real-Time Dashboard	187
IVR Reports	188
Report Scheduler	188
Adding a Report Scheduler	189
Editing a Report Scheduler	191
Deleting a Report Scheduler	193
Drill-down Report	193
Overall Performance Report	196
Call Hour Report	198
Requested Contacts Report	201
Requested Departments Report	202
8 Actions	205
9 Call Dispositions	207

1 Introduction

Today's modern workplace demands a new approach to customer experience, one that not only empowers agents to enjoy their jobs and provide exceptional service to customers, but also enables internal business lines to provide exceptional service throughout the organization.

AudioCodes Voca, a lightweight, cloud-based, contact center with built-in Conversational AI designed entirely for Microsoft Teams, brings an equal emphasis on employee experience and customer experience.

With Voca as a Native Microsoft Teams App, you can consolidate your unified communications and contact center into one-screen, allowing every Microsoft Teams user to become a potential agent.

Now, agents have real-time access to back-office experts to help improve responsiveness, remove department silos and improve communication with employees.

Voca uses the Microsoft Power Model and offers a unique mix of contact center and voice expertise, making it an ideal solution for organizations looking to modernize their CX capabilities.

With flexible deployment and connectivity models, Voca can integrate with any PBX, contact center or unified communications platform, allowing customers to manage contact centers, IVRs, auto-attendant and call queues, in one centralized multi-tenant application that serves multiple voice platforms in parallel.

Along with Voca's conversational capabilities, the application includes a drag-and-drop flow designer, dedicated worker (agent) and supervisor UI, CRM integration, skill-based routing, behavioral routing, real-time dashboards and historical analytics, providing you with just the right set of features.

Voca is GDPR compliant and available for quick deployment from zero-to-service in just a few days.

About this Guide

This guide is intended for organization Administrators responsible for administering the enterprise telephony system. In this guide we describe how to configure and manage the Voca service offered in the Software as a Service (SaaS) model or as an On-premises solution on the Mediant 800, using AudioCodes' Web-Based Management Tool (also referred to as the Web interface).

Voca Benefits

The following is a list of the benefits that Voca offers:

- Built-in, multi-language, Conversational AI
- No-code IVR flow designer
- Actionable call queuing

- Teams presence-based routing
- Skill-based routing
- Modern Teams-based agent desktop
- Real-time dashboards
- API-based integrations (CRM, ERP, etc.)
- DTMF collection and generation support
- Historical IVR reports and analytics
- Conditional routing logic
- Multi-tenancy
- 14 supported languages
- Unique vocabulary (contact and product names, locations, and departments)


2 Getting Started

This section describes how to log in to Voca Web Management.

Logging in to Voca

You can log in to Voca in either of the following ways:

- **Email and Password:** Sign-up first and only after finishing the process log in with the username and password.
- **Microsoft SSO:** Clicking the Microsoft logo to log in using SSO. This option is required to initiate user consent for signing into the application. In some organizations, user consent is blocked and can only be approved by the administrator.




The image shows the Voca login interface. At the top center is the Voca logo, which consists of a stylized 'i' icon followed by the word 'VOCA' in blue. Below the logo is the heading 'Log in to your account'. There are two input fields: the first is labeled 'Email' and contains the placeholder text 'Username'; the second is labeled 'Password' and contains the placeholder text 'Password'. Below these fields is a large teal button with the text 'Log in'. Underneath the button, there is a link that says 'or sign in with' followed by the Microsoft logo and the word 'Microsoft'. At the bottom of the form, there is a horizontal line and a link that says 'Don't have an account? Sign up'.


Changing your Password

The procedure below describes how to change the login password.

- **To change the login password:**
 1. Place the cursor on the Voca username, on the upper-right corner of the screen; the following appears:




2. Select **Change Password** to change the password after initially logging in using the default (recommended); the following appears:



3. In the 'Old Password' field, enter your previous password.
4. In the 'New Password' field, enter your new password.
5. In the 'Confirm Password' field, re-enter the new password.
6. Click **Save Changes** to save your changes.

Getting Familiar with the GUI



Sidebar Panel

Based on the available licenses, the following menu options are displayed:

- **Dashboard:** This option displays Tenant Name, Active Dialect, and graphical summary statistics.
- **Contacts:** This option allows you to manage details of all your contacts, including adding, editing, and deleting contacts. You can also import and export your Contact list using CSV files.
- **Departments:** This option allows you to manage your Department Dictionaries and details of all your departments inside the Department Dictionary. The Department Dictionary is a list of departments which belong to a specific Application Support Package (ASP) and may be used as separate grammar when performing voice detection. Using the Departments menu, you can add, edit, and delete Department Dictionaries and Departments. You can also import and export your departments list from the ASP or from CSV files.
- **Flow Designer:** This option allows you to configure, design and manage complex call flows including API interactions.
- **Configuration:** This option allows you to configure various Voca system settings.
- **Reports:** This option allows you to produce a range of reports.

Dashboard

The following Dashboard titles appear in the colored boxes:

- Tenant Name - Displays the Customer or Company name
- Active Dialect – Displays the main supported language.

The dashboard also displays graphical summaries based on calls made in:


- Last 24 hours
- Last week
- Last month

Logging Out

The procedure below describes how to log out from Voca.

➤ To log out from Voca:

1. Place the cursor on the Voca username, on the upper-right corner of the screen; the following appears:



2. Select Log Out.

3 Managing Contacts

The Contacts page allows the Administrator the option to manage all the contacts in the organization in a centralized place.

The Contacts page can be used for routing calls to contacts by their name or they can be assigned to different places in the Administrator portal.

The Administrator can manage contacts in different ways:

- Manually: Using the Administrator portal to add, edit, delete.
- Import/Export contact using CSV file.
- Automatic synchronization using Active Directory/Azure Active Directory.

Automatic synchronization using LDAP (AD/AAD) requires additional configuration.

For more information, refer to Directory Synchronization.

Contact Details Actions

This section describes the various Contact Details actions that can be performed.

Adding a Contact

The following describes how to add a contact.

➤ To add a contact:

1. Open the Contact Details page (**Contacts > Contacts List**).

UID	First Name	Last Name	Email	Department	Extension / Office	Mobile	DECT	Status
0	Jim	Barnes	JimBarnes12@gmail.com	Sales	1457	+97233768850		ACTIVE
1	David	Goldberg	David.Goldberg@audiocodes.com	IT	5435	+97233768849		ACTIVE
2	Bob	Jane	Bob.Jane@audiocodes.com	Billing	1450	545454		ACTIVE

2. Click **Add New**; the following appears:

New Contact

☰ New Contact - Step 1 of 2

1 Contact Details 2 Confirm

For each contact please enter their first and last name, and at least one contact number.

Provide Contact Details

UID	First Name	Last Name	Department	Email	Extension / Office	Mobile
5	Greg	Kashmir	Finance	GregKashmir@gmail.com	089111222	+97233768846

DECT

[+ More Contacts](#)

[Continue](#)

3. Under the Provide Contact Details group, enter the following:

- UID
- First Name
- Last Name
- Department
- Email
- Extension/Office
- Mobile
- DECT



- DECT is only available if the Administrator has configured it for a specific customer/service.
- Every contact must have a unique User ID (UID).

4. Click **Continue**; the following appears:

New Contact

☰ New Contact - Step 2 of 2

1 ✓ Contact Details 2 Confirm

Once the "Save Information" button is pressed, the list of contact(s) above will be added to the system.

Confirm Information

Contacts:	UID	First Name	Last Name	Department	Email	Extension / Office	Mobile	DECT
	5	Greg	Kashmir	Finance	GregKashmir@gmail.com	089111222	+97233768846	

[⏪ Back](#)
[Save Information](#)

Figure 3-1:


5. Click **Save Information**.

Editing a Contact

The procedure below describes how to edit a contact.

➤ **To edit a contact:**

1. Open the Contact Details screen (**Contacts > Contacts List**).
2. Select the contact you wish to edit by selecting the corresponding **Contact** check box.



3. From the 'Actions' drop-down menu, choose **Edit Contact**; the following appears:

Edit Contact

General Settings

First Name*

Last Name*

Department

Email/Teams URI

Teams Presence-Based Routing

Extension

Mobile

DECT

DTMF Routing key

Aliases

4. Select the 'Teams Presence-Based Routing' check box to allow the system to check for presence when transferring to this Contact, if it is selected as a queue member in the member queue. To use this feature two things are required:
 - **UID:** The UID of the contact must be the same as the Object ID of the user in the Azure Portal.
 - **Teams Presence Routing:** This requires additional configuration on the System Setting page. For more information, refer to Teams Presence Routing.
5. In the 'DTMF Routing key' field, enter the DTMF routing key. This key is used to reach this contact when entering this DTMF code in the Speech menu (if **Transfer by DTMF routing key** is enabled in the menu). The key must be unique within the service.
6. Make your changes on the 'Edit Contact' screen, and then click **Save Changes**; the updated Contact details appear.

Creating an Alias for a Contact

When using speech recognition on Voca, the system searches for a full Contact Name, by default.

An alias of the contact allows you to configure another name for a contact, known or more familiar under another specified name.

The alias for the contact can be configured for:

- **First Name:** The alias only replaces the first name of the user.
- **Last Name:** The alias only replaces the last name of the user.
- **Full Name:** The alias replaces the full name of the user.

Depending on the configured option, the system will search for the contact with selected alias.

➤ To create an alias for a contact:

1. Open the Edit Contact 1 of 2 screen (**Contacts > Contacts List**).
2. Select the contact you wish to edit by selecting the corresponding check box.
3. From the 'Actions' drop-down menu, choose **Edit Contact**.
4. Under the **Alias** group, click + sign; the following example appears:

General Settings

First Name*	<input type="text" value="David"/>
Last Name*	<input type="text" value="Goldberg"/>
Department	<input type="text" value="IT"/>
Email/Teams URI	<input type="text" value="David.Goldberg@audiocodes.com"/>
	<input type="checkbox"/> Teams Presence-Based Routing
Extension	<input type="text" value="5435"/>
Mobile	<input type="text" value="+97233768849"/>
DECT	<input type="text"/>
DTMF Routing key	<input type="text"/>

Aliases


5. Enter an alias name in the alias field (e.g., "Dave").
6. From the Alias Contact drop-down list, select the description field, for example, First Name.

Edit Contact

General Settings

First Name*	<input type="text" value="David"/>
Last Name*	<input type="text" value="Goldberg"/>
Department	<input type="text" value="IT"/>
Email/Teams URI	<input type="text" value="David.Goldberg@audiocodes.com"/>
	<input type="checkbox"/> Teams Presence-Based Routing
Extension	<input type="text" value="5435"/>
Mobile	<input type="text" value="+97233768849"/>
DECT	<input type="text"/>
DTMF Routing key	<input type="text"/>

Aliases

7. For more aliases, click the  sign.

7. Click **Save Changes**.

Deleting a Contact

The procedure below describes how to delete a contact.

➤ To delete a contact:

1. Open the Contact Details screen (**Contacts > Contacts List**).
2. Select the contact you wish to delete by selecting the 'Contact' check box.
3. From the 'Actions' drop-down menu, choose **Delete Contact**.

Contacts

≡ Contact Details

Show 100 entries

	UID	First Name	Last Name	Email	Department	Extension / Office	Mobile
<input type="checkbox"/>	0	Jim	Barnes	JimBarnes12@gmail.com	Sales	1457	+97233768850
<input checked="" type="checkbox"/>	1	David	Goldberg	David.Goldberg@audiocodes.com	IT	5435	+97233768849
<input type="checkbox"/>	2	Bob	Jane	Bob.Jane@audiocodes.com	Billing	1450	545454

Showing 1 to 3 of 3 entries

+ Add New Actions

- Import Contacts List
- Export Contacts List
- Activate Contact
- Protect Contact
- Remove Protect
- Disable Contact
- Enable Teams Presence
- Disable Teams Presence
- Edit Contact
- Delete Contact

- The following message appears: "Are you sure you want to delete the selected contact(s)?"
- Click **OK** to delete the selected contact.

Searching a Contact

The procedure below describes how to search for a contact.

➤ To search for a contact:

- Open the Contacts menu (**Contacts** > <department Dictionary name>).
- Click on the **Contact List** menu.
- Enter the search criteria in the Search field; the searched data is displayed.

Protecting a Contact

In most cases, the Contacts List is retrieved from an external source (e.g., Active Directory or a CSV file). Organization administrators have the option to change specific contact details and set the contact to Protect mode. By doing this, a re-synchronization of the Contacts List will not override the change.

➤ To protect a contact:

- Open the Contact Details screen (**Contacts** > **Contacts List**).
- Select the contact you wish to protect by selecting the 'Contact' check box.
- From the 'Actions' drop-down list, choose **Protect Contact**; the following appears:

Contacts

≡ Contact Details

Show 100 entries

	UID	First Name	Last Name	Email	Department	Extension / Office	Mobile
<input type="checkbox"/>	0	Jim	Barnes	JimBarnes12@gmail.com	Sales	1457	+97233768850
<input checked="" type="checkbox"/>	1	David	Goldberg	David.Goldberg@audiocodes.com	IT	5435	+97233768849
<input type="checkbox"/>	2	Bob	Jane	Bob.Jane@audiocodes.com	Billing	1450	545454

Showing 1 to 3 of 3 entries

+ Add New Actions

- Import Contacts List
- Export Contacts List
- Activate Contact
- Protect Contact
- Remove Protect
- Disable Contact
- Enable Teams Presence
- Disable Teams Presence
- Edit Contact
- Delete Contact

The selected contact appears with a status of "Protected".

Contacts

≡ Contact Details + Add New Actions

Show 100 entries Search:

	<input type="checkbox"/>	UID	First Name	Last Name	Email	Department	Extension / Office	Mobile	DECT	Status
	<input type="checkbox"/>	0	Jim	Barnes	JimBarnes12@gmail.com	Sales	1457	+97233768850		active
	<input type="checkbox"/>	1	David	Goldberg	David.Goldberg@audiocodes.com	IT	5435	+97233768849		protected
	<input type="checkbox"/>	2	Bob	Jane	Bob.Jane@audiocodes.com	Billing	1450	545454		active

Showing 1 to 3 of 3 entries < 1 >

Removing Protection from a Contact

The procedure below describes how to remove protection from a contact.

➤ **To remove protection from a contact:**

1. Open the Contact Details screen (**Contacts > Contacts List**).
2. Select the protected contact you wish to remove the "Protect" status, by selecting the 'Contact' check box.
3. From the 'Actions' drop-down menu, choose **Remove Protect**; the following appears:

Contacts

≡ Contact Details + Add New Actions

Show 100 entries Search:

	<input type="checkbox"/>	UID	First Name	Last Name	Email	Department	Extension / Office	Mobile	DECT	Status
	<input type="checkbox"/>	0	Jim	Barnes	JimBarnes12@gmail.com	Sales	1457	+97233768850		active
	<input checked="" type="checkbox"/>	1	David	Goldberg	David.Goldberg@audiocodes.com	IT	5435	+97233768849		protected
	<input type="checkbox"/>	2	Bob	Jane	Bob.Jane@audiocodes.com	Billing	1450	545454		active

Showing 1 to 3 of 3 entries

- Import Contacts List
- Export Contacts List
- Activate Contact
- Protect Contact
- Remove Protect
- Disable Contact
- Enable Teams Presence
- Disable Teams Presence
- Edit Contact
- Delete Contact

The "protect" status is removed as shown in the figure below:

Contacts

≡ Contact Details + Add New Actions

Show 100 entries Search:

	<input type="checkbox"/>	UID	First Name	Last Name	Email	Department	Extension / Office	Mobile	DECT	Status
	<input type="checkbox"/>	0	Jim	Barnes	JimBarnes12@gmail.com	Sales	1457	+97233768850		active
	<input type="checkbox"/>	1	David	Goldberg	David.Goldberg@audiocodes.com	IT	5435	+97233768849		active
	<input type="checkbox"/>	2	Bob	Jane	Bob.Jane@audiocodes.com	Billing	1450	545454		active

Showing 1 to 3 of 3 entries < 1 >


Activating a Contact

When a contact is created, it is activated (enabled) by default. The procedure below describes how to activate a contact, in case it was disabled.


➤ **To activate a contact:**

1. Open the Contact Details page (**Contacts > Contacts List**).

2. Select the contact you wish to activate by selecting the 'Contact' check box.



3. From the 'Actions' drop-down menu, choose **Activate Contact**; the following appears:



Disabling a Contact


When you disable a contact, the system removes the contact from the Contact Detection List.

When a "disabled" contact calls the system, it will be recognized as non-employee caller.

The procedure below describes how to disable a contact.

➤ To disable a contact:

1. Open the Contact Details screen (**Contacts > Contacts List**).
2. Select the contact you wish to disable by selecting the 'Contact' check box.
3. From the 'Actions' drop-down menu, choose **Disable Contacts**; the following appears:



4. The status is set to "disabled" as shown in the figure below:

Contacts

	UID	First Name	Last Name	Email	Department	Extension / Office	Mobile	DECT	Status
<input type="checkbox"/>	0	Jim	Barnes	JimBarnes12@gmail.com	Sales	1457	+97233768850		active
<input type="checkbox"/>	1	David	Goldberg	David.Goldberg@audiocodes.com	IT	5435	+97233768849		disabled
<input type="checkbox"/>	2	Bob	Jane	Bob.Jane@audiocodes.com	Billing	1450	545454		active

Importing and Exporting Contact List

The procedure below describes how to import and export CSV and Excel files containing Contact lists. When using CSV files, we recommend you use Notepad++ and save files in UTF-8 encoding format.

Contacts

	UID	First Name	Last Name	Email	Department	Extension / Office	Mobile
<input type="checkbox"/>	0	Jim	Barnes	JimBarnes12@gmail.com	Sales	1457	+97233768850
<input type="checkbox"/>	1	David	Goldberg	David.Goldberg@audiocodes.com	IT	5435	+97233768849
<input type="checkbox"/>	2	Bob	Jane	Bob.Jane@audiocodes.com	Billing	1450	545454

Importing Contact Information

The procedure below describes how to import Contact information.

➤ **To import contact information from a CSV file:**

1. From the Actions drop-down list, on the Contact Details screen, click **Import Contacts List**.

Import Contacts List ✕

Import your contacts list from **CSV** or **Excel** files

Incremental Mode

Overwrite empty contacts aliases

Encoding:

No file chosen

The best starting point

Use an empty template

[Get csv template](#) | [Get excel template](#)

Both files must be save in UTF-8 encoded format.

2. If you select the 'Incremental Mode' check box, only the records that you are importing will be active in your Contacts List. All pre-existing records will be disabled.
3. If you select the 'Overwrite empty contacts aliases' check box, all empty contacts aliases in the imported file are overwritten.
4. From the 'Encoding' drop-down list, select the **Encoding type**. The recommended value is **UTF-8**.
5. Click **Choose File**, and then select the file to be imported.
6. Select the CSV or Excel template.
7. Click **Import Contacts List**.

Pre-Import Report

≡ Pre-Import Details

Notice: The system is currently pending for action

Status	Records	Preview
New Entity	52	
Items that will be enabled (Already Exist)	0	
Update	0	
No Change	0	
Items to be disabled	0	

✔ Confirm Import
✘ Cancel Import

- This report lists the status of the contracts to be imported. In the example above, 52 new contacts are ready to be imported. Clicking the **Preview** icon displays these new contacts before they are imported. If there is an update to an existing contact, click the **Preview** icon. The contact (before the update) appears with a pink background, while the updated contact appears with a green background.

Pre-Import Report

≡ Pre-Import Details

Notice: The system is currently waiting for action

Status	Records	Preview
New Entity	0	
Items that will be enabled (Already Exist)	0	
Update	2	
No Change	12645	
Items to be disabled	0	

≡ Update
✕

Show | 25 | entries
Search

First Name	Last Name	Department	Extension / Office	Mobile	Email
Jörn	Schmaljohann	A	1111	053741571	jschmaljohann@ukaachen.de
Jörn	Schmaljohann	A	1111	2222	jschmaljohann@ukaachen.de
Marlies	Dorloechter	A	1111	0523741571	Marlies.Dorloechter@dldr.de
Marlies	Dorloechter	A	1111	2222	Marlies.Dorloechter@dldr.de

Showing 1 to 4 of 4 entries
< 1 >

✔ Confirm Import
✘ Cancel Import

- Click **Confirm Import** to import the contacts. If you wish to cancel the import process, click **Cancel Import**.



If you do not click **Confirm Import** or **Cancel Import**, or you switch to another tab, the actual import will be pending and all contacts will be disabled.



The same behavior applies for Contacts that have been disabled.

- You can return to the **Confirm Import** or **Cancel Import** processes by clicking on the **here** link.


Contacts

☰ Contact Details

Note: You haven't completed your previous task. To continue operating with the system, please click [here](#) to complete your task

11. The CSV file to be imported should contain the following:

- UID (mandatory) - an employee ID or any unique number, name or both.
- First name
- Last name
- Extension number
- Mobile number
- Department
- Email
- First Name Aliases separated by ";"
- Last Name Aliases separated by ";"
- Full Name Aliases separated by ";"



- It is highly recommended that the CSV file will be saved in UTF-8 encoding format (Unicode Text). Use Notepad++ to view CSV files.
- You can import a new contact with an existing UID in the same tab. For example, you can import a new contact from the **Contacts > Import/Export**. The imported contact overwrites the existing contact with the same UID. However, if you import a new department with a UID that is already in use by an existing contact or branch, an error appears with the following message: "Upload has failed. One or more of the UIDs already exist in contacts or branches list! [UID number]".

The Excel file can be imported according to the following layout.

	A	B	C	D	E	F	G	H	I	J
1	UniqueID	FirstName	LastName	Extension	Mobile	Department	Email	FirstName	LastNameAliases	FullNameAliases
2										
3										
4										
5										

Exporting Contact Information

The procedure below describes how to export contact information.

➤ **To export contact information:**

1. From the 'Actions' drop-down menu, on the Contact Details screen, click **Export Contacts List**.

2. Select the type of Contact List to be exported – **Excel** or **CSV**.
3. Click **Export Contacts List**.

Defining Additional Employees

The procedure below defines the system behavior for adding additional employees to the organization.

Configuring additional employees allows the organization Administrator to add more contacts which will not be included in the organization's contact list. These additional employees will not be reached through voice dialing, but will be part of the organization and will be provided with employee privileges (i.e., the same configuration that is set for employees).

➤ To define the additional employees:

1. Open the Additional Employees Details screen (**Configuration > Additional Employees**).
2. Click **Add New**; the following appears:

3. Under the **Provide Contact Details** group, enter the following:

- First Name
- Last Name
- Extension/Office
- Mobile

4. Click **Continue**; the following appears:

New Employee

≡ New Employee - Step 2 of 2

1 ✓ Employee Details

Confirm Information

Contacts:	First Name	Last Name	Extension / Office	Mobile
	Peter	Morris	4490	012-345678

[← Back](#) [Save Information →](#)

5. Click **Save Information**.

4 Managing Departments

The Departments page allows the Administrator to manage all the departments in the organization ifrom a centralized place.

The Administrator can manage the department in the following ways:

- Manually using the Administrator portal to add, edit, delete
- Importing/Exporting departments using the CSV file

Using the Dictionary List

Voca provides the ability to create separate lists of departments that can be used on a menu level for detection. You can manually add Department Names or import them from pre-defined packages into your department lists.

For every tenant/service the "Default" Dictionary List is pre-defined and can't be deleted. It can be used for creating your list or alternatively you can create a new department list with your required name.

Adding Department Dictionary

The procedure below describes how to add a department dictionary.

➤ To add a department dictionary:

1. Open the Department Dictionary menu (**Departments > Dictionary List**).
2. Click **Add New**; the following appears:

New Department Dictionary

☰ New Department Dictionary - Step 1 of 2

1 Department Details

2 Confirm

Provide Department Dictionary Details

Dictionary Name

Application Software Package (ASP)

+ More Dictionary

Continue ➞

3. Under the Provide Department Dictionary Details group, enter the following:
 - Dictionary Name
 - Application Software Package (ASP)

4. Enter the required fields.

New Department Dictionary

≡ New Department Dictionary - Step 1 of 2

1 Department Details 2 Confirm

Provide Department Dictionary Details

Dictionary Name: IT Menu Application Software Package (ASP): AutoAttendant - EN-US

+ More Dictionary

Continue

5. Click **Continue**.

6. Click **Save Information**.

Editing Department Dictionary

The procedure below describes how to edit a Department dictionary.

➤ To edit a department Dictionary:

1. Open the Department Dictionary menu (**Departments > Dictionary List**).
2. Check the **Department Dictionary** that you wish to edit.
3. From the 'Actions' drop-down menu, choose **Edit Dictionary**.

Departments

≡ Dictionary List

Show 100 entries

+ Add New Actions

Edit Dictionary

Delete Dictionary

Department Dictionary	Application Software Package (ASP)	Dialect
<input checked="" type="checkbox"/> Default	AutoAttendant	HE-IL
<input type="checkbox"/> Emp_or_Dep	AutoAttendant	HE-IL

Showing 1 to 2 of 2 entries

< 1 >

4. Edit the required fields.

5. Click **Continue**.
6. Click **Save Information**.

Deleting Department Dictionary

The procedure below describes how to delete a department Dictionary.

➤ To Delete a department Dictionary:

1. Open the Department Dictionary menu (**Departments > Dictionary List**).
2. Check the Department Dictionary that you wish to Delete.
3. From the drop-down action list select **Delete Dictionary**.

Departments

Dictionary List

Show 100 entries

Department Dictionary	ASP	Dialect
<input type="checkbox"/> Default	AutoAttendant	HE-IL
<input checked="" type="checkbox"/> US Department	AutoAttendant	HE-IL

Showing 1 to 2 of 2 entries

Adding a Department Manually

The procedure below describes how to add a department to a specific department Dictionary manually.

➤ To add a department manually:

1. Open the Departments menu, and then click on the required department Dictionary (**Departments > Departments > {department Dictionary name}**).
2. Click on the **Department List** menu.

Default - Departments

<input type="checkbox"/>	Department Name	Parent Department	Extension	Time of Day Routing Type	Working Hour Set	Actions	Status
<input type="checkbox"/>	Default			Non Working Hours (always on)	-		active

Showing 1 to 1 of 1 entries

3. Click **Add New**; the following appears:

New Department

New Department - Step 1 of 2

1 Department Details 2 Confirm

Provide Department Details

UID Department Name Extension Parent Department

+ More Departments

Continue

New Department

New Department - Step 1 of 2

1 Department Details 2 Confirm

Provide Department Details

UID Department Name Extension Parent Department

+ More Departments

Continue

4. Under the **Provide Department Details** group, enter the following:

- UID
- Department Name
- Extension
- Parent Department

5. Enter the required fields.

1
 Department Details

2
 Confirm

Provide Department Details

UID	Department Name	Extension	Parent Department
<input type="text" value="ABC"/>	<input type="text" value="Human Resources"/>	<input type="text" value="4000"/>	<input type="text"/>

+ More Departments

Continue ↶

6. Click **Continue**.
7. Click **Save Information**.

- Every Department must have a unique ID. It can either be a unique number or a name (e.g., ABC123).
- The 'Parent Department' field can be ignored for this step.

Editing a Department

The procedure below describes how to edit a department.

➤ **To edit a department:**

1. Open the **Departments** menu, and then click on the required department (**Departments > {Department Dictionary Name}**).
2. Click on the **Department List** menu.
3. Select the department you wish to edit by selecting the **Department** check box.

Default - Departments

Department Details
+ Add New ⌵ Actions ⌵

Show 100 entries
Search

<input type="checkbox"/>	<input type="checkbox"/>	Department Name	Parent Department	Extension	Time of Day Routing Type	Working Hour Set	Actions
<input type="checkbox"/>	<input type="checkbox"/>	Anaesthetics	Anaesthetics	1111	-	Default	Transfer to Extension: 1111, Transfer to Extension: 1111
<input type="checkbox"/>	<input type="checkbox"/>	Cardiology	Cardiology	2211	-	Default	Transfer to Extension: 2211, Transfer to Extension: 2211
<input type="checkbox"/>	<input type="checkbox"/>	Diabetes Center	Diabetes Center	3311	-	Default	Transfer to Extension: 3311, Transfer to Extension: 3311
<input type="checkbox"/>	<input type="checkbox"/>	Endocrinology	Endocrinology	4411	-	Default	Transfer to Extension: 4411, Transfer to Extension: 4411
<input checked="" type="checkbox"/>	<input type="checkbox"/>	Marcom	Marketing	4242	-	Default	Transfer to Extension: 4242, Transfer to Extension: 4242
<input type="checkbox"/>	<input type="checkbox"/>	Maternity 1st Floor	Maternity	2407	-	Default	Transfer to Extension: 2407
<input type="checkbox"/>	<input type="checkbox"/>	TW	HR	1234	-	Default	Transfer to Extension: 1234, Transfer to Extension: 1234

Showing 1 to 7 of 7 entries
1

- Import Departments List
- Export Departments list
- Import Package
- Activate Department
- Disable Department
- Edit Department
- Delete Department

4. From the 'Actions' drop-down menu, choose **Edit Department**; the following appears:

Edit Department

General

UID*	<input type="text" value="MMM"/>
Department Name*	<input type="text" value="Marcom"/>
Parent Department	<input type="text" value="Marketing"/>
Email	<input type="text"/>
Extension 1	<input type="text" value="4242"/>
Extension 2	<input type="text"/>
Extension 3	<input type="text"/>
DTMF Routing key	<input type="text"/>
Time of Day Routing Type	<input type="text" value="Non Working Hours (always on)"/>

Actionable Working Hours

Action 1	<input type="text" value="Transfer to Phone"/>	Data	<input type="text" value="4244"/>
----------	--	------	-----------------------------------

- In the 'Parent Department' field, enter additional an name for the selected department. If there is more than one department with the same name, Voca checks for the Parent Department that is configured.
- In the 'Email' field, enter the main department email address that can be used for sending missed call notifications for that department.
- In the 'Extension 1/2/3' fields, enter the extension numbers for the department. These extensions might be used if Call Hunting is activated for departments in the Speech menu.
- In the 'DTMF Routing key' field, enter the DTMF routing key. This key is used to reach this department, when entering this DTMF code during the Speech menu (if **Transfer by DTMF routing key** is enabled in the menu). The key must be unique within the service.
- The 'Time Of Day Routing Type' drop-down list determines how to handle the incoming call based on working hours. There are three possible options:
 - If you select **Working Hours (always on)**, all incoming call, regardless of any working hours, are always handled according to the actions selected.
 - If you select **Working Hours Vs Non Working Hours**, calls are handled based on working hours. When selecting this option, a Working Hours Set should be selected. Actions will be configured for actionable working hours and for actionable Non-working hours.

Time of Day Routing Type Working Hours vs. Non Working Hours ▾

Working Hour Set Default ▾

Actionable Working Hours

Action 1 Transfer to Extension ▾ Data 4242

Actionable Non-Working Hours

Action 1 Go to menu ▾ Data Default Speech Menu ▾

- If you select **Actionable Working Hours (with shifts)**, calls are handled based on working hours. When selecting this option, a Working Hours Set should be selected. All shifts defined in that set will be displayed and for each working hour shift.

Time of Day Routing Type Actionable Working Hours (with shifts) ▾

Working Hour Set wh_shifts ▾

Actionable Working Hours

—	Tuesday	00:00	12:59		
	Action 1	Transfer to Extension ▾		Data	5205
—		13:00	23:45		
	Action 1	Transfer to Extension ▾		Data	5205

Actionable Non-Working Hours

Action 1 Transfer to Extension ▾ Data 5205

- Relevant actions can be also configured for the non-working hours.

10. From the 'Action 1' drop-down list, select one of the following options:

Actions

Action 1 Data

Activate Non-Work

Prompts

File Options

Aliases

11. In the 'Action1 Data' field, enter the related action data for the 'Action 1' field. For more information of the possible Actions, see [Actions](#).
12. Make your changes, and then click **Save Changes**.

Configuring Department Prompts

The procedure below describes how to configure a Department audio prompt for the Voca service. You can use an existing default prompt, upload a prompt or record a new prompt.

➤ To use the default department prompt:

1. Open the Department menu and click on the required department (**Departments > {department Dictionary name}**).
2. Click on the **Department List** menu.
3. Select the department you wish to edit by selecting the **Department** check box.
4. From the 'Actions' drop-down list, select **Edit Department**; the following appears:

Edit Department

General

UID*

Department Name*

Parent Department

Email

Extension 1

Extension 2

Extension 3

DTMF Routing key

Time of Day Routing Type

Working Hour Set

Actionable Working Hours

Action 1 Data

Actionable Non-Working Hours

Action 1 Data

Prompts

File Options

File

File Name*

File Description*

Aliases +

-

-

5. Under the **Prompts** group, select 'default' to use a pre-existing prompt.

➤ **To upload a prompt:**

1. From the 'File Options' drop-down list, select **Upload**.

Prompts

File Options Upload

File Name*

File Description*

File Upload*

Aliases +

Save Changes

2. In the 'File Name' field, enter the audio file name.
3. In the 'File Description' field, enter a description of the prompt.
4. Click **Choose File** to locate the audio file to be uploaded; and then click **Open** to select the file.

Prompts

File Options Upload

File Name*

File Description*

File Upload* Choose File

Aliases +

Save Changes

5. Click **Save Changes** to complete the upload process. A 'department Successfully Updated' message appears.



The audio file must be in the following format - .wav file, with 16 Bit Resolution, mono, 8000Hz.

➤ **To record a prompt:**

1. From the 'File Options' drop-down list, select **Record**.
2. Click **Record** and then begin recording your prompt.

Prompts

File Options Record

File Name*

File Description*

File Record* Record Stop Play Download

Aliases +

Save Changes


3. When finished recording, click **Stop**.
4. To replay the recent recording, click **Play**.


5. To save a copy of the recorded audio file, click **Download**.
6. Click **Save Changes** to complete the recording process.

Creating Keywords for a Department

An alias is another name for a department, known or more familiar under another specified name. You can create an alias for a specified department.

➤ To create a keyword for a department:

1. Open the **Departments** menu, and then click on the required department (**Departments** > {department Dictionary name}).
2. Click on the **Department List** menu.
3. Select the department you wish to edit by selecting the 'Department' check box.
4. From the 'Actions' drop-down menu, choose **Edit Department**.
5. Under the **Keywords** group, click  ; the following appears:


Keywords 


 

Save Changes

6. Enter the keyword name(s).

Keywords 

Marc 

Marc_Dept 

Save Changes

7. Click **Save Changes**; the changes have been updated.


Deleting a Department

The procedure below describes how to delete a department.

➤ To delete a department:

1. Open the **Departments** menu and click on the required department (**Departments** > {department dictionary name}).
2. Click on the **Department List** menu.
3. Select the department you wish to delete.

- From the 'Actions' drop-down menu, choose **Delete Department**.



- The following message appears: 'Are you sure you want to delete the selected department (s)?'
- Click **OK** to delete the selected department.


Searching a Department

The procedure below describes how to search for a department.

➤ **To search for a department:**

- Open the Departments menu and click on the required department (**Departments > {department dictionary name}**).
- Click on the **Department List** menu.
- Enter the search criteria in the **Search** field; the searched data is displayed.

Departments



Disabling a Department

The procedure below describes how to disable a department.

➤ **To disable a department:**

- Open the **Departments** menu and click on the required department (**Departments > {Department Dictionary name}**).
- Click on the **Department List** menu.
- Select the department you wish to disable by selecting the **Department** check box.

4. From the 'Actions' drop-down menu, choose **Disable Department**.

Default - Departments

Department Details

Show 100 entries

<input type="checkbox"/>	Department Name	Parent Department	Extension	Time of Day Routing Type	Working Hour Set	Actions
<input type="checkbox"/>	Anaesthetics	Anaesthetics	1111	-	Default	Transfer to Extension: 1111, Transfer to Extension: 1111
<input type="checkbox"/>	Cardiology	Cardiology	2211	-	Default	Transfer to Extension: 2211, Transfer to Extension: 2211
<input type="checkbox"/>	Diabetes Center	Diabetes Center	3311	-	Default	Transfer to Extension: 3311, Transfer to Extension: 3311
<input type="checkbox"/>	Endocrinology	Endocrinology	4411	-	Default	Transfer to Extension: 4411, Transfer to Extension: 4411
<input checked="" type="checkbox"/>	Marcom	Marketing	4242	Working Hours vs. Non Working Hours	Test	Transfer to Extension: 4242, Transfer to Extension: 4242
<input type="checkbox"/>	Maternity 1st Floor	Maternity	2407	-	Default	Transfer to Extension: 2407
<input type="checkbox"/>	TW	HR	1234	-	Default	Transfer to Extension: 1234, Transfer to Extension: 1234

Showing 1 to 7 of 7 entries

Actions menu: Add New, Import Departments List, Export Departments list, Import Package, Activate Department, Disable Department, Edit Department, Delete Department

5. The selected department is "disabled" as shown in the figure below:

Default - Departments

System Notification
Status successfully updated

Department Details

Show 100 entries

<input type="checkbox"/>	Department Name	Parent Department	Extension	Time of Day Routing Type	Working Hour Set	Actions	Status
<input type="checkbox"/>	Anaesthetics	Anaesthetics	1111	-	Default	Transfer to Extension: 1111, Transfer to Extension: 1111	active
<input type="checkbox"/>	Cardiology	Cardiology	2211	-	Default	Transfer to Extension: 2211, Transfer to Extension: 2211	active
<input type="checkbox"/>	Diabetes Center	Diabetes Center	3311	-	Default	Transfer to Extension: 3311, Transfer to Extension: 3311	active
<input type="checkbox"/>	Endocrinology	Endocrinology	4411	-	Default	Transfer to Extension: 4411, Transfer to Extension: 4411	active
<input type="checkbox"/>	Marcom	Marketing	4242	Working Hours vs. Non Working Hours	Test	Transfer to Extension: 4242, Transfer to Extension: 4242	disabled
<input type="checkbox"/>	Maternity 1st Floor	Maternity	2407	-	Default	Transfer to Extension: 2407	active
<input type="checkbox"/>	TW	HR	1234	-	Default	Transfer to Extension: 1234, Transfer to Extension: 1234	active

Showing 1 to 7 of 7 entries

Activating a Department

The procedure below describes how to activate a department.

➤ **To activate a department:**

1. Open the Departments menu and click on the required department Dictionary (**Departments > {department Dictionary name}**).
2. Click on the **Department List** menu.
3. Select the department you wish to activate by selecting the **Department** check box.
4. From the 'Actions' drop-down menu, choose **Activate Department**.

Default - Departments

Department Name	Parent Department	Extension	Time of Day Routing Type	Working Hour Set	Actions	Status
Anaesthetics	Anaesthetics	1111	-	Default	Transfer to Extension: 1111, Transfer to Extension: 1111	active
Cardiology	Cardiology	2211	-	Default	Transfer to Extension: 2211, Transfer to Extension: 2211	active
Diabetes Center	Diabetes Center	3311	-	Default	Transfer to Extension: 3311, Transfer to Extension: 3311	active
Endocrinology	Endocrinology	4411	-	Default	Transfer to Extension: 4411, Transfer to Extension: 4411	active
Marcom	Marketing	4242	Working Hours vs. Non Working Hours	Test	Transfer to Extension: 4242, Transfer to Extension: 4242	disabled
Maternity 1st Floor	Maternity	2407	-	Default	Transfer to Extension: 2407	active
TW	HR	1234	-	Default	Transfer to Extension: 1234, Transfer to Extension: 1234	active

5. The disabled department appears with a green status of "active", as shown below.

Department Name	Parent Department	Extension	Time of Day Routing Type	Working Hour Set	Actions	Status
Anaesthetics	Anaesthetics	1111	-	Default	Transfer to Extension: 1111, Transfer to Extension: 1111	active
Cardiology	Cardiology	2211	-	Default	Transfer to Extension: 2211, Transfer to Extension: 2211	active
Diabetes Center	Diabetes Center	3311	-	Default	Transfer to Extension: 3311, Transfer to Extension: 3311	active
Endocrinology	Endocrinology	4411	-	Default	Transfer to Extension: 4411, Transfer to Extension: 4411	active
Marcom	Marketing	4242	Working Hours vs. Non Working Hours	Test	Transfer to Extension: 4242, Transfer to Extension: 4242	active
Maternity 1st Floor	Maternity	2407	-	Default	Transfer to Extension: 2407	active
TW	HR	1234	-	Default	Transfer to Extension: 1234, Transfer to Extension: 1234	active

Keyword to Department Mapping

The procedures below describe how aliases are mapped to departments, and allow removing and adding aliases to additional departments.

➤ **To add a keyword to a department:**

1. Open the Departments Aliases page (**Departments > {department Dictionary name}**).
2. Click on the **Department Keywords** menu.

Department Keywords

Keywords	Departments	Action
Marc	Marcom	Add keyword to a department
Marc_Dept	Marcom	Add keyword to a department

3. Place the cursor on the keywords that you wish to have the department mapped to.
4. In the **Action** column, click the **Add keyword to a department** button.
5. From the **Department** drop-down list, select the department you wish to map to the alias.

Add keyword to department

select department:

A screenshot of a web interface showing a dropdown menu. The menu is open, displaying three options: "HR" (which is highlighted in blue), "Logistics", and "Marcom". The text "select department:" is visible above the menu.

6. Click **Save**; In our example, **HR** was added to the Marc keywords name.

Department Keywords

A screenshot of the "Department Keywords" management page. The page title is "Department Keywords". Below the title is a search bar and a "Show 100 entries" dropdown. The main content is a table with the following data:

Keywords	Departments	Action
Marc	Marcom HR	Add keyword to a department
Marc_Dept	Marcom	Add keyword to a department

At the bottom of the table, it says "Showing 1 to 2 of 2 entries" and there are navigation arrows.

➤ To delete an Alias from a Department:

1. Open the Departments Aliases page (**Departments** > {department Dictionary name}).
2. Click on the **Department Keywords** menu.

Department Keywords

A screenshot of the "Department Keywords" management page, identical to the previous one. It shows the same table with columns for Keywords, Departments, and Action. The 'Marc' keyword is associated with 'Marcom' and 'HR' departments. The 'Marc_Dept' keyword is associated with 'Marcom'.

3. Double-click the department button that you want to delete. In our example, we want to delete **Marc** from the **HR** department. A message appears informing you that the alias will be deleted from the department.

4. Click **OK**.

Searching for a Keyword

You can use the **Search** box to search for specific text on the Department Aliases page.

Department Keywords

Keywords and the departments to which they are mapped

Show entries Search:

Keywords	Departments	Action
Marc_Dept	Marcom	Add keyword to a department

Showing 1 to 1 of 1 entries (filtered from 2 total entries) < 1 >

Importing/Exporting Department List

The procedure below describes how to import and export CSV or XLS files containing Department lists from/to a specific department Dictionary. When using CSV files, we recommend you use Notepad++ and save files in UTF-8 encoding format.

Default - Departments

Department Details

Show entries Se

<input type="checkbox"/>	Department Name	Parent Department	Extension	Time of Day Routing Type	Working Hour Set	Actions
<input type="checkbox"/>	Anaesthetics	Anaesthetics	1111	-	Default	Transfer to Extension: 1111, Transfer to Extension: 1111
<input type="checkbox"/>	Cardiology	Cardiology	2211	-	Default	Transfer to Extension: 2211, Transfer to Extension: 2211
<input type="checkbox"/>	Diabetes Center	Diabetes Center	3311	-	Default	Transfer to Extension: 3311, Transfer to Extension: 3311
<input type="checkbox"/>	Endocrinology	Endocrinology	4411	-	Default	Transfer to Extension: 4411, Transfer to Extension: 4411
<input type="checkbox"/>	Human Resources	Management	1234	Non Working Hours (always on)	-	-
<input type="checkbox"/>	Marcom	Marketing	4242	Working Hours vs. Non Working Hours	Test	Transfer to Extension: 4242, Transfer to Extension: 4242
<input type="checkbox"/>	Maternity 1st Floor	Maternity	2407	-	Default	Transfer to Extension: 2407
<input type="checkbox"/>	TW	HR	1234	-	Default	Transfer to Extension: 1234, Transfer to Extension: 1234

Showing 1 to 8 of 8 entries < 1 >

[+ Add New](#) [Actions](#)

- [Import Departments List](#)
- [Export Departments list](#)
- [Import Package](#)
- [Activate Department](#)
- [Disable Department](#)
- [Edit Department](#)
- [Delete Department](#)

Importing Department Information

The procedure below describes how to import department information.

➤ **To import department information:**

1. Open the **Departments** menu, and then click on the required department (**Departments > {department dictionary name}**).
2. Click on the **Department List** menu.
3. From the **Actions** drop-down list, on the Department Details page, click **Import Departments List**.

Import Departments List ✕

Import your departments list from **CSV** or **Excel** files

Incremental Mode

Overwrite empty departments aliases

Encoding:

No file chosen

The best starting point

Use an empty template

[Get csv template](#) | [Get excel template](#)


Both files must be save in UTF-8 encoded format.

4. If you select the 'Incremental Mode' check box, only the records that you are importing are activated in your Departments List. All pre-existing records are disabled.
5. If you select the 'Overwrite empty departments aliases' check box, all empty departments aliases in the imported file are overwritten.
6. From the 'Encoding' drop-down list, select the Encoding type. The recommended value is **UTF-8**.
7. Click **Choose File** and select the file to be imported.
8. Select the CSV or Excel template.
9. Click **Import Departments List**.

Pre-Import Report

≡ Pre-Import Details

Notice: The system is currently pending for action

Status	Records	Preview
New Entity	52	
Items that will be enabled (Already Exist)	0	
Update	0	
No Change	0	
Items to be disabled	0	

✔ Confirm Import
✘ Cancel Import

This report lists the status of the departments to be imported. In this example, 52 new departments are ready to be imported. Clicking the Preview icon, displays these new departments before they are imported.

10. Click **Confirm Import** to import the departments. If you wish to cancel the import process, click **Cancel Import**.

If you do not click **Confirm Import/Cancel Import** or switch to another tab, the actual import will be pending and all departments will be disabled. the following appears:

Default - Departments

≡ Department Details

Note: You haven't completed your previous task. To continue operating with the system, please click [here](#) to complete your task

11. You can return to the **Confirm Import** or **Cancel Import** processes by clicking on the **here** link.

12. The CSV to be imported should contain the following:

- UID (mandatory) - a Department ID or any unique number, name or both need to be entered.
- Department name
- Extension number
- Aliases separated by ";"



It is highly recommended that the CSV file will be saved in UTF-8 encoding format (Unicode Text). Use Notepad++ to view CSV files.

13. The Excel file can be imported according to the following layout:


	A	B	C	D
1	UID	Department Name	Extension	Aliases
2				
3				

Exporting Department Information

The procedure below describes how to export department information.

➤ To export department information:

1. From the Actions drop-down list, on the Department Details screen, click **Export Departments List**.



2. Select the type of Department List to be exported:
 - Active and Inactive Departments List
 - Active Departments List
 - Inactive Departments List
3. Click **Excel file** or **CSV file** as the format to export the Departments List.

5 Flow Designer

The Flow Designer offers a way to configure, design and manage complex call flows. It provides a rich and powerful set of building blocks that Administrators can use to create their own call flow scenarios.

For a detailed description of how to use the Flow Designer click [here](#).

6 Configuration

This section describes how to configure the following:

- Interaction Manager
- Prompts
- Menu Settings
- Flow Settings
- Routing
- Working Hours
- Events & Holidays
- System Settings
- Access Management
- Dial Plan Settings


Adding a Voice Prompt

When calling the Voca service, the recorded prompts will be heard. The prompts can be used for other settings in the menu configuration. The system contains default prompts. These prompts can be overwritten or new prompts can be recorded with specific messages.

The procedure below describes how to upload an audio prompt for the Voca service.

➤ To add a new prompt:

1. Open the Prompt Details screen (**Configuration > Prompts**); the following appears:



2. From the Prompts screen, click **Add New**; the following appears:

New Prompt

The screenshot shows a form titled 'New Prompt' with a green header bar containing a hamburger menu icon and the text 'Prompt Details'. Below the header, there are three main sections: 'File Name*' with an empty text input field, 'File Description*' with an empty text input field, and 'File Upload/Record*' with two radio buttons: 'Upload' (selected) and 'Record'. Below the radio buttons is a 'Choose File' button and the text 'No file chosen'. At the bottom of the form, there are two buttons: 'Save Information' (highlighted in blue) and 'Cancel'.

3. Enter the prompt details in the fields provided.
4. In the 'File Name' field, enter the audio file name.
5. In the 'File Description' field, enter a description of the prompt.
6. You can either Upload a prompt or Record a new prompt.

➤ To upload a file:

1. Click the **Upload** option.
2. Click **Choose File** to locate the audio file to be uploaded.

New Prompt

The screenshot shows the same 'New Prompt' form as above, but with the 'File Name*' field containing the text 'Business Hours' and the 'File Description*' field containing the text 'Recording to be played during business hours'. The 'Upload' radio button remains selected, and the 'Choose File' button and 'No file chosen' text are still present. The 'Save Information' and 'Cancel' buttons are at the bottom.

3. Click **Save Information** to complete the upload process.



The audio file must be in the following format - .wav file, with 16 Bit Resolution, mono, 8000Hz.

➤ To record a file:

1. Click **Record**, and then begin recording your prompt.

New Prompt

2. When finished recording, click **Stop**.
3. To replay the recent recording, click **Play**.
4. To save a copy of the recorded audio file, click **Download**.
5. Click **Save Information** to complete the recording process.

Configuring Interaction Manager

Configuring Voice Settings

The procedures below describe how to view and configure voice settings and assign DNIS numbers.

➤ To view voice settings:

1. Open the Voice Settings screen (**Configuration > Interaction Manager > Voice**); the following appears.

DNIS Number	DNIS Name	Timezone	Time of Day Routing Type	Working Hour Set	Events & Holidays
445566	Main	UTC -5 DST	Actionable Working Hours	Shifts	Default
+130163	SNOW Flow	UTC -5 DST	Working Hours (always on)	-	Default
+144075	EDU Flow	UTC -5 DST	Working Hours (always on)	-	Default
+178655	IT Helpdesk Flow	UTC -5 DST	Working Hours (always on)	-	Default

The Voice Settings page is described below:

- **DNIS Number:** Defines the Access phone number for the IVR service. e.g., 5555
- **DNIS Name:** Defines the name of the IVR service.
- **Timezone:** Defines the timezone associated with the DNIS number. When calling this number, working hours, holidays and events are checked based on the timezone.

- **Time Of Day Routing Type:** Defines how to handle incoming calls based on working hours. This can be set by editing the three options in the Flow Settings records:
- **Working Hour Set:** Defines which working hour set will be used to define the working/non-working days/time for the flow.
- **Events & Holidays:** Selects the relevant Events and Holidays set. Events and Holidays actions take precedence over Working Hours actions. (see [Defining Events and Holidays](#) on page 108)

Adding a Flow Setting

The procedure below describes how to add a flow setting.

➤ To add a flow setting:

1. Open the Voice Settings page (**Configuration > Interaction Manager > Voice**); the following appears.

Voice Settings

≡ Flow Settings Details + Add New Actions

Show 100 entries Search:

<input type="checkbox"/>	DNIS Number	DNIS Name	Timezone	Time of Day Routing Type	Working Hour Set	Events & Holidays
<input type="checkbox"/>	445566	Main	UTC -5 DST	Actionable Working Hours	Shifts	Default
<input type="checkbox"/>	+130163	SNOW Flow	UTC -5 DST	Working Hours (always on)	-	Default
<input type="checkbox"/>	+144075	EDU Flow	UTC -5 DST	Working Hours (always on)	-	Default
<input type="checkbox"/>	+178655	IT Helpdesk Flow	UTC -5 DST	Working Hours (always on)	-	Default

Showing 1 to 4 of 4 entries < 1 >

2. Click **Add New**; the following appears:

Add Voice Settings

DNIS Number*

DNIS Name

Timezone (UTC -5:00 DST) Central Time

Time of Day Routing Type Working Hours (always on)

Events & Holidays* Default

Actions

Action 1 Go-to menu Data DTMF Menu

Save Changes

3. In the 'DNIS Number' field, enter the access phone number for the IVR service. e.g., 5555.
4. In the 'DNIS Name' field, enter the name of the IVR service.

5. From the 'Timezone' drop-down list, select the timezone associated with the DNIS number. When calling this number, working hours, holidays and events are checked based on the timezone.
6. From the 'Time Of Day Routing Type' drop-down list, select the method for handling incoming calls based on working hours. This can be set by editing the three options in the Flow Settings records:



Events & Holidays actions always take precedence.

- If you select **Working Hours (always on)**, all incoming calls, regardless of any working hours, are always handled according to the 'Actions' configured below.
- If you select **Actionable working hours**, calls are handled based on the working hours. When selecting this option, a Working Hours Set should be selected. All shifts defined in that set are displayed and for each working hour shift, relevant actions can be configured. Relevant actions can be also configured for non-working hours.

Add Voice Settings

DNIS Number*	<input type="text" value="445566"/>
DNIS Name	<input type="text" value="Main"/>
Timezone	<input type="text" value="(UTC -5:00 DST) Central Time"/>
Time of Day Routing Type	<input type="text" value="Actionable Working Hours"/>
Working Hours Set	<input type="text" value="Shifts"/>
Events & Holidays*	<input type="text" value="Default"/>

Actionable Working Hours

—	Sunday	08:00	12:00		
Action 1	<input type="text" value="Go-to menu"/>			Data	<input type="text" value="DTMF Menu"/>
—		13:00	19:00		
Action 1	<input type="text" value="Go-to menu"/>			Data	<input type="text" value="DTMF Menu"/>

Actionable Non-Working Hours

Action 1	<input type="text" value="Go-to menu"/>	Data	<input type="text" value="DTMF Menu"/>
----------	---	------	--

[Save Changes](#)

- If you select **Actionable working hours (Emp./Non-Emp)**: Calls are handled based on working hours and whether the caller is an employee or non-employee. When selecting this option, a 'Working Hours Set' option should be selected. All shifts defined in that set are displayed for employees and non-employees. For each working hour

shift, relevant actions can be configured. Relevant actions can be also configured for non-working hours for employees and non-employees.

Actionable Working Hours

—	Tuesday	00:00	12:59		
Action 1		Go to menu		Data	Default Speech Menu-dept
—		13:00	23:45		
Action 1		Go to menu		Data	Default Speech Menu-dept

Actionable Non-Working Hours

Action 1	Go to menu	Data	Default Speech Menu-dept
----------	------------	------	--------------------------

Actionable Working Hours - Non-Emp.

—	Tuesday	00:00:00	12:59:59		
Action 1		Go to menu		Data	Default Speech Menu-dept
—		13:00:00	23:45:59		
Action 1		Go to menu		Data	Default Speech Menu-dept

Actionable Non-Working Hours - Non-Emp.

Action 1	Go to menu	Data	Default Speech Menu-dept
----------	------------	------	--------------------------

[Save Changes](#)

For more information of the possible Actions, see [Actions](#).

7. Add your details, and then click **Save Changes**.

Editing a Flow Setting

The procedure below describes how to edit Email Interaction Settings.

➤ To edit Flow Settings:

1. Open the Voice Settings page (**Configuration > Interaction Manager > Voice**); the following appears:

Voice Settings

Flow Settings Details + Add New Actions

Show 100 entries Search

<input type="checkbox"/>	DNIS Number	DNIS Name	Timezone	Time of Day Routing Type	Working Hour Set	Events & Holidays
<input type="checkbox"/>	445566	Main	UTC -5 DST	Actionable Working Hours	Shifts	Default
<input type="checkbox"/>	+130163	SNOW Flow	UTC -5 DST	Working Hours (always on)	-	Default
<input type="checkbox"/>	+144075	EDU Flow	UTC -5 DST	Working Hours (always on)	-	Default
<input type="checkbox"/>	+178655	IT Helpdesk Flow	UTC -5 DST	Working Hours (always on)	-	Default

Showing 1 to 4 of 4 entries < 1 >

2. Select the voice interaction check box that you wish to edit.

Flow Settings Details + Add New Actions

Show 100 entries Edit Flow Settings
Delete Flow Settings

<input type="checkbox"/>	DNIS Number	DNIS Name	Timezone	Time of Day Routing Type	Working Hour Set	Events & Holidays
<input checked="" type="checkbox"/>	445566	Main	UTC -5 DST	Actionable Working Hours	Shifts	Default
<input type="checkbox"/>	+13016378459	SNOW Flow	UTC -5 DST	Working Hours (always on)	-	Default
<input type="checkbox"/>	+14407501944	EDU Flow	UTC -5 DST	Working Hours (always on)	-	Default
<input type="checkbox"/>	+17865503711	IT Helpdesk Flow	UTC -5 DST	Working Hours (always on)	-	Default

Showing 1 to 4 of 4 entries < 1 >

3. From the 'Actions' drop-down menu, choose **Edit Voice Settings**; the following appears:

Edit Voice Settings

DNIS Number*

DNIS Name

Timezone

Time of Day Routing Type

Working Hours Set

Events & Holidays*

Actionable Working Hours

— Sunday 08:00 12:00

Action 1 Data

— 13:00 19:00

Action 1 Data

Actionable Non-Working Hours

Action 1 Data

[Save Changes](#)

4. Edit the fields you want to change.
5. Click **Continue**.
6. Click **Save Changes**.

Deleting a Flow Setting

The procedure below describes how to delete a Flow setting.

➤ To delete a Flow setting:

1. Open the Voice Settings Details page (**Configuration > Interaction Manager > Voice**).

Voice Settings

Flow Settings Details + Add New Actions

Show 100 entries Search:

<input type="checkbox"/>	DNIS Number	DNIS Name	Timezone	Time of Day Routing Type	Working Hour Set	Events & Holidays
<input type="checkbox"/>	445566	Main	UTC -5 DST	Actionable Working Hours	Shifts	Default
<input type="checkbox"/>	+130163	SNOW Flow	UTC -5 DST	Working Hours (always on)	-	Default
<input type="checkbox"/>	+144075	EDU Flow	UTC -5 DST	Working Hours (always on)	-	Default
<input type="checkbox"/>	+178655	IT Helpdesk Flow	UTC -5 DST	Working Hours (always on)	-	Default

Showing 1 to 4 of 4 entries < 1 >

2. Select the Flow Setting you wish to delete by selecting the **Flow Settings** check box, and then From the 'Actions' drop-down menu, choose **Delete Flow Settings**.
3. Click **OK** to delete the selected Flow Setting.

Configuring Email Interaction

Use Voca CIC's Email channel support to route emails efficiently and have your workers handle them easily, with controlled distribution, routing and real-time analytics.

Email settings are available for Digital Engagement Tenants.

The procedure below describe how to view and configure email settings.



Before performing the below configuration, make sure that you have configured Omnichannel settings in the System Settings section.

➤ To view email settings:

1. Open the email Settings screen (**Configuration > Interaction Manager > Email**); the following appears:

Email Interaction Settings + Add New Actions

<input type="checkbox"/>	Interaction Name	Email Account	Enable/Disable
<input type="checkbox"/>	IT HW & SW support	Support_inbox@voca.audiocodes.io	Enable
<input type="checkbox"/>	IT HW & SW Email	IT@Voca.audiocodes.io	Disabled
<input type="checkbox"/>	SW Support	Software_Support@audiocodes.com	Enable

- 'Interaction Name': Defines the name of the Email interaction.
- 'Email Account': Defines the email account for the interaction.
- Enable / Disable: An enabled interaction pulls emails from the email account into Voca.

Adding Email Interactions

The procedure below describes how to add Email Interaction settings.

➤ To add email Interaction Settings:

1. Open the Email Settings page (**Configuration > Interaction Manager > Email**); the following appears:

Email Interaction Settings

Email Interaction Settings			+ Add New	⚙ Actions
<input type="checkbox"/>	Interaction Name	Email Account	Enable/Disable	
<input type="checkbox"/>	IT HW & SW support	Support_inbox@voca.audiocodes.io	Enable	
<input type="checkbox"/>	IT HW & SW Email	IT@Voca.audiocodes.io	Disabled	
<input type="checkbox"/>	SW Support	Software_Support@audiocodes.com	Enable	

2. Click **Add New**; the following appears:

Add Email Interaction Settings

Enable/Disable

Interaction Name*

Email Account*

Friendly Name*

Auto Response Message

Email Routing Logic

Priority Rule Name Subject Keywords Match/Contains Queues Skills

Default:

[Save Changes](#)

3. Click the 'Enable/ Disable' toggle button to enable the pulling of emails from the configured email account into Voca.
4. In the 'Interaction Name' field, type the name of the interaction.
5. In the 'Email Account' field, type the email address that is used for this interaction to receive and send emails.
6. In the 'Friendly Name' field, define the identification name of the sender, which is displayed in an email client.

7. In the 'Auto Response Message' field, type the message that is automatically sent to the customer when they send an email.
8. The **Email Routing Logic** section configures rules that connect commonly used phrases sent to the email account with queues and skills:
 - a. In the 'Priority' field, order routing logics by drag and drop to define which matches are checked first.
 - b. In the 'Subject Keywords' field, type commonly used phrases (one or more) that should be routed to the same queues and skills.



Press Enter in the text field for each phrase to save the entry.

- c. In the 'Match/Contains' drop-down list, select whether matches are based on exact or contains method.
 - ◆ **Exact Match:** a partial phrase is not considered a match.
 - ◆ **Contains:** a partial phrase is considered a match.
 - d. In the 'Queues' drop-down list, select the queue to where you want the email routed.
 - e. In the 'Skills' drop-down list, select the skills that the Worker should have to receive the email.
9. Click **Save Changes**.
10. After configuring the 'Omnichannel' email server integration on the System Setting page (see [Omnichannel Email Configuration](#) on page 123), configure the following PowerShell commands on the customer's Azure tenant to enable email interaction with a specific email mailbox:

```
Connect-ExchangeOnline -Organization
```


The following command is a one-time configuration; there is no need to configure it again if it has been configured before:

```
New-ServicePrincipal -AppId <Voca Email Access Application ID> -ObjectId  
<Voca Email Access Object ID>
```

Add the following command for each new mailbox interaction:

```
Add-MailboxPermission -Identity "Support_inbox@voca.audiocodes.io" -User  
<Voca Email Access Object ID> -AccessRights FullAccess
```

After applying the above command on the email mailbox make sure that this mailbox has the 'Authenticated SMTP' check box selected from the Admin Center page in your Azure:



Editing Email Interaction Settings

The procedure below describes how to edit Email Interaction Settings.

➤ **To edit Email Interaction Settings:**

1. Open the Email Interaction Settings page (**Configuration > Interaction Manager > Email**); the following appears:

Email Interaction Settings

Email Interaction Settings			+ Add New	⚙ Actions
<input type="checkbox"/>	Interaction Name	Email Account	Enable/Disable	
<input type="checkbox"/>	IT HW & SW support	Support_inbox@voca.audiocodes.io	Enable	
<input type="checkbox"/>	IT HW & SW Email	IT@Voca.audiocodes.io	Disabled	
<input type="checkbox"/>	SW Support	Software_Support@audiocodes.com	Enable	

2. Select the email interaction check box that you wish to edit.

Email Interaction Settings

Email Interaction Settings			+ Add New	⚙ Actions
<input type="checkbox"/>	Interaction Name	Email Account	Enable/Disable	
<input type="checkbox"/>	IT HW & SW support	Support_inbox@voca.audiocodes.io	Enable	
<input type="checkbox"/>	IT HW & SW Email	IT@Voca.audiocodes.io	Disabled	
<input checked="" type="checkbox"/>	SW Support	Software_Support@audiocodes.com	Enable	

✎ Edit Email Settings
🗑 Delete Email Settings

3. From the 'Actions' drop-down list, choose **Edit Email Settings**; the following appears:

Edit Email Interaction Settings

Enable/Disable

Interaction Name*

Email Account*

Friendly Name*

Auto Response Message

Email Routing Logic

Priority	Rule Name	Subject Keywords	Match/Contains	Queues	Skills
Default:	<input type="text" value="default"/>	<input type="text"/>	<input type="text" value="Contains"/>	<input type="text" value="IT HW & SW"/>	<input type="text" value="SW support"/>

[Save Changes](#)

4. Edit the fields you want to change.
5. Click **Continue**.
6. Click **Save Changes**.

Deleting an Email Interaction Setting

The procedure below describes how to delete Email Interaction Settings.

➤ **To delete Email Interaction Settings:**

1. Open the Email Interaction Settings page (**Configuration > Interaction Manager > Email**); the following appears:

Email Interaction Settings

Email Interaction Settings			+ Add New	Actions
<input type="checkbox"/>	Interaction Name	Email Account	Enable/Disable	
<input type="checkbox"/>	IT HW & SW support	Support_inbox@voca.audiocodes.io	Enable	
<input type="checkbox"/>	IT HW & SW Email	IT@Voca.audiocodes.io	Disabled	
<input type="checkbox"/>	SW Support	Software_Support@audiocodes.com	Enable	

2. Select the email interaction check box that you wish to delete.

Email Interaction Settings

Email Interaction Settings			+ Add New	Actions
<input type="checkbox"/>	Interaction Name	Email Account	Enable/Disable	<ul style="list-style-type: none"> Edit Email Settings Delete Email Settings
<input type="checkbox"/>	IT HW & SW support	Support_inbox@voca.audiocodes.io	Enable	
<input type="checkbox"/>	IT HW & SW Email	IT@Voca.audiocodes.io	Disabled	
<input checked="" type="checkbox"/>	SW Support	Software_Support@audiocodes.com	Enable	

- From the 'Actions' drop-down list, choose **Delete Email Settings**.
- Click **OK** to delete the selected item.

Configuring Webchat Interaction Settings

Use Voca CIC's Webchat channel support to customize a live chat widget for the organization's website to allow customer interaction while browsing. Form fields, drop down menus, colors and branding are fully customizable.

This section describes how to view and configure webchat interaction settings and assign it to a website.

➤ To view webchat interaction settings:

- Open the Webchat Interaction Settings page (**Configuration > Interaction Manager > Webchat**); the following appears:

Webchat Interaction Settings

Webchat Interaction Settings						+ Add New	Actions
<input type="checkbox"/>	Interaction Name	Enable/Disable	Timezone	Working Hour Set	Events & Holidays		
<input type="checkbox"/>	IT Support	Enable	UTC -4 DST	Default	Default		
<input type="checkbox"/>	IT Support 2	Enable	UTC -4 DST	Default	Default		

The Webchat Interaction Settings page is described below:

- 'Interaction Name': Defines the interaction name.
- 'Enable/ Disable': An enabled interaction allows the appearance of the webchat widget on the website.
- 'Timezone': Defines the timezone associated with the DNIS number. When calling this number, working hours, holidays and events are checked based on the timezone.
- 'Working Hour Set': Defines which working hour set is used to define the working / non-working days / time for the flow.

Adding a Webchat Interaction Settings

The procedure below describes how to add a Webchat Interaction Setting. Adding a webchat interaction setting includes the following three parts:

- General
- Webchat Design

■ Pre-Chat

➤ To add a Webchat Interaction Settings:

1. Open the Webchat Settings page (**Configuration > Interaction Manager > Webchat**); the following appears:

Webchat Interaction Settings

Webchat Interaction Settings + Add New ⌵ Actions ⌵					
<input type="checkbox"/>	Interaction Name	Enable/Disable	Timezone	Working Hour Set	Events & Holidays
<input type="checkbox"/>	IT Support	Enable	UTC -4 DST	Default	Default
<input type="checkbox"/>	IT Support 2	Enable	UTC -4 DST	Default	Default

2. Click **Add New**; The following appears, with the **General** tab displayed by default:

Add Webchat Interaction Settings

General Webchat Design Pre Chat

Enable/Disable

Interaction Name*

Customer Website Domain*

Timezone (UTC -5:00 DST) Central Time ⌵

Working Hours Set Default ⌵

Session Timeout (Min.)

Set Auto Messages

Greeting Thank you for reaching out! We will be... ✎

Timeout Alert*

Timeout Message*

Non-Working Hours Message*

Save Changes

3. Under the **General** tab, do the following:
 - a. Click the 'Enable/ Disable' toggle switch to enable the display of the webchat on the website.
 - b. In the 'Interaction Name' field, type the name of the interaction.
 - c. In the 'Customer Website Domain' field, type the domain of the website to connect with the webchat's widget.
 - d. From the 'Timezone' drop-down list, select the timezone associated with the webchat interaction. When interacting with this webchat, working hours, holidays and events are checked based on the timezone.
 - e. From the 'Working Hours Set' drop-down list, select a working hour set to define the working / non-working days and time for the webchat interaction.
 - f. In the 'Session Timeout (Min.)' field, define the time that a customer must respond to an agent before the session is automatically closed.


- g.** Under the **Set Auto Messages** group, define automatic messages for different scenarios:
- ◆ 'Greeting' field: Greet the customer when starting a new conversation.
 - ◆ 'Timeout Alert': Notify the customer that the session is about to be closed because no response has been received.
 - ◆ 'Timeout Message': Notify the customer that the session has been closed because of inactivity.
 - ◆ 'Non-Working Hours Message': Notify the customer that the chat is currently unavailable because it's outside of working hours.

4. Select the **Webchat Design** tab; the following appears:


The screenshot shows the 'Add Webchat Interaction Settings' form with the 'Webchat Design' tab selected. The form contains the following fields and controls:

- Customer Logo***: A text input field with a 'Choose File' button next to it.
- Website Name***: A text input field.
- Welcome Headline***: A text input field.
- Widget color**: A color picker button showing a blue and purple gradient.
- Widget position**: A dropdown menu with 'Left' selected.
- Save Changes**: A blue button at the bottom right of the form.


- 5.** Define the widget's appearance:
- a.** In the 'Customer Logo' field, click Choose File and then upload your organization logo (see item #1 in the example figure below).
 - b.** In the 'Website Name' field, type the name of the website (see item #2 in the example figure below).
 - c.** In the 'Welcome Headline' field, type a short webchat introduction (see item #3 in the example figure below).
 - d.** Click the 'Widget color' button, and then pick a widget color.
 - e.** From the 'Widget Position' drop-down list, choose the widget's position.



6. Select the **Pre Chat** tab; the following appears:



7. Under the **Pre Chat Form** group, define the information customers should provide before starting a new conversation. Data can be viewed by an agent during the chat and in the conversation history.

- a. Select the 'Required' check box to define the field as mandatory.
 - b. In the 'Field Name' field, type a name for the field, which is displayed to the customer.
 - c. From the 'Field Type' drop-down list, select the type of input that the system expects to receive.
 - d. Add a new field, by clicking  .
8. Under the **Contact Reasons** group, define a set of contact reasons and assign them to the relevant queues and skills:
 - a. In the 'Reason' field, type a possible contact reason that is visible for the customer.
 - b. From the 'Queue Name' drop-down list, select the queue to which the email is routed.
 - c. From the 'Skills' drop-down list, select the relevant skills that the Worker should have to receive the email.

Connecting Webchat Interaction to Website

The procedure below describes how to connect the webchat widget to the website.

➤ To connect webchat widget to website:

1. Open the Webchat Settings page (**Configuration > Interaction Manager > Webchat**); the following appears:

Webchat Interaction Settings

<input type="checkbox"/>	Interaction Name	Enable/Disable	Timezone	Working Hour Set	Events & Holidays
<input type="checkbox"/>	IT Support	Enable	UTC -4 DST	Default	Default
<input type="checkbox"/>	IT Support 2	Enable	UTC -4 DST	Default	Default

2. Select the Webchat interaction check box whose code you wish to copy.

Webchat Interaction Settings

<input type="checkbox"/>	Interaction Name	Enable/Disable	Timezone	Working Hour Set	Events & Holidays
<input checked="" type="checkbox"/>	IT Support	Enable	UTC -4 DST	Default	Default
<input type="checkbox"/>	IT Support 2	Enable	UTC -4 DST	Default	Default

3. From the 'Actions' drop-down menu, choose **Copy Code Script**; the following pop-up appears:

Webchat Interaction Settings

<input type="checkbox"/>	Interaction Name	Enable/Disable	Timezone	Working Hour Set	Events & Holidays
<input checked="" type="checkbox"/>	IT Support	Enable	UTC -4 DST	Default	Default
<input type="checkbox"/>	IT Support 2	Enable	UTC -4 DST	Default	Default

Copy Script Code

```

window.chatwootSettings = {"position":"right"}; (function(d,t) { var BASE_URL="https://voca-omni-audiocodes.io/"; var g=d.createElement(LS+0),getElementsByTag=document.getElementsByTagName; g.src=BASE_URL+"/packs/js/sdk.js"; g.defer = true; g.async = true; s.parentNode.insertBefore(g,s); g.onload=function(){ window.chatwootSDK.run({ websiteToken: "51P2UPACahiu9g6yhyOUHFL7", baseUrl: BASE_URL }) })(document,"script");

```

4. Copy and paste the code script into the website's HTML code.

Editing Webchat Interaction Settings

The procedure below describes how to edit Webchat Interaction Settings.

➤ ➤ **To edit Webchat Interaction Settings:**

1. Open the Webchat Interaction Settings page (**Configuration > Interaction Manager > Webchat**); the following appears:

Webchat Interaction Settings

Webchat Interaction Settings + Add New ⚙ Actions					
<input type="checkbox"/>	Interaction Name	Enable/Disable	Timezone	Working Hour Set	Events & Holidays
<input type="checkbox"/>	IT Support	Enable	UTC -4 DST	Default	Default
<input type="checkbox"/>	IT Support 2	Enable	UTC -4 DST	Default	Default

2. Select the Webchat interaction check box that you wish to edit.

Webchat Interaction Settings

Webchat Interaction Settings + Add New ⚙ Actions					
<input type="checkbox"/>	Interaction Name	Enable/Disable	Timezone	Working Hour Set	Events & Holidays
<input checked="" type="checkbox"/>	IT Support	Enable	UTC -4 DST	Default	Default
<input type="checkbox"/>	IT Support 2	Enable	UTC -4 DST	Default	Default

✎ Edit Webchat Settings
🗑 Delete Webchat Settings
📄 Copy Code Script

3. From the 'Actions' drop-down menu, choose **Edit Webchat Settings**; the following appears:

Edit Webchat Interaction Settings

General
Webchat Design
Pre Chat

Enable/Disable

Interaction Name*

Customer Website Domain*

Timezone

Working Hours Set

Session Timeout (Min.)

Set Auto Messages

Greeting

Timeout Alert*

Timeout Message*

Non-Working Hours Message*

Save Changes

4. Edit the fields you want to change.
5. Click **Continue**.
6. Click **Save Changes**.

Deleting Webchat Interaction Settings

The procedure below describes how to delete Webchat Interaction Settings.

➤ ➤ To delete Webchat Interaction Settings:

1. Open the Webchat Interaction Settings page (**Configuration > Interaction Manager > Webchat**); the following appears:

Webchat Interaction Settings

Webchat Interaction Settings						+ Add New	⚙ Actions
<input type="checkbox"/>	Interaction Name	Enable/Disable	Timezone	Working Hour Set	Events & Holidays		
<input type="checkbox"/>	IT Support	Enable	UTC -4 DST	Default	Default		
<input type="checkbox"/>	IT Support 2	Enable	UTC -4 DST	Default	Default		

2. Select the webchat interaction check box that you wish to delete.

Webchat Interaction Settings

Webchat Interaction Settings						+ Add New	⚙ Actions
<input checked="" type="checkbox"/>	IT Support	Enable	UTC -4 DST	Default	Default		<ul style="list-style-type: none"> Edit Webchat Settings Delete Webchat Settings Copy Code Script
<input type="checkbox"/>	IT Support 2	Enable	UTC -4 DST	Default	Default		

3. From the 'Actions' drop-down menu, choose **Delete Webchat Settings**.
4. Click **OK**.

Configuring Menu Settings

The procedure below describes how to add and configure speech and DTMF menus. There are two different types of menus:

- DTMF Menu
- Speech Menu

Adding a DTMF Menu

The procedure below describes how you can add a DTMF menu.

➤ To add a DTMF menu:


1. Open the Menu Settings page (**Configuration > Menu Settings**); the following screen example appears.

Menu Settings

Menu Settings Details								+ Add New	⚙ Actions
Show 100 entries								Search:	
<input type="checkbox"/>	Menu ID	Menu Name	Menu Type	Script Type	Language	Status	Last Compiled Time		
<input type="checkbox"/>	1602	Default Speech Menu	Speech	VOCANom	EN-US	Ready	2023-04-15 21:00:25		
<input type="checkbox"/>	1636	DTMF Menu	DTMF	VocaDTMF	EN-US				

Showing 1 to 2 of 2 entries

2. Click **+ Add New**; the following appears:



3. Click + **New DTMF Menu**; the following appears:

New Menu Settings

General Settings

Menu Name*	<input type="text"/>
Menu Prompt*	<input type="text" value="select prompt"/>
Menu Dialect*	<input type="text" value="Hebrew"/>
Max Wait Time (0-30 secs)*	<input type="text"/>
Max Tries (1-7)*	<input type="text"/>
Allow transfer to operator*	<input type="text" value="None"/>
Timeout Prompt	<input type="text" value="select prompt"/>
Attended transfer - No Answer Timeout (0-120 secs)	<input type="text" value="10"/>

4. From the 'Menu Prompt' drop-down list, select the pre-configured prompt. See [Adding a Voice Prompt](#) on page 42 for more information.
5. From the 'Menu Dialect' drop-down list, select the language of the prompts. The system plays the prompts according to the menu dialect selected.
6. In the 'Max Wait Time' field, enter how much time to wait in seconds (0-30) until the user presses the DTMF.
7. In the 'Max Tries' field, enter how many times to repeat the prompts when there no response from the user.
8. In the 'Operator Extension Working Hours' field, enter the Operator's extension during working hours. This field appears only if the 'Allow transfer to operator' field is set to one of the following values:
 - Anonymous
 - Employee
 - All
 In these cases, the 'Operator extension Working Hours' field is mandatory.

9. In the 'Operator Extension Non-Working Hours' field, enter the Operator's extension during non-working hours. This field appears only if the 'Allow transfer to operator' field is set to one of the following values:
 - Anonymous
 - Employee
 - All
 In these cases, the 'Operator extension Working Hours' field is mandatory.
10. From the 'Timeout Prompt' drop-down list, select the prompt in case the user doesn't respond at all and the timeout period expires.
11. Set the 'Attended transfer - No Answer Timeout (0-120 secs)' to the desired value. This parameter is used when 'Attended transfer' is selected as one of the following actions.
12. Under the **Action Settings** group, select the appropriate option. For more information of the possible Actions, see [Actions](#).
13. Click **Save Changes**.

Adding a Speech Menu

The procedure below describes how to add an Interactive Voice Response (IVR) speech menu.

➤ To add a Speech Menu:

1. Open the Menu Settings page (**Configuration > Menu Settings**); the following example appears.

Menu Settings

Menu Settings Details + Add New Actions

Show entries Search:

Menu Name	Menu Type	Script Type	Language
Contacts	Speech	VOCANom	HE-IL
Default Speech Branch Menu	Speech	VOCABranch	HE-IL
Default Speech Menu	Speech	VOCANom	HE-IL
Departments	Speech	VOCANom	HE-IL
Emp_or_Dep_Menu	Speech	VOCANom	HE-IL

Showing 1 to 5 of 5 entries < 1 >

2. Click the **+ Add New** drop-down menu; the following appears:



+ New DTMF Menu

+ New Speech Menu

3. Select the **+ New Speech Menu**; the New Menu Settings page appears:

New Menu Settings

General Settings

Menu Name*

Dialect*

Dictionaries

First Dictionary*

Contact

Second Dictionary*

None

4. Under the **Dictionaries** group, select the 'First Dictionary' and 'Second Dictionary' fields to be used for the menu. The 'Second Dictionary' can be set to "None". The Contact dictionary contains Contact Names without departments. The dictionaries are taken from the Dictionary List in the Department setting that you created.
5. Under the **Prompts Settings** group, select the prompts to play:
 - None
 - Anonymous
 - Employees
 - All

Prompts Settings

Play time of day*	None ▼
Play selected prompt for company*	None ▼
Play short prompt for*	None ▼
Play beep at the end of prompt*	All ▼
Play the Extension Number*	All ▼
Play the Mobile Number*	All ▼
Play question prompts with*	Contacts only ▼
No. of questions*	1
Opening Question	Default ▼
Play Phone Device Type When Transferring*	Never ▼

- **'Play time of day'**: Select for which group you are playing the time system menu prompts.
- **'Play selected prompt for company'**: Select for which group you are playing the selected prompt.
- **'Play short prompt for'**: Select for which group you are playing the short prompt.
- **'Play beep at the end of prompt'**: Select for which group you are playing the beep prompt.
- **'Play the extension number'**: Select for which group you are playing this.
- **'Play the mobile number'**: Select for which group you are playing this.
- **'Play question prompts with'**: Select for which group you are playing the selected question prompts.
- **The number of questions to be asked (1 to 3)**. This defines how many questions will be asked (opening/second/third questions).
 - ◆ **'Opening Question'**: Select Default or any other pre-recorded prompt.
 - ◆ **'Second Question'**: Select Default or any other pre-recorded prompt.
 - ◆ **'Third Question'**: drop-down list, select Default or any other pre-recorded prompt.
- From the 'Play Phone Device Type When Transferring' drop-down list, select the appropriate value.

Play Phone Device Type When Transferring*

A dropdown menu with a light blue background and a blue border. The text 'Always' is visible at the top of the menu, and a small upward-pointing arrow is on the right side. Below the header, three options are listed: 'Always', 'Only for Multiple Devices', and 'Never'. The 'Always' option is currently selected and highlighted in a darker blue.

- ◆ **Always:** Play the phone device when transferring a call. For example, "Transferring call to John Doe's mobile" even if the caller said "mobile" specifically or this is the only available number for the contact.
- ◆ **Only for Multiple Devices:** If only a single phone device is available for a contact, do not play the phone device when transferring a call, even if the caller said the phone device (for example, "John Doe mobile". Do not play the phone device when transferring). If more than a single phone device is available for a contact, the phone device must be played when transferring a call.
- ◆ **Never:** Never play with the phone device when transferring a call.

6. Under the **Additional Settings** group, select the following:

Additional Settings

Play alias before transfer to department*	<input type="text" value="Short"/>
Confirm Before Transfer*	<input type="text" value="All"/>
Allow transfer to mobile phones*	<input type="text" value="All"/>
Allow transfer to operator*	<input type="text" value="Employees"/>
Operator extension	<input type="text"/>

- 'Play alias before transfer to department' field: select one of the following options:
 - ◆ **Short:** If the alias was recognized, the system plays the recognized alias instead of the Department name before the transfer. If there is disambiguation between departments, the alias is played before playing the disambiguation options.
 - ◆ **Long:** If the alias was recognized, the system plays the recognized alias and the department name before the transfer. If there is disambiguation between departments, the alias is played before playing the disambiguation options.
 - ◆ **Disabled:** Plays only the department name before the transfer. If there is disambiguation, only disambiguation options are played.
- 'Confirm Before Transfer' field: Select which group you are playing this to. If not 'None', the relevant group is asked to confirm the entity they are going to be transferred to.
- 'Allow transfer to mobile phones' field: Select which group you are allowing to transfer calls to mobile devices.


- 'Allow transfer to operator for' field: Select to whom you are allowing to transfer calls to the operator. The 'Operator extension' field appears only if the 'Allow transfer to operator' field is set to one of the following values:
 - ◆ Anonymous
 - ◆ Employee
 - ◆ All



The 'Operator extension' field is mandatory if you select any of the above values.

- 'Operator extension' field: Select the number to dial when the user presses "0" or says "operator".
7. Under the **Call Routing and Hunting - Contact** group from the 'Routing Settings' drop-down list, select either:
- ◆ **Basic routing (default):** The call routing process remains as it is currently set.
 - ◆ **Advanced routing:** The call is set according to the following parameters:

Call Routing and Hunting - Contact

Routing Settings	Advanced routing ▼
Prompt Before Transfer	▼
No Answer Timeout (Sec.)*	120
When no Phone Type is Provided (Contacts only)*	Route by phone type priority and hunting ▼
Phone Type Priority	Office, Mobile 
Hunt on No Answer	<input checked="" type="checkbox"/>
Hunt on Busy (486)	<input type="checkbox"/>
Hunt on Other States (4xx, 5xx, 6xx)	<input type="checkbox"/>
Actions When Remote Party is not Reachable	
Action 1	▼
Action 2	▼
Action 3	▼

- From the 'Prompt Before Answer' drop-down list, select a prompt from a list of available prompts, before the call is transferred.
- In the 'No answer timeout (0-120 secs)' field, set the time you want the system to wait, for the remote side to answer the call before moving to the next phone type, when hunting or doing an action when the remote party is not reachable.

- From the 'When no Phone Type is Provided' drop-down list, select the appropriate action. When the caller says a Contact's name without requesting a specific phone type, the system can be configured to behave in several different ways:
 - ◆ **Ask for phone type:** The system asks the caller to choose a Phone Type it plays to the caller. Voca transfers the call to the highest priority phone type defined in configuration. If the first priority phone type is not available for a contact, the call is transferred to the second, or third priority. This phone type priority list is configurable.
 - ◆ **Route by phone type priority and hunting:** Voca can perform Call Hunting based on the phone type priority list.
 - In the 'Phone Type Priority' choose the priority list that the system should hunt when routing contact and choose which type of hunt you want to enable.
 - Voca can perform Call Hunting based on the selected option. Configure which of the following states performs the hunting:
 - ◆ Hunt on No Answer
 - ◆ Hunt on Busy (486)
 - ◆ Hunt on Other States (4XX,5XX,6XX)
 - When Voca transfers a call to a destination, the remote side (whether it is a contact or a department) may not be reachable. In such a case, Voca performs pre-defined actions. Under the Actions when Remote Party is not Reachable group, from the 'Action 1' drop- down list, select the appropriate value. For more information of the possible Actions, see [Actions](#).
8. Under the **Call Routing and Hunting - Department** group and from the 'Routing Settings' drop-down list, select either:
- **Basic routing (default):** The call routing process remains as it is currently set.
 - **Advanced:** The call is set according to the following parameters:

Call Routing and Hunting - Department

Routing Settings	Advanced routing
Prompt Before Transfer	
No Answer Timeout (Sec.)*	10
Hunting type*	Main extension first
Hunt on No Answer	<input type="checkbox"/>
Hunt on Busy (486)	<input type="checkbox"/>
Hunt on Other States (4xx, 5xx, 6xx)	<input type="checkbox"/>
Actions When Remote Party is not Reachable	
Action 1	
Action 2	
Action 3	

- From the 'Prompt Before Transfer' drop-down list, select a prompt from a list of available prompts, before the call is transferred.
 - In the 'No answer timeout (0-120 secs)' field, set the time you want the system to wait for the remote side to answer the call, before moving to the next phone type, when hunting or doing an action when the remote party is not reachable.
 - From the 'Hunting type' drop-down list, select one of the options:
 - ◆ **Main extension first:** Select this option when hunting for a free extension always start from Extension 1.
 - ◆ **Round robin:** Select this option when hunting for a free extension. Always start from the extension following the last one used.
 - Voca can perform Call Hunting based on the selected option. Configure which of the following states performs the hunting:
 - ◆ Hunt on No Answer
 - ◆ Hunt on Busy (486)
 - ◆ Hunt on Other States (4XX,5XX,6XX)
9. Under the **Actions when Remote Party is not Reachable** group, from the 'Action 1' drop-down list, select the appropriate value. When Voca transfers a call to a destination, the remote side (whether it is a contact or a department) may not be reachable. In such a case, Voca performs pre-defined actions. For an explanation of the above actions, see [Actions](#).

10. Under the **DTMF** group, from the 'Collect and route type' drop-down list, select the appropriate value. This is used to collect and route by one or more digits:
- **None (default):** Functionality is disabled.
 - **Transfer to extension:** Instead of saying a contact/department name, you can enter the entity phone number by DTMF and selecting either:
 - ◆ Minimum length of extension number
 - ◆ Maximum length of extension number

DTMF

Collect and route type	Transfer to extension ▼
	The minimum length of extension number <input style="width: 50px;" type="text" value="1"/> AND
	The maximum length of extension number <input style="width: 50px;" type="text" value="1"/>
DTMF keys Type	None ▼

- **Transfer by DTMF routing key:** The collected digits are used to route the call to the contact or department tagged with the same DTMF routing key:
 - ◆ The minimum length of routing key
 - ◆ The maximum length of routing key
11. Under the **DTMF** group, from the 'DTMF keys Type' drop-down list, select **Second Language**. This option maps actions for DTMF keys. If this option is activated, the 'Collect and route type' field cannot be configured to collect only one digit. Select one of the following:
- **DTMF:** Configures the DTMF key that is pressed to trigger the required behavior
 - **Behavior:** Defines the behavior of the DTMF key:
 - ◆ **Operator:** The call is diverted to the operator
 - ◆ **Go to menu:** The call is diverted to another menu

Editing Menu Settings

The procedure below describes how to edit menu settings.

➤ To edit menu settings:

1. Open the Menu Settings screen (**Configuration > Menu Settings**); the following screen example appears:

Figure 6-1:

Menu Settings

Menu Settings Details + Add New ▼ Actions ▼

Show 100 entries Search:

<input type="checkbox"/>	Menu ID	Menu Name	Menu Type	Script Type	Language	Status	Last Compiled Time
<input type="checkbox"/>	882	Default Speech Menu	Speech	VOCANom	EN-US	Ready	2023-04-24 11:17:57
<input type="checkbox"/>	894	Collect	DTMF	VocaDTMF	EN-US		
<input type="checkbox"/>	956	Menu1	DTMF	VocaDTMF	EN-US		
<input type="checkbox"/>	1120	Transfer to Teams VM	DTMF	VocaDTMF	EN-US		

Showing 1 to 4 of 4 entries < 1 >

2. Enable the menu check box that you wish to edit.
3. Click **Actions**; the following appears:

Figure 6-2:

Menu Settings

Menu Settings Details + Add New ▼ Actions ▼

Show 100 entries Search:

<input type="checkbox"/>	Menu ID	Menu Name	Menu Type	Script Type	Language	Status	Last Compiled Time
<input checked="" type="checkbox"/>	882	Default Speech Menu	Speech	VOCANom	EN-US	Ready	2023-04-24 11:17:57
<input type="checkbox"/>	894	Collect	DTMF	VocaDTMF	EN-US		
<input type="checkbox"/>	956	Menu1	DTMF	VocaDTMF	EN-US		
<input type="checkbox"/>	1120	Transfer to Teams VM	DTMF	VocaDTMF	EN-US		

Showing 1 to 4 of 4 entries < 1 >

Actions ▼

- Edit Menu
- Delete Menu
- Recompile

4. Select **Edit Menu**.
5. Edit the fields you want to change.
6. Click **Continue**.
7. Click **Save Changes**.

Deleting Menu Settings

The procedure below describes how to delete menu settings.

➤ To delete menu settings:

1. Open the Menu Settings screen (**Configuration > Menu Settings**); the following screen example appears:
2. Select the menu check box that you wish to delete.
3. Click **Actions**; the following appears.

Menu Settings

Menu ID	Menu Name	Menu Type	Script Type	Language	Status	Last Compiled
882	Default Speech Menu	Speech	VOCANom	EN-US	Ready	2023-04-24 11:17:57
894	Collect	DTMF	VocaDTMF	EN-US		
956	Menu1	DTMF	VocaDTMF	EN-US		
1120	Transfer to Teams VM	DTMF	VocaDTMF	EN-US		

4. Select **Delete Menu**; the message "Are you sure you want to delete the selected menu?" appears.
5. Click **OK** to delete the selected menu; a message appears that the menu was successfully deleted.

Recompile Menus

Speech menus (IVR and Branch) that include phrase list for recognition, must be compiled to support the recognitions. Compilation is done automatically in the background but can also be triggered by the customer. The procedure below describes how to compile menus.

➤ To recompile menus:

1. Open the Menu Settings screen (**Configuration > Menu Settings**); the following appears:
2. Enable the menu check box that you wish to recompile.
3. From the 'Actions' drop-down menu, choose **Recompile**.

Menu Settings

Menu ID	Menu Name	Menu Type	Script Type	Language	Status	Last Compiled
882	Default Speech Menu	Speech	VOCANom	EN-US	Ready	2023-04-24 11:17:57
894	Collect	DTMF	VocaDTMF	EN-US		
956	Menu1	DTMF	VocaDTMF	EN-US		
1120	Transfer to Teams VM	DTMF	VocaDTMF	EN-US		

The following columns show the compilation status:

- **Status:** Displays the menu compilation status. It can be one of the following:
 - ◆ **Pending:** Waiting for compilation
 - ◆ **In progress:** Compilation is now in progress
 - ◆ **Ready:** Compilation is done
 - ◆ **Failed:** Compilation failed
 - ◆ **Failed for second language:** If a second language is defined for the tenant and menu compilation failed

- **Last compilation time:** Last time of menu compilation
4. To trigger a new compilation, select **Actions**, and then click **Recompile**.

Configuring Routing

The procedures below describe how to manage workers and skill-based routing.

One of Voca's conversational interaction center capabilities is to route calls to workers, based on their availability and skill sets.

The Administrator can configure the skill-based routing logic based on the following flow:

- Skills
- Workers
- Worker status events
- Worker group
- Queues



Pre-requisites for using skill-based routing:

- Direct Routing SBC connected to Microsoft Teams tenant
- Microsoft Teams user with phone system license
- HTTPS connectivity (Port 8443) between the agent desktop client network to Voca
- The organization Administrator (Microsoft 365) should grant tenant-wide Administrator consent to the agent application on behalf of the organization.

Use the following link to grant consent (replace {tenant_id} with the organization Azure Tenant ID): https://login.microsoftonline.com/{Tenant_ID}/adminconsent?client_id=77f087b6-9731-4bb7-a6fa-7d3d0bccd725&redirect_uri=https://voca-workerapp.audiocodes.io/

Configuring Skills


Skills are customer-definable labels assigned to workers. The Voca Interaction Center can route incoming calls to workers who have the necessary skills or sets of skills to handle the call.

Adding a Skill

The procedure below describes how to add a Skill.

➤ To add a skill:

1. Open the Skills page (**Configuration > Routing > Skills**); the following appears:



2. Click **Add New**; the following appears:

The screenshot shows the 'New Skill' form. It has a title 'New Skill' at the top. Below the title, there are two input fields: 'Name*' and 'Description'. Below the input fields, there is a blue button labeled 'Save Changes'.

3. In the 'Name' field, enter the name of the skill (e.g., "Excel").
4. In the 'Description' field, enter a description of the skill (e.g., "Power user of Excel").
5. Click **Save Changes**.


Editing a Skill

Editing a Skill


The procedure below describes how to edit a Skill.

➤ To edit a Skill:

1. Open the Skills page (**Configuration > Routing > Skills**); the following appears:



2. Select the Skill you wish to edit by selecting the corresponding check box.



- From the 'Actions' drop-down menu, choose **Edit Skill**; the following appears:

Edit Skill

Name*

Description

[Save Changes](#)


- Make your necessary changes, and then click **Save Changes**.

Deleting a Skill


The procedure below describes how to delete a Skill.

➤ To delete a Skill:

- Open the Skills page (**Configuration > Routing > Skills**); the following appears:



- Select the Skill you wish to delete by selecting the corresponding check box.
- From the 'Actions' drop-down menu, choose **Delete Skill**.



A confirmation message box appears.

4. Click **OK** to confirm deletion.

Configuring Workers

A Worker is a user that is available to handle incoming calls based on the worker's queue registration and skill sets.

When configuring a Worker, the administrator needs to create a Worker that has a 'Worker Type' with a value of **Worker** or **Supervisor**.




When the administrator adds a new Worker with a 'Worker Type' with a value of **Supervisor**, it means that the supervisor not only has also worker capabilities to handle calls, but can also can manage and monitor that supervisor's workers.

Adding a Worker

The procedure below describes how add a Worker or Supervisor.

➤ **To add a Worker:**

1. Open the Workers page (**Configuration > Routing > Workers**); the following appears:



2. Click **Add New**; the following appears:

New Worker

First Name*

Last Name*

Email*

Worker Extension*

Location

Worker Type

Enable Queue Missed Calls View

Assigned Skills

Skill* Score* +

Save Changes

3. In the 'First Name' field, enter the first name of the Worker.
4. In the 'Last Name' field, enter the last name of the Worker.
5. In the 'Email' field, enter the email address of the Worker.
6. In the 'Worker Extension' field, enter the phone extension of the Worker.
7. In the 'Location' field, enter the location of the Worker.
8. From the 'Worker Type' drop-down list, select the Worker Type.
9. Select the 'Allow Supervisor Web Management Access' check box (for Worker Type: Supervisor only) to enable the Supervisor to log in to the **Voca Web Management** interface.

10. For Digital Engagement Tenants only:

Worker Type

Worker Channel Handling Voice Email Webchat

Max Interaction for email

Max interaction for chat

Enable Queue Missed Calls View

- a. For 'Worker Channel Handling' settings, select the check boxes of the channels that the Worker is allowed to handle. Voice is selected by default.

- b. In the 'Max Interactions for email' field, type the maximum number of email interactions that the Worker can handle simultaneously.




The 'Max Interactions for email' field is displayed only if you select the 'Email' check box for 'Worker Channel Handling'.

- c. In the 'Max Interactions for chat' field, type the maximum number of chat interactions that the Worker can handle simultaneously.



The 'Max Interactions for chat' field is displayed only if you select the 'Email' check box for 'Worker Channel Handling'.

10. Select the 'Enable Queue Missed Calls View' check box, to enable the Supervisor to view missed calls through the **Supervisor Statistics** tab in the Worker App.
11. Under the **Assigned Skills** group, from the 'Skill' drop-down list, select the skill you wish to assign to the Worker, and then, in the 'Score' field, enter the competence level assigned for that skill.
12. Click  to assign another skill to this Worker.

13. Click **Save Changes**.



Supervisors with 'Allow Supervisors Web Management Access' set to enabled, are allowed to view/edit the following pages:

- Basic queues that the Supervisor is assigned to as a Supervisor (see [Configuring Call Queues](#) on page 91)
- Skill-based queues their supervised Workers (in relevant Worker Groups) relate to
- All Tenant Workers
- Worker Groups they supervise
- Relevant Reports

Editing a Worker

The procedure below describes how to edit a Worker.

➤ To edit a Worker:

1. Open the Workers page (**Configuration > Routing > Workers**); the following appears:

Workers

	First Name	Last Name	Email	Worker Extension
<input type="checkbox"/>	Bruce	David	bruce@david.gmail.com	1234

2. Select the Worker you wish to edit by selecting the corresponding check box.

	First Name	Last Name	Email	Worker Extension
<input checked="" type="checkbox"/>	Bruce	David	bruce@david.gmail.com	1234

3. From the 'Actions' drop-down menu, choose **Edit Worker**.

Edit Worker

First Name*

Last Name*

Email*

Worker Extension*

Location

Worker Type

Assigned Skills

Skill* Score* +

Save Changes

4. Make your necessary changes, and then click **Save Changes**.

Deleting a Worker

The procedure below describes how to delete a Worker.

➤ To delete a Worker:

1. Open the Workers page (**Configuration > Routing > Workers**); the following appears:

Workers

Workers				
Show 100 entries				Search
<input type="checkbox"/>	First Name	Last Name	Email	Worker Extension
<input type="checkbox"/>	Bruce	David	bruce@david.gmail.com	1234
Showing 1 to 1 of 1 entries				

2. Select the Worker you wish to delete by selecting the corresponding check box.
3. From the 'Actions' drop-down menu, choose **Delete Worker**.

Workers

Workers				
Show 100 entries				Search
<input type="checkbox"/>	First Name	Last Name	Email	Worker Extension
<input checked="" type="checkbox"/>	Bruce	David	bruce@david.gmail.com	1234
Showing 1 to 1 of 1 entries				

A confirmation message box appears.

4. Click **OK** to confirm deletion.



- At least one skill must be selected if the user is defined as a Worker.
- The Administrator can set different score levels for each Worker's skill that has been selected (The Score level indicates the Worker's level of expertise in that skill).

Configuring Worker Status Events

The Administrator can create and manage Worker events (e.g., Not Ready / Wrap-up codes) for finalizing calls.

Wrap-Up Reason Codes:

- Represent the reasons for whenever a Worker ends an interaction but isn't ready yet to take the next one.
- The wrap-up codes are automatically populated to the Worker application per the incoming call to the queue.

Not Ready Reason Codes:

- The Administrator configures these codes in Voca and automatically populate the Worker application.
- They represent the reasons that Workers can select when they change their state to **Not Ready**. This is reflected in the reports.



Before ending the call, the Worker must select the relevant Wrap-up Reason code from the available list before the interaction is ended. The call is then disconnected automatically after the timer has reached its limit, or otherwise, the Worker can hang up the call manually by pressing the **Hang up** button.

For a Worker application intuitive experience, the Voca Interaction Center provides the following built-in Not-ready system default states that are reflected in the reports.


- **Shift Start:** Worker automatic state after login
- **Shift End:** Worker must select this state before logout (if not selected, the “logout” button is locked)
- **Call Not Answered:** This happens when the worker was in ready state and didn’t answer to incoming call.
- **Engaged:** Call is ringing
- **Talking:** Worker is on active call

Adding Worker Status Events

The procedure below describes how to add a Worker Status Event.


➤ To add a Worker status event:

1. Open the Worker Status Events page (**Configuration > Routing > Worker Status Event**); the following appears:



2. Click **Add new**; the following appears:

Worker Status Events



3. Select the type of event.
4. In the **Wrap-up Event**, enter the 'Group Name' and 'Event Name' in the appropriate fields.

New Worker Status Event

Wrap-up Group Name*

Wrap-up Events

Event Name* Time (Sec.) +

Save Changes

If the event type is set to 'Wrap-up', the “Wrap-up max. Time Limit (Secs)” appears.

5. In the **Not Ready Event**, enter the 'Group Name' and 'Event Name' in the appropriate fields.

New Worker Status Event

Not Ready Group Name*

Default


Not Ready Events

Event Name*

Having a break



Save Changes

6. Click  to add additional events.
7. Click **Save Changes**.

Editing Worker Status Events

The procedure below describes how to edit a Worker Status Event.


➤ **To edit a Worker Status Event:**

1. Open the Worker Status Events page (**Configuration > Routing > Worker Status Events**); the following appears:


Worker Status Events

Worker Status Events		+ Add New	Actions
Show 100 entries			Search: <input type="text"/>
<input type="checkbox"/> Group Name	<input type="checkbox"/>	Event Type	
<input type="checkbox"/> Extra		Not Ready	
<input type="checkbox"/> Final Steps		Wrap Up	
Showing 1 to 2 of 2 entries			< 1 >

2. Select the event you wish to edit by selecting the corresponding check box.



- From the 'Actions' drop-down menu, select **Edit Worker Status Event**; the following appears:




- Make your necessary changes, and then click **Save Changes**.

Deleting Worker Status Events

The procedure below describes how to delete a Worker Status Event.


➤ **To delete a Worker Status Event:**

- Open the Worker Status Events page (**Configuration > Routing > Worker Status Events**); the following appears:



2. Select the Worker Status Event you wish to delete by selecting the corresponding check box.
3. From the 'Actions' drop-down menu, choose **Delete Worker Status Event(s)**.

Worker Status Events



Group Name	Event Type
<input checked="" type="checkbox"/> Extra	Not Ready
<input type="checkbox"/> Final Steps	Wrap Up

Showing 1 to 2 of 2 entries

A confirmation message box appears.

4. Click **OK** to confirm deletion.

Configuring Conversation Template Center



Available for Digital Engagement Tenants only.

You can create conversation templates that Workers can use during email or chat interactions. Templates are quick, editable replies with common and suggested messages. Any Email or Webchat queue can be assigned one Template group.

Adding a Conversation Template Center

This section describes how to add a Conversation Template for email and webchat interactions.


Adding an Email Conversation Template

The procedure below describes how to add an email conversation template.

➤ To add an Email Template:

1. Open the Conversation Template Center page (**Configuration > Routing > Conversation Template Center**); the following appears:

Conversation Template Center



Group Name	Description	Template Type
<input type="checkbox"/> IT Support Chat		Webchat
<input type="checkbox"/> IT Support Email	IT support incident	Email

Showing 1 to 2 of 2 entries

2. Click **Add New**; a drop-down menu appears:



- From the drop-down menu, choose **New Email Template**; the following appears:

Add Email Template

Email Template Group Name*

Description

Email Template

Template Name* Data*


- In the 'Email Template Group Name' field, type a name for the template group.
- In the 'Description' field, type a description for the template group.
- In the 'Template Name' field, type a name for the template.
- Click the 'Data' field to add the template's content.
- To add additional templates to the group, click .
- Click **Save Changes**.

Adding a Webchat Conversation Template

The procedure below describes how to add a Webchat Template.

➤ **To add a Webchat Template:**


- Open the Conversation Template Center page (**Configuration > Routing > Conversation Template Center**); the following appears:




- Click **Add New**; a drop-down menu appears:



3. From the drop-down menu, choose **New Webchat Template**; the following appears:




4. In the 'Webchat Template Group Name' field, type a name for the template group.
5. In the 'Description' field, type a description for the template group.
6. In the 'Template Name' field, type a name for the template.
7. Click the 'Data' field to add the template's content.
8. To add additional templates to the group, click .
9. Click **Save Changes**.

Editing Conversation Template


The procedure below describes how to edit a Conversation Template.

➤ ➤ **To edit a Conversation Template:**


1. Open the Conversation Template Center page (**Configuration > Routing > Conversation Template Center**); the following appears:



2. Select the check box corresponding to the template that you wish to edit.



- From the 'Actions' drop-down menu, choose **Edit Template**; the following appears (e.g., for editing webchat template):




- Make your necessary changes, and then click **Save Changes**.

Deleting a Conversation Template


The procedure below describes how to delete a Conversation Template.

➤ ➤ **To delete a Conversation Template:**

- Open the Conversation Template Center page (**Configuration > Routing > Conversation Template Center**); the following appears:



- Select the check box corresponding to the template that you wish to delete.



- From the 'Actions' drop-down menu, choose **Conversation Template(s)**; a confirmation message box appears.
- Click **OK** to confirm.

Configuring Workers Group

The Administrator can create or associate Workers, supervisors and Not Ready reason code events to a group. This group is only for viewing and management of Supervisor or Worker statistics from the Supervisor app. The Worker and Supervisor will inherit the "Not Ready" reason codes from this group.




- Workers can be assigned to only one group.
- A Worker Group can only contain one Not-Ready Status event.

Adding a Worker Group

The procedure below describes how to add a Workers Group.

➤ To add a Workers Group:

- Open the Workers Group page (**Configuration > Routing > Workers Group**); the following appears:



- Click **Add New**; the following appears:


New Workers Group

Group Name*


Description*

Not Ready Status Group


Supervisors

Supervisor* 

Supervised Workers

Worker* 

[Save Changes](#)

- In the 'Group Name' field, enter the name of the Group.
- In the 'Description' field, enter a description of the Group.
- From the 'Not Ready Status Group' drop-down list, select the appropriate value.
- From the 'Supervisor' drop-down list, select the Supervisor name of the group.
- From the 'Worker' drop-down list, select the appropriate Worker name.
- Click  to add additional Supervisors or Workers.
- Click **Save Changes**.

Editing a Worker Group

The procedure below describes how to edit a Workers Group.


➤ To edit a Workers Group:

- Open the Workers Group page (**Configuration > Routing > Workers Group**); the following appears:


Workers Group

Workers Group		+ Add New	Actions
Show <input type="text" value="100"/> entries	Search: <input type="text"/>		
<input type="checkbox"/>	Group Name	Description	
<input type="checkbox"/>	New Group 1	David's Group	
Showing 1 to 1 of 1 entries			
< 1 >			

- Select the Workers Group you wish to edit by selecting the corresponding check box.



3. From the 'Actions' drop-down list, select **Edit Workers Group**; the following appears:




4. Make your necessary changes, and then click **Save Changes**.

Deleting a Worker Group

The procedure below describes how to delete a Workers Group.


➤ **To delete a Workers Group:**

1. Open the Workers Group page (**Configuration > Routing > Workers Group**); the following appears:



2. Select the Workers Group you wish to delete by selecting the Workers Group check box.
3. From the 'Actions' drop-down menu, choose **Delete Work Group**.

Workers Group



A confirmation message box appears.

4. Click **OK** to confirm deletion.

Configuring Queues

This section deals with how to configure the following Queues:

- **Call Queues:** This queue type is used for informal agents that use their Team's client or any other third-party extension.
- **Skill-Based Routing Queues:** This queue type is used for formal agents that are using the Voca Worker App.

Configuring Call Queues


Call Queues provide the ability to place an incoming call in a queue before transferring it to one of its destination lists. When the call is in a queue, the caller hears music on hold. The system supports defining several call queues per customer or service.

Adding a Call Queue


The procedure below describes how to add a new Call Queue.

➤ To add a new Call Queue:

1. Open the Call Queues page (**Configuration > Routing > Queues**); the following appears:



2. Click **Add New**; the following page appears:



3. Click **Add Queue**; the following appears:

New Basic Queue

Name*	<input type="text"/>
Description	<input type="text"/>
Greeting	<input type="text" value="None"/>
Music on Hold	<input type="text" value="Default"/>
Routing Type	<input type="text" value="Round Robin"/>
No Answer Timeout (Sec.)	<input type="text" value="30"/>
Supervisors	<input type="text" value="No supervisor"/> +
Queue Members [ⓘ]	<input type="text" value="no-member no-extension"/> +
Allow Routing on Teams Presence Status	<input checked="" type="checkbox"/> Available <input type="checkbox"/> Busy <input type="checkbox"/> Away
Overflow Call When All Queue Members Are	<input type="checkbox"/>
Maximum Calls in Queue	<input type="text" value="50"/>
When the maximum number of calls is reached	
Action 1	<input type="text" value="Disconnect"/>
Maximum Wait Time (Min.)	<input type="text" value="20"/>
When the maximum wait time is reached	
Action 1	<input type="text" value="Disconnect"/>

[ⓘ] To allow Teams Presence-based routing for Queue members, please ensure "Presence-based routing" is enabled for the relevant Voca Contact in the Contacts section

Save Changes

4. In the 'Name' field, enter the name of the queue.
5. In the 'Description' field, enter a short description for the queue.

6. From the 'Greeting' drop-down list, select the greeting that will be play when the call enters the queue.
7. From the 'Music on Hold' drop-down list, select the music on hold that will be play when the caller waiting in the queue.
8. From the 'Routing Type' drop-down list, select the appropriate routing type:
 - **Round Robin (default):** Sequentially hunt for each queue member
 - **Serial:** Hunt each queue member starting from the first queue member
 - **Broadcast:** Simultaneously ring for all the queue members
9. In the 'No Answer Timeout(Sec.)' field, enter the ringing time at the destination after which the call is considered as not answered by the destination.
10. From the 'Supervisors' drop-down list, select a Supervisor (see [Step 9](#) in Adding a Worker).
11. From the 'Queue Members' drop-down list, select either a contact name or enter a E.164 number. If a contact is selected and a presence is activated for that contact, the relevant presence will be queried before trying to transfer to this destination.
12. In the 'Allow Routing on Teams Presence Status' check box, enable or disable for which Teams Presence Status the call should transfer. Available is always marked for transfer.
13. In the 'Overflow Call When All Queue Members Are ' check box, enable or disable the admin can choose on which Teams presence status will be considered as logged out. When all the queue members meet the selected presence status the caller will automatically transfer to the relevant action that configured in the 'When overflow condition is set'.

Overflow Call When All Queue Members Are



Offline

Away

Do Not Disturb

When overflow condition is set

Action 1

Do nothing

|

For more information of the possible Actions, see [Actions](#).

14. In the 'Maximum Call in Queue' field, enter the maximum number of calls that can wait in the queue (between 1 to 99). When the maximum number of calls has been reached, the caller will automatically transfer to the relevant action that configured in the 'When the maximum number of calls is reached'.


Maximum Calls in Queue 50

When the maximum number of calls is reached

Action 1 Do nothing

|

For more information of the possible Actions, see [Actions](#).

 This limit requires the same or higher licensed channels.

15. In the 'Maximum Wait Time (Min.)' field, enter the maximum time for a call to be waiting in the queue. When the maximum wait time has been reached, the caller will automatically be transferred to the relevant action configured in the 'When the maximum wait time is reached' field.

Maximum Wait Time (Min.)

When the maximum wait time is reached

Action 1 Transfer to Queue Data Broadcast1

For more information of the possible Actions, see [Actions](#).

16. Click **Save Changes**.

Editing a Call Queues

The procedure below describes how to edit a Call Queue.

➤ **To edit a Call Queue:**

1. Open the Call Queue page (**Configuration > Routing > Queues**); the following appears:

Queues

Call Queues
+ Add New
⚙ Actions

Show entries
Search:

	Queue Name	Description	Max Calls Limit	Maximum Wait Time (Min.)	Routing Type	Queue Type
<input type="checkbox"/>	Call Queue 1	The first call queue in the region	50	20	Round Robin	Simple

Showing 1 to 1 of 1 entries
< 1 >

2. Select the Call Queue you wish to edit by selecting the corresponding Call Queue check box.

Queues

Call Queues

Show 100 entries

Queue Name	Description	Max Calls Limit	Maximum Wait Time (Min.)	Routing Type	Queue Type
<input checked="" type="checkbox"/> Call Queue 1	The first call queue in the region	50	20	Round Robin	Simple

Showing 1 to 1 of 1 entries

3. From the 'Actions' drop-down menu, choose **Edit Queue**; the following appears:

New Basic Queue

Name*

Description

Greeting

Music on Hold

Routing Type

No Answer Timeout (Sec.)

Supervisors

Queue Members

Allow Routing on Teams Presence Status

- Available
- Busy
- Away

Overflow Call When All Queue Members Are

Maximum Calls in Queue

When the maximum number of calls is reached

Action 1

Maximum Wait Time (Min.)

When the maximum wait time is reached

Action 1

i To allow Teams Presence-based routing for Queue members, please ensure "Presence-based routing" is enabled for the relevant Voca Contact in the Contacts section

4. Make your necessary changes, and then click **Save Changes**.

Deleting a Call Queue

The procedure below describes how to delete a Call Queue.

➤ To delete a Call Queue:

1. Open the Call Queues page (**Configuration > Routing > Queues**); the following appears:

Queues

Call Queues + Add New

Show entries Search:

<input type="checkbox"/>	Queue Name	Description	Max Calls Limit	Maximum Wait Time (Min.)	Routing Type	Queue Type
<input type="checkbox"/>	Call Queue 1	The first call queue in the region	50	20	Round Robin	Simple

Showing 1 to 1 of 1 entries < 1 >

2. Select the Call Queue you wish to delete by selecting the corresponding check box.
3. From the 'Actions' drop-down menu, choose **Delete Queue(s)**.

Queues

Call Queues + Add New

Show entries Search:

<input type="checkbox"/>	Queue Name	Description	Max Calls Limit	Maximum Wait Time (Min.)	Routing Type	Queue Type
<input checked="" type="checkbox"/>	Call Queue 1	The first call queue in the region	50	20	Round Robin	Simple

Showing 1 to 1 of 1 entries < 1 >

A confirmation box appears.

4. Click **OK** to confirm deletion.



- When deleting a queue, the system checks if the queue is already used in any related transfer to queue actions.
- If the queue is in use, the delete request is denied with an appropriate message.

Configuring Skill-Based Routing Queues

Skill-based Routing Queues provide a method of intelligent routing of customers to Workers when they all registered to the queue to handle customer requests. With this skill-based routing capability, the Administrator can ensure that the interaction routing strategy, where customers are associated to workers with the most relevant skills to handle their requests, is based on their availability and skills required.

Digital Engagement Tenants support omnichannel capabilities, enabling integration of Voice, Email, and Webchat channels.


Each channel is fully customizable and operates independently within the same queue.

Adding a Skill-Based Routing Queue


The procedure below describes how to add a new Skill-Based Routing Queue for Voice, Email and Webchat channels.

➤ **To add a new Skill-Based Routing Queue:**

1. Open the Call Queues page (**Configuration > Routing > Queues**); the following appears:



2. Click **Add New**; a drop-down menu appears:



3. From the drop-down menu, choose **Add Skill-based Routing Queue**; the following appears:

4. In the 'Name' field, enter the name of the Queue.
5. In the 'Description' field, enter a short description for the Queue.
6. For the Voice channel, select the **Voice** tab; the following appears:

New Skill-based Routing Queue

Name*

Description

Voice
Email
Webchat

Toggle

Queue Number

Greeting

Music on Hold

Routing Type

Workers* +

Wrap-up Events Group

Maximum Calls in Queue

When the maximum number of calls is reached

Action 1

Maximum Wait Time (Min.)

When the maximum wait time is reached

Action 1

Check for logged out workers

Save Changes

- a. Click the toggle button to enable the establishment of the channel for the queue.
- b. In the 'Queue Number' field, type the number to display on the customer's side when Workers make outbound calls through the queue.
- c. From the 'Greeting' drop-down list, select the greeting to play when the call enters the queue.
- d. From the 'Music on Hold' drop-down list, select the music to play while the caller is waiting in the queue.
- e. From the 'Routing Type' drop-down list, select the appropriate routing type:
 - ◆ **Round Robin:** (Default) Sequentially searches for a Worker within the queue.
 - ◆ **Longest Available Worker:** Routes calls based on the worker who has not answered queue calls for the longest time.
 - ◆ **Skill-based Priority Routing:** Routes calls based on the Worker level of expertise (score level for each skill).
- f. From the 'Workers' drop-down list, select the appropriate Worker name.
- g. From the 'Wrap-up Events Group' drop-down list, select the appropriate value.



Wrap-up codes are listed in the Worker Application per incoming call selected queue.

- h. In the 'Maximum Call in Queue' field, enter the maximum number of calls that can wait in the queue (1 to 99). When the maximum number of calls has been reached, the caller is automatically transferred to the relevant action, which is configured in the 'When the maximum number of calls is reached' field. For more information of possible actions, see [Actions](#).

Maximum Calls in Queue

When the maximum number of calls is reached

Action 1



This limit requires the same or more licensed channels.

- i. In the 'Maximum Wait Time (Min.)' field, enter the maximum time that a call can wait in the queue. When the maximum waiting time has been reached, the caller is automatically transferred to the relevant action, which is configured in the 'When the maximum wait time is reached' field. For more information of possible actions, see [Actions](#).

Maximum Wait Time (Min.)

When the maximum wait time is reached

Action 1 Data

- j. If you want to configure an overflow action if all workers are logged out, select the 'Check for logged out Workers' check box.

Check for logged out workers

When all workers in the queue are logged out

Action 1

- k. Click **Save Changes**.

7. For the Email channel, select the **Email** tab; the following appears:

New Skill-based Routing Queue

Name*

Description

Voice
Email
Webchat

Routing Type

Route to Last Worker

Workers*

Wrap-up Events Group

Conversation Template*

[Save Changes](#)

- a. Click the toggle button to enable the establishment of the channel for the queue.
 - b. From the 'Routing Type' drop-down list, select the appropriate routing type:
 - ◆ **Round Robin:** (Default) Sequentially searches for a Worker within the queue.
 - ◆ **Longest Available Worker:** Routes emails based on the worker who has not answered queue email interactions for the longest time.
 - ◆ **Skill-based Priority Routing:** Routes calls based on the Worker level of expertise (score level per skill).
 - c. Select the 'Route to Last Worker' check box to route an ongoing chained emails to the last agent who handled the customer interaction. If the last agent is unavailable, the interaction is forwarded to the next available skilled Worker.
 - d. In the 'Last Interaction (Days)' field, define the maximum period for which an ongoing interaction is routed to the last agent.
 - e. From the 'Workers' drop-down list, select the appropriate Worker names.
 - f. From the 'Wrap-up Events Group' drop-down list, select the appropriate value.
 - g. From the 'Conversation Template' drop-down list, select the template group.
 - h. Click **Save Changes**.
8. For the Webchat channel, select the **Webchat** tab; the following appears:

New Skill-based Routing Queue

Name*

Description

Voice
Email
Webchat

Routing Type

Route to Last Worker

Workers* +

Wrap-up Events Group

Conversation Template*

Maximum Chats in Queue

When the maximum number of chats is reached

 Action 1

Maximum Wait Time (Min.)

When the maximum wait time is reached

 Action 1

Save Changes

- a. Click the toggle button to enable the establishment of the channel for the queue.
- b. From the 'Routing Type' drop-down list, select the appropriate routing type:
 - ◆ **Round Robin:** (Default) Sequentially searches for a Worker within the queue.
 - ◆ **Longest Available Worker:** Routes chats based on the worker who has not answered queue chat interactions for the longest time.

- ◆ **Skill-based Priority Routing:** Routes calls based on the Worker level of expertise (score level per skill).
- c. Select the 'Route to Last Worker' check box to route a returning customer to the last agent who handled the customer interaction. If the last agent is unavailable, the interaction is forwarded to the next available skilled Worker.
- d. In the 'Last Interaction (Days)' field, define the maximum period for which a returning customer is routed to the last agent.
- e. From the 'Workers' drop-down list, select the appropriate Worker names.
- f. From the 'Wrap-up Events Group' drop-down list, select the appropriate value.
- g. From the 'Conversation Template' drop-down list, select the template group.
- h. Click **Save Changes**.

Editing a Skill-Based Routing Queue

The procedure below describes how to edit a skill-based Routing Queue.

➤ To edit a skill-based Routing Queue:

1. Open the Call Queue page (**Configuration > Routing > Queues**); the following appears:

Queues

Call Queues + Add New

Show entries Search

<input type="checkbox"/>	Queue Name	Description	Max Calls Limit	Maximum Wait Time (Min.)	Routing Type	Queue Type
<input type="checkbox"/>	Helpdesk	Helpdesk	50	20	Longest Available Worker	Skill-based-Queue
<input type="checkbox"/>	Sales	Sales	50	20	Longest Available Worker	Skill-based-Queue

Showing 1 to 2 of 2 entries < 1 >

2. Select the skill-based Routing Queue that you wish to edit, by selecting the corresponding Call Queue check box.

Queues

Call Queues + Add New

Show entries Search

<input type="checkbox"/>	Queue Name	Description	Max Calls Limit	Maximum Wait Time (Min.)	Routing Type	Queue Type
<input checked="" type="checkbox"/>	Helpdesk	Helpdesk	50	20	Longest Available Worker	Skill-based-Queue
<input type="checkbox"/>	Sales	Sales	50	20	Longest Available Worker	Skill-based-Queue

Showing 1 to 2 of 2 entries < 1 >

3. From the 'Actions' drop-down menu, choose **Edit Queue**; the following appears:

Edit Skill-based Routing Queue

Name* IT HW & SW
 Description IT HW & SW

Voice | Email | Webchat

Queue Number +17865503711
 Greeting None
 Music on Hold Default
 Routing Type Longest Available Worker
 Workers* Oren Batchelor, Herman Seminiano, John Wesselman
 Wrap-up Events Group IT Support Wrap-up
 Maximum Calls in Queue 50
 When the maximum number of calls is reached
 Action 1 Disconnect

Save Changes

4. Make your necessary changes, and then click **Save Changes**.

Deleting a Skill-Based Routing Queue

The procedure below describes how to delete a skill-based Routing Queue.

➤ **To delete a Skill-Based Routing Queue:**

1. Open the Call Queues page (**Configuration > Routing > Queues**); the following appears:

Queues

Queue Name	Description	Max Calls Limit	Maximum Wait Time (Min.)	Routing Type	Queue Type
Helpdesk	Helpdesk	50	20	Longest Available Worker	Skill-based-Queue
Sales	Sales	50	20	Longest Available Worker	Skill-based-Queue

2. Select the check box corresponding to the Call Queue that you wish to delete.

3. From the 'Actions' drop-down menu, choose **Delete Queue(s)**.

Queues

Queue Name	Description	Max Calls Limit	Maximum Wait Time (Min.)	Routing Type	Queue Type
<input checked="" type="checkbox"/> Helpdesk	Helpdesk	50	20	Longest Available Worker	Skill-based-Queue
<input type="checkbox"/> Sales	Sales	50	20	Longest Available Worker	Skill-based-Queue

Actions: Edit Queue, Delete Queue(s)

4. A confirmation box appears.

5. Click **OK** to confirm deletion.



When deleting a queue, the system checks if the queue is already used in any related transfer to queue actions. If the queue is in use, the delete request is denied with an appropriate message.

Defining Working Hours

The system supports defining several sets of working hours per customer/service to allow the definition of different non-working and working time. By default, every customer/service has one working time set which can't be deleted.

Adding Working Hours Set

The procedure below describes how to add a new Working Hours Set.

➤ To add a new Working Hours Set:

1. Open the Working Hours Details screen (**Configuration > Working Hours**); the following appears:



2. Click **"Add New"**; the following appears.

New Working Hours

Name*

Week Day	Working Day	Start Hour		End Hour		
Sunday	<input type="checkbox"/>	<input type="text" value="00"/>	<input type="text" value="00"/>	<input type="text" value="00"/>	<input type="text" value="00"/>	<input type="button" value="+"/>
Monday	<input type="checkbox"/>	<input type="text" value="00"/>	<input type="text" value="00"/>	<input type="text" value="00"/>	<input type="text" value="00"/>	<input type="button" value="+"/>
Tuesday	<input type="checkbox"/>	<input type="text" value="00"/>	<input type="text" value="00"/>	<input type="text" value="00"/>	<input type="text" value="00"/>	<input type="button" value="+"/>
Wednesday	<input type="checkbox"/>	<input type="text" value="00"/>	<input type="text" value="00"/>	<input type="text" value="00"/>	<input type="text" value="00"/>	<input type="button" value="+"/>
Thursday	<input type="checkbox"/>	<input type="text" value="00"/>	<input type="text" value="00"/>	<input type="text" value="00"/>	<input type="text" value="00"/>	<input type="button" value="+"/>
Friday	<input type="checkbox"/>	<input type="text" value="00"/>	<input type="text" value="00"/>	<input type="text" value="00"/>	<input type="text" value="00"/>	<input type="button" value="+"/>
Saturday	<input type="checkbox"/>	<input type="text" value="00"/>	<input type="text" value="00"/>	<input type="text" value="00"/>	<input type="text" value="00"/>	<input type="button" value="+"/>

- In the 'Name' field, enter the name of the working hours.
- In the 'Working Days' check box, define the working days and hours, each appropriate working day.
- Select the 'Start Hour' and 'End Hour' for each applicable day.
- Click **Save Changes**.
- In the following example, we have defined the company's working days with shifts from Monday till Friday.

New Working Hours

Name*

Week Day	Working Day	Start Hour		End Hour		
Sunday	<input type="checkbox"/>	00	00	00	00	+
Monday	<input checked="" type="checkbox"/>	08	00	12	00	+
		13	00	17	00	-
Tuesday	<input checked="" type="checkbox"/>	08	00	12	00	+
		13	00	17	00	-
Wednesday	<input checked="" type="checkbox"/>	08	00	12	00	+
		13	00	17	00	-
Thursday	<input checked="" type="checkbox"/>	08	00	12	00	+
		13	00	17	00	-
Friday	<input checked="" type="checkbox"/>	08	00	12	00	+
		13	00	17	00	-
Saturday	<input type="checkbox"/>	00	00	00	00	+

[Save Changes](#)

Editing Working Hours Set


The procedure below describes how to edit a Working Hours Set.

➤ **To edit a Working Hours Set:**

1. Open the Working Hours Details screen (**Configuration > Working Hours**); the following appears:



2. Select the Working Hours Set that you wish to edit.
3. Click **Actions**; the following appears.



4. Select **Edit Working Hours Set**; the following appears:

New Working Hours

Name*

Week Day	Working Day	Start Hour		End Hour		
Sunday	<input type="checkbox"/>	00	00	00	00	<input type="button" value="+"/>
Monday	<input checked="" type="checkbox"/>	08	00	12	00	<input type="button" value="+"/>
		13	00	17	00	<input type="button" value="-"/>
Tuesday	<input checked="" type="checkbox"/>	08	00	12	00	<input type="button" value="+"/>
		13	00	17	00	<input type="button" value="-"/>
Wednesday	<input checked="" type="checkbox"/>	08	00	12	00	<input type="button" value="+"/>
		13	00	17	00	<input type="button" value="-"/>
Thursday	<input checked="" type="checkbox"/>	08	00	12	00	<input type="button" value="+"/>
		13	00	17	00	<input type="button" value="-"/>
Friday	<input checked="" type="checkbox"/>	08	00	12	00	<input type="button" value="+"/>
		13	00	17	00	<input type="button" value="-"/>
Saturday	<input type="checkbox"/>	00	00	00	00	<input type="button" value="+"/>

5. Edit the working days and hours, by selecting the check box of each appropriate working day.
6. Edit the 'Start Hour' and 'End Hour' for each applicable day.
7. Click **Save Changes**.

Deleting Working Hours Set


The procedure below describes how to delete a Working Hours Set.

➤ **To delete a Working Hours Set:**

1. Open the Working Hours Details screen (**Configuration > Working Hours**); the following appears:



2. Select the Working Hours Set that you wish to delete.
3. Click **Actions**; the following appears.



4. Select **Delete Working Hours Set**.
5. An "Are you sure want to delete the selected working hour set?" message appears; click **OK** to delete.


Defining Events and Holidays

The procedure below describes how to configure Voca to define special corporate events and holidays in the system calendar. This allows for a more efficient way of defining working time.

Adding Events and Holidays

➤ **To add events and holidays:**

1. Open the Events & Holidays Details screen (**Configuration > Events & Holidays**); the following appears:




2. Click "+Add New"; the following appears:

Add Event Set


Event Set Name*

+ Add Event Record

Description* Event Dates 

Action 1

Save Changes

3. In the 'Event Set Name' field, enter name of the event set.
4. Add a new event by clicking +.
5. In the 'Description' field, enter the event description.
6. In the 'Event Dates' field, enter the Start and End times for the event.
7. From the 'Actions' drop-down list, select the appropriate actions.
8. For more information of the possible Actions, see [Actions](#).
9. Click the  delete icon to delete an event.
10. Click **Save Changes** to confirm your details; A "New event successfully created" message appears.

Editing Events and Holidays

The procedure below describes how to edit Events and Holidays.

➤ To edit Events and Holidays:


1. Open the Telephony Settings screen (**Configuration > Events & Holidays**).
2. Select the event or holiday that you wish to edit.
3. Click **Actions**; the following appears:

Figure 6-3:



4. Select **Edit Event**.

Figure 6-4:



5. Edit the necessary information, and then click **Save Changes**; an “Event Successfully Updated” message appears.

Delete Events and Holidays

The procedure below describes how to delete Events and Holidays.

➤ To delete Events and Holidays:

1. Open the Telephony Settings screen (**Configuration > Events & Holidays**).
2. Select the event or holiday that you wish to delete.
3. Click **Actions**; the following appears:

Figure 6-5:



4. Select **Delete Event Set**; an "Are you sure want to delete the selected event set/s?" message appears.
5. Click **OK**.

System Settings

System settings consists of the following:

- Teams Presence Settings
- Directory Synchronization
- Email Settings

Teams Presence Settings

To get the presence of Azure tenant users, the application should get permissions for accessing this information.

This process requires:

- The organization Administrator (Microsoft 365) should grant tenant-wide Administrator consent to the Directory and Presence application on behalf of the organization.
- Users with global Administrator privileges or users that assign to the Directory and Presence application, created in the consent process.

➤ To obtain permissions:

1. Open the System Settings page (**Configuration > System Settings**); the following appears:

System Settings

▼ Teams Presence Settings

Azure Tenant ID*


User*

Password*

Consent

Save Changes

2. In the 'Azure Tenant ID' field, enter the Azure Tenant ID.
3. In the 'User' field, enter the Microsoft global Administrator.
4. In the 'Password' field, enter the Microsoft user password.
5. Click **Save Changes** to save your changes.
6. Click **Consent**; the following appears:



7. Click **Accept**; the access permission to the Azure Active Directory (AD) and presence for Azure tenant is enabled, so Voca can access it.

Directory Synchronization

The procedures below describe how to configure Azure Active Directory (AD) and Lightweight Directory Access Protocol (LDAP) synchronization.

➤ **To configure LDAP:**

1. Open the System Settings page (**Configuration > System Settings**).

The screenshot shows the 'System Settings' page. It features two main sections: 'Teams Presence Settings' and 'Directory Synchronization'. Under 'Teams Presence Settings', there are three input fields for 'Azure Tenant ID*', 'User*', and 'Password*', followed by 'Concent' and 'Save Changes' buttons. Under 'Directory Synchronization', there is a dropdown menu for 'Synchronization Mode' currently set to 'None', and a 'Save Changes' button.

2. Under the **Directory Synchronization** group, from the 'Synchronization Mode' drop-down list, select **LDAP**; the following appears:

▼ Directory Synchronization

Synchronization Mode	LDAP
LDAP Connection	
Server*	<input type="text"/>
Port*	389
LDAP Version*	Default
User	<input type="text"/>
Password	<input type="text"/>
baseDN*	<input type="text"/>
Filter Usage	Append to default
Filter	<input type="text"/>
Encoding	Default

[Check Connection](#)

- In the 'Server' field, enter the URL of the LDAP server. It can include either FQDN or an IP Address.
- In the 'Port' field, enter the port that synchronizes with LDAP. Enter either "398" or "3268".
- From the 'LDAP Version' drop-down list, select the LDAP Version.
- In the 'User' field, enter the Service Administrator Name.
- In the 'Password' field, enter the Service Administrator password.
- In the 'baseDN' field, define the baseDN that you want to use.
- From the 'Filter Usage' drop-down list, select the appropriate filter:
 - Append to default:** Uses the default filter that was applied on Voca. The default filter is: (&(objectCategory=person)(objectClass=user)(" + id + "=*")(|(" + firstName + "=*")(|(" + lastName + "=*)))
 - Replace Default:** Replaces the default filter with the filter that you configured in the 'Filter' field.
- In the 'Filter' field, define the filter that you want to use. For more information, click [here](#).
- From the 'Encoding' drop-down list, select the appropriate encoding to be used when importing from the LDAP filter.



To check connectivity to the LDAP server, click the **Check LDAP connection** button.

12. Under the LDAP User Attributes group, you can enter different attributes to import for LDAP or use the default.

LDAP User Attributes

UniqueID	objectGUID
First Name	givenName
Last Name	sn
Extension	telephoneNumber
Mobile	mobile
Department	department
Email	mail

13. Select the following fields when you want to import contacts from the Azure AD server:

- Days
- Start Time

Import Schedule

days

Sunday Monday
 Tuesday Wednesday
 Thursday Friday
 Saturday

Start time not before*

23 : 0

14. If you select the 'Incremental Mode' check box, the LDAP sync disables all contacts NOT in the list. If the 'Incremental Mode' check box is not enabled, the LDAP sync adds the contacts to the system (without disabling the contacts that do not appear in the updated list).

Auto Attendant Address Book Sync

Incremental Mode



15. From the 'Email Notification' drop-down list, select one of the following to indicate when notification emails should be sent:

- None
- Success
- Failure
- All

Email Notification

Send on*

None

Import Now

Save Changes

16. Click **Save Changes**.

17. Click **Import Now** to import contacts from the LDAP server immediately (Optional).

➤ To configure Azure AD:

This process requires the following:

- The organization Administrator (Microsoft 365) should grant tenant-wide admin consent to Directory and Presence applications on behalf of the organization.



The consent process needs to be made once for Azure AD sync and Teams Presence.

- Users with global Administrator privileges or users that assign to the Directory and Presence application that was created in the consent process.

1. Open the System Settings page (**Configuration > System Settings**); the following appears:

System Settings

▼ Teams Presence Settings

Azure Tenant ID*	<input type="text"/>
User*	<input type="text"/>
Password*	<input type="password"/>
	<input type="button" value="Concent"/> <input type="button" value="Save Changes"/>

▼ Directory Synchronization

Synchronization Mode	<input type="text" value="None"/>
	<input type="button" value="Save Changes"/>

2. Under the **Directory Synchronization** group, from the 'Synchronization Mode' drop-down list, select **Azure AD**; the following appears:

▼ Directory Synchronization

Synchronization Mode	<input type="text" value="Azure AD"/>
Azure Connection Details	
Azure Tenant ID*	<input type="text" value="www.abc.com"/>
User*	<input type="text" value="100"/>
Password*	<input type="password" value="....."/>
Filter	<input type="text" value="1"/>
	<input type="button" value="Concent"/> <input type="button" value="Check Connection"/>

3. In the 'Azure Tenant ID' field, enter the Azure Tenant ID from which to request the presence.
4. In the 'User' field, enter the name of the user defined on the Azure tenant with permissions to access the presence.
5. In the 'Password' field, enter the user's password.
6. In the 'Filter' field, enter the filter configuration. For example:

```
"(startsWith(givenName, 'V') OR endsWith(mail, '@outlook.com'))
AND businessPhones/any(p:p le 'a') AND surname ne null and NOT
(surname eq 'Last')"
"department in ('Retail', 'Sales') AND givenName le 'zzz' AND
mobilePhone ge '9'"
```

7. Click **Consent**.



Operators: 'Contains', 'lt' and 'gt' are not supported. For more information, refer to <https://docs.microsoft.com/en-us/graph/aad-advanced-queries?tabs=http>.



To check connectivity to Azure AD, click **Check Connection**.

8. Under the **Azure AD User Attributes** group, enter the following:

- a. In the 'Unique ID' field, enter "Id".
- b. In the 'First Name' field, enter "givenName".
- c. In the 'Last Name' field, enter "surname".
- d. In the 'Extension' field, enter "businessPhone".
- e. In the 'Mobile' field, enter "mobilePhone".
- f. In the 'Department' field, enter "department".
- g. In the 'Email' field, enter "mail".

Azure AD User Attributes

UniqueID	Id
First Name	givenName
Last Name	surname
Extension	businessPhones
Mobile	mobilePhone
Department	department
Email	mail

9. Select the following fields for when you want to import contacts from the Azure AD server:

- Days
- Start Time

Import Schedule

days

Sunday Monday
 Tuesday Wednesday
 Thursday Friday
 Saturday

Start time not before*

23 : 0

- 10.** Under the **VocaNOM Connection** group, if you select the 'Incremental Mode' check box, the LDAP sync disables all contacts NOT in the list. If the 'Incremental Mode' check box is not enabled, the LDAP sync adds the contacts to the system (without disabling the contacts that do not appear in the updated list).

VocaNOM Connection

Incremental Mode

Email Notification

Send on*

None

- 11.** From the 'Email Notification' drop-down list, select one of the following to indicate when notification emails should be sent:

- None
- Success
- Failure
- All

- 12.** Click **Save Changes**.



To check connectivity to Azure AD, click **Check Connection**.

Email Setting Configuration

The procedure below describes how to configure email settings in Voca for both general purpose and omnichannel.

➤ To configure email settings:

- Open the System Settings page (**Configuration > System Settings**); the following appears:

▼ Email Settings

General Email Configuration

Server Type*

Omnichannel

Server Type*

General Email Configuration

The procedure below describes how to configure general email settings. It is used for sending AD synchronization alarms, scheduled reports, missed calls notifications, and 'leave a message'.

➤ To configure general email settings:

1. Open the System Settings page (**Configuration > System Settings**); the following appears:

▼ Email Settings

General Email Configuration

Server Type*

2. From the 'Server Type' drop-down list, select **Azure**; the following appears:

▼ Email Settings

General Email Configuration

Server Type*

Connect Method*

Azure Tenant ID*

From Address*

3. From the 'Connect Method' drop down list, choose **AudioCodes Hosted App, Self-Hosted App (Delegated), or Self-Hosted App (Application)**.
 - For **AudioCodes Hosted App**:
 - i. In the 'Azure Tenant ID' field, type the Azure Tenant ID from which to receive the emails.
 - ii. In the 'From Address' field, type the address from where emails are sent.
 - For **Self-Hosted App (Delegated)**:
 - i. In the 'Azure Tenant ID' field, type the Azure Tenant ID from which to receive the emails.
 - ii. In the 'App ID' field, type the App ID.
 - iii. In the 'Username' field, type the name of the user that is defined on the Azure tenant with permissions to access the emails.
 - iv. In the 'Password' field, type the user's password.
 - v. In the 'From Address' field, type the address from where emails are to be sent.
 - For **Self-Hosted App (Application)**:
 - i. In the 'Azure Tenant ID' field, type the Azure Tenant ID from which to receive the emails.
 - ii. In the 'App ID', type the App ID.
 - iii. In the 'Secret Key', type the application secret key.
 - iv. In the 'From Address', type the address from where emails are to be sent.
4. From the 'Server Type' drop-down list, select **SMTP**; the following appears:

▼ Email Settings

General Email Configuration

Server Type*	SMTP
SMTP	
Server Address*	<input type="text"/>
TLS	<input type="checkbox"/>
Port*	<input type="text"/>
Username	<input type="text"/>
Password	<input type="text"/>
From Address*	<input type="text"/>
	<input type="button" value="Test Email"/> <input type="button" value="Save Changes"/>

5. In the 'Server Address' field, type the URL of the email server. It can include an FQDN or IP address.
6. Select the 'TLS' check box if the email server uses TLS.
7. In the 'Port' field, type the port ('25' or '587') used for the email server.
8. In the 'Username' field, type the username for the email address you're using.
9. In the 'Password' field, type the password for the email address you're using.
10. In the 'From Address' field, type the address from where the email is to be sent.
11. Click **Save Changes**.

Omnichannel Email Configuration

The procedures below describe how to configure 'Omnichannel' email settings. This configuration enables sending and receiving emails through the omnichannel email interaction.

➤ **To configure Omnichannel email settings:**

1. Open the System Settings page (**Configuration > System Settings**); the following appears:

The screenshot shows the 'Omnichannel' configuration page. The 'Server Type*' dropdown menu is set to 'None'. Below the dropdown are two buttons: 'Test Email' and 'Save Changes'.

2. From the 'Server Type' drop-down list, select **Azure**; the following appears:

The screenshot shows the 'Omnichannel' configuration page with the 'Server Type*' dropdown set to 'Azure' and the 'Connect Method*' dropdown set to 'Self-Hosted App (Delegated)'. Below these are input fields for 'Azure Tenant ID*', 'App ID*', 'Username*', 'Password*', and 'From Address*'. At the bottom are 'Test Email' and 'Save Changes' buttons.

3. From the 'Connect Method' drop-down list, choose one of the following:
 - **AudioCodes Hosted App:**
 - i. In the 'Azure Tenant ID' field, type the Azure Tenant ID from which to receive the emails.
 - ii. In the 'From Address' field, type the address from where emails will be sent.

- **Self-Hosted App (Delegated):**
 - i. In the 'Azure Tenant ID' field, type the Azure Tenant ID from which to receive the emails.
 - ii. In the 'App ID', type the App ID.
 - iii. In the 'Username' field, type the name of the user that is defined on the Azure tenant with permissions to access the emails.
 - iv. In the 'Password' field, type the user's password.
 - v. In the 'From Address' field, type the address from where emails will be sent.
 - **Self-Hosted App (Application):**
 - i. In the 'Azure Tenant ID' field, type the Azure Tenant ID from which to receive the emails.
 - ii. In the 'App ID', type the App ID.
 - iii. In the 'Secret Key', type the application secret key.
 - iv. In the 'From Address', type the address from where emails will be sent.
4. From the 'Server Type' drop-down list, select **SMTP & IMAP**; the following appears:

Omnichannel

Server Type*	SMTP & IMAP
SMTP	
Server Address*	<input type="text"/>
TLS	<input type="checkbox"/>
Port*	<input type="text"/>
Username	<input type="text"/>
Password	<input type="text"/>
From Address*	<input type="text"/>
	<input type="button" value="Test Email"/> <input type="button" value="Save Changes"/>
IMAP	
Server Address*	<input type="text"/>
TLS	<input type="checkbox"/>
Port*	<input type="text"/>
Username*	<input type="text"/>
Password*	<input type="text"/>
	<input type="button" value="Save Changes"/>

5. In the 'Server Address' field, type the URL of the email server. It can include an FQDN or IP address.
6. Select the 'TLS' check box if the email server uses TLS.
7. In the 'Port' field, type the port ('25' or '587') that is used for the email server.
8. In the 'Username' field, type the username for the email address you're using.
9. In the 'Password' field, type the password for the email address you're using.
10. In the 'From Address' field, type the address from where the email will be sent.



To complete the integration with your email channel, make sure that you configure the PowerShell commands described in [Adding Email Interactions](#) on page 50, on the customer's Azure Tenant to enable email interaction with a specific email mailbox.

Access Management


Access Management allows you to add or edit users to view different pages in the Tenant configuration, so that you can share responsibilities more effectively.

Configuring Access Management

The procedure below describes how to assign different Tenant privileges to different users.

➤ **To create or edit a user:**

1. Open the User List page (**Configuration > Access Management > Users List**); the following appears:




The User Lists page is described below:

- **Email:** Defines the user's email.
 - **Access Profile:** Defines the profile that is assigned to the user. Every profile can have different capabilities of viewing or editing pages in the Tenant Voca CIC management.
1. Click **+Add New** to add a new user, or select a user and from the 'Actions' drop-down menu, choose **Edit User**; the following appears:

New User

General Settings

Email*	<input type="text"/>
Contact Name*	<input type="text"/>
Contact Phone	<input type="text"/>
Company Name	<input type="text"/>
Country*	<input type="text" value=""/>
SSO	<input type="checkbox"/>
Password*	<input type="password"/>  <input type="button" value="Generate"/>
Access Profile*	<input type="text" value="None"/>

The User Configuration is described below:

- **Email:** Defines the email address.
- **Contact Name:** Defines the Contact Name.
- **Contact Phone:** Defines the Contact Phone.
- **Company Name:** Defines the Company Name.
- **Country:** Defines the Country.
- **SSO:** The Tenant Administrator may define an SSO user with Azure AD (as configured in the system setting > AD sync).
- **Password:** Defines the password.
- **Access Profile:** Assigns a profile from the profiles list, defined on the Profile page.
 - A mandatory field for non-SSO users.



If Tenant Administrators do not directly select an Access Profile for a SSO user, they must ensure that:

- The SSO user belongs to exactly one Azure Security Group
- The Azure Security Group is assigned to a profile on the Profile Page.

➤ **To create or edit a profile:**

1. Open the Access Profile page (**Configuration > Access Management > Access Profile**); the following appears:

Profile Name	Description	Security Group Names	# of Assigned Users
Profile 3		ktzar	1
Profile 3 - copy			1
Profile 4		TestTest2	1
Tenant Admin	Default System Profile		10
Analytics Users	Default System Profile		2

The Access Profile page is described below:

- **Profile Name:** Defines the Profile’s name.
 - **Description:** Defines the Profile’s description.
 - **Security Group Names:** Defines the Azure Directory Security Groups that their Voca SSO users are assigned to this profile.
 - **# Of Assigned Users:** Defines the number of local users (non-SSO users) that are assigned manually to this profile.
2. Click **+Add New** to add a new profile, or select an Access Profile and from the ‘Actions’ drop-down menu, choose **Edit Profile**; the following appears:

Add Access Profile

Profile Name*

Description

AD Security Groups

Access Areas	View	Edit
Dashboard	<input type="checkbox"/>	<input type="checkbox"/>
➤ Conversational AA	<input type="checkbox"/>	<input type="checkbox"/>
Flow Designer	<input type="checkbox"/>	<input type="checkbox"/>
➤ Configuration	<input type="checkbox"/>	<input type="checkbox"/>
➤ Reports	<input type="checkbox"/>	<input type="checkbox"/>

Save Changes

The Access Profile Configuration is described below:

- **Profile Name:** Defines the Profile name.
- **Description:** Defines the description.
- **AD Security Groups:** Entering Azure Directory Security group name/s in this field, automatically assigns all SSO users in this Security Group to this profile, during the logging process (unless their profiles were selected manually on the User Configuration Page).



Press **Enter** in the text field for each AD Security Group input, to save the entry.

- **Access Areas:** Tenant administrators can selectively check specific sections/pages to allow users with this Profile viewing and/or editing those sections/pages.

System Profiles

The Access Profile list comes with two built-in non-editable profiles. The assignment to these profiles is similar to the assignment of manually configured profiles

- **Tenant Admin:** Defines privileges for all Voca configuration sections (including Access Profile section).
- **Analytics User:** Defines Users with privileges to see only the Reports section.

Dialplan Settings

This section gives the Administrator the option to configure and manage inbound and outbound basic routing manipulations on Voca, sent out to the customer's SBC/IP PBX.

Configuring Outgoing Rules

The procedure below describes how to define outgoing phone number manipulation rules.

➤ To create a new outgoing rule:

1. Open the Outgoing Rules Details screen (**Configuration > Dialplan Settings > Outgoing Rules**); the following appears:



2. From the Outgoing Rules page, click **Add New**; the following appears:

New Outgoing Rule

≡ New Outgoing Rule - Step 1 of 2

1 Rule Details 2 Confirm

General Details

Rule Name

Dialed Number Condition

The number is between To
and the prefix is

Dialed Number Manipulation

Trim digits from the number prefix and then
prepend to the number

3. Under the General Details group, in the 'Rule Name' field, enter the name of the new manipulation rule to be added.
4. Under the Dialed Number Condition group, in the "The number is between" field, enter the number of digits (minimum and maximum) required for the manipulation.
5. Click the Green plus button to enter a prefix.
6. Under the Dialed Number Manipulation group:
 - In the 'Trim' field, enter the number of digits to be removed from the prefix of the Destination number.
 - In the 'Prepend' field, enter the number to be added to the Destination number.
7. Click **Continue**; the following appears:

New Outgoing Rule

☰ New Outgoing Rule - Step 2 of 2

1 ✓ Rule Details 2 Confirm

Confirm Information

General Details

Rule Name: gg

Dialed Number Condition

The number is between: 1 - 3
and the prefix is: 100

Dialed Number Manipulation

Trim: 1 digits from the number prefix and then
prepend: 2 to the number

⏪ Back Save Information

8. Click **Save Information**.

Configuring Incoming Rules

The procedure below defines the length of the Caller ID (CLI) field which is used to determine valid employee numbers.

➤ **To configure a new incoming rule:**

1. Open the System Settings page (**Configuration > Dialplan Settings > Incoming Rules**); the following appears:

System Settings

☰ System Settings - Step 1 of 2

1 System Settings 2 Confirm


System Settings

CLI under is considered an Employee.

Continue

2. Set the CLI to the number of desired digits. In the example below, the CLI is set to be six digits or under. Any Caller ID that is up to six digits long, is considered a valid employee number.

3. Click Continue.



4. Click Save Information.

7 Generating Reports

The procedures below describe how to generate different reports from the Voca system. You can generate the following types of reports:

- Call Queue Reports
- Interaction Center Reports
- IVR Reports

Call Queue Reports

You can generate the following Call Queue historical reports and Real-time dashboard view:

- Report Scheduler
- Journey Manager
- Overall
- Drilldown
- Real-time Dashboard

Report Scheduler

The Report Scheduler provides an easy way to automate the generation of reports on a regular and recurring basis by setting up a schedule. Scheduled reports can run at predetermined times and automatically sent to email recipients as attachments.



The Report Scheduler functionality is only applicable if Voca is integrated with an email Server. For more information, click [here](#).

Adding a Report Scheduler

The procedure below describes how to add a new Report Scheduler.

➤ To add a new Report Scheduler:

1. Open the Report Scheduler page (**Reports > Interaction Center Reports > Report Scheduler**); the following appears:

Report Scheduler

⋮ Action
+ New Scheduled

<input type="checkbox"/>	SCHEDULE NAME	START DATE	SELECT FREQUENCY	EXPORT FORMAT	STATUS
Items per page: 10 ▾ 0 of 0 << < > >>					

2. The following is a description of all the fields:

Field	Description
Schedule Name	Defines the report scheduler name that was configured.
Start Date	Defines the start dates that were configured on the report scheduler.
Select Frequency	Defines the frequency that this report is sent.
Export Format	Defines the format in which this report is sent.
Status	Defines the status of the schedule report.

3. Click + **New Scheduled**; the following appears:

NEW SCHEDULED REPORT

Please edit the details of your Scheduled Reports

Schedule Name

Report export method

Start date & time

End date & time

Export Frequency

At

Daily

Time

--:--

Export Format

Email Subject

Recipients

Report Details

Reports

4. The following is a description of the fields that must be entered:

Field	Description
Schedule Name	Defines the name of the scheduled report.
Report Export Method	Defines the method that this report is sent.

Field	Description
Start Date & Time	Defines the first time that this report is run. The Start Date & Time uses the time zone that is configured at the tenant level.
End Date & Time	Defines the last time that this report will be run. The End Date & Time uses the time zone that is configured at the tenant level.
Export Frequency	Defines the recurrence pattern for the scheduled report.
Time	Defines the time that this report will be generated.
Day	Defines the day that this report will be generated. This option is only available when the frequency is set to Weekly .
Range	Defines a specific time range within the month, or choose a custom day range within the month that the report will be generated. This option is only available when the frequency is set to Monthly .
Export Format	Defines the format that this report is sent in.
Email Subject	Defines the subject name of email that is sent.
Recipients	Defines the recipients who will be receiving the email. More than one recipient can be added.
Reports	Select the report to be scheduled.

5. The following is a description of the filter that can be applied for this report:

Field	Description
Queue Name	Filter by a specific queue. If that

Field	Description
	queue is not selected, it will be considered as any queue.
Call Source	Filter by a specific call source.
Call Destination	Filter by a specific call destination.
Wait Time (sec.)	Filter by Wait Time in seconds.


6. Click **Save Changes**.

Editing a Report Scheduler


The procedure below describes how to edit a Report Scheduler.

➤ **To edit a Report Scheduler:**

1. Open the Report Scheduler page (**Reports > Interaction Center Reports > Report Scheduler**); the following appears:



2. Select the report schedule that you wish to edit by selecting the corresponding **Report Schedule** check box.



3. From the 'Actions' drop-down menu, choose **Edit**; the following appears:

EDIT SCHEDULED REPORT

Please edit the details of your Scheduled Reports

Schedule Name
Daily Schedule

Report export method
Email

Start date & time
05/28/2023 01:41 PM

End date & time
05/31/2023 01:42 PM

Export Frequency
At
Daily

Time
01:41 PM

Export Format
XLSX

Email Subject
Overall - Daily

Recipients
admin@voca.audiocodes.com

Report Details
Reports
Overall

Queue Name

Call Source
Exact

Call Destination
Exact

Wait Time (Sec.)
From To

Status
Any

Timezone Display Mode
Tenant Time zone

Cancel Schedule

4. Make your changes on the Edit Schedule Report page, and then click **Schedule**.

Delete a Report Scheduler

The procedure below describes how to delete a Report Scheduler.

➤ **To delete a Report Scheduler:**

1. Open the Report Scheduler screen (**Reports > Call Queue Reports > Report Scheduler**); the following appears:

Report Scheduler

Action + New Scheduled

	SCHEDULE NAME	START DATE	SELECT FREQUENCY	EXPORT FORMAT	STATUS
<input type="checkbox"/>	Daily Schedule	May 28, 2023, 1:41:00 PM	Daily	XLSX	<input checked="" type="checkbox"/>

Items per page: 10 | 1 - 1 of 1 | < > >>

2. Select the report schedule that you wish to delete by selecting the corresponding **Report Schedule** check box.

Report Scheduler

Search Action + New Scheduled

<input checked="" type="checkbox"/>	SCHEDULE NAME	START DATE	SELECT FREQUENCY	EXPORT FORMAT	STATUS
<input checked="" type="checkbox"/>	Daily Schedule	May 28, 2023, 1:41:00 PM	Daily	XLSX	<input checked="" type="checkbox"/>

Items per page: 10 1 - 1 of 1 |< > >|

- From the 'Actions' drop-down menu, choose **Delete**.

Journey Manager Report

The Journey Manager Report displays a summary of calls with a full detailed flow, from the moment the call enters, to the IVR flow, providing all flow interactions.

➤ To generate the Journey Manager report:

- Open the Journey Manager Report page (**Reports > Call Queues Reports > Journey Manager**); the following appears.

Interaction Center Reports

≡ Journey Manager

Filter Options

Date From	<input type="text"/>	<input type="text"/>
Date To	<input type="text"/>	<input type="text"/>
Call Source	<input type="text"/>	Exact <input type="button" value="v"/>
DNIS	Any <input type="button" value="v"/>	
Queue Name	Any <input type="button" value="v"/>	
Call Disposition	Any <input type="button" value="v"/>	
Timezone Display Mode	Tenant Time zone <input type="button" value="v"/>	

- Select the appropriate filter fields to generate your report:
 - Date From:** Displays this report for a specific date/time range.
 - Date To:** Displays this report for a specific date/time range.
 - Call Source:** Displays information that is related to a specific source number.
 - DNIS:** Defines the internal phone number that is called to access Voca. You can select the appropriate value from the drop-down list.
 - Queue Name:** Defines a specific queue name or 'Any' to show statistics for all call queues.

- **Call Disposition:** Defines information that relate to calls that end with a specific disposition or “Any’. For an explanation of the different call disposition, refer to [Call Dispositions](#) on page 207.
 - **Timezone Display Mode:** Displays this report in different time zones. The time zone of calls can be one of the following options:
 - ◆ **Tenant time zone:** Displays the information in this report based on the tenant configured time zone.
 - ◆ **Flow time zone:** Displays the information in this report based on the time zone configured under the **Telephony Setting** settings.
 - ◆ **Local time zone (Web):** Displays the information in this report based on the browser local time zone.
3. Click **Generate** to generate the report; click **Export CSV** to export the report in CSV format.
 4. The following is a description of the report fields.

Field	Description
Date	Defines the date of the call.
Timezone	Defines the time zone of the call.
Source	Defines the phone number the call was made from.
Destination	Defines the telephone number that was dialed by the caller.
Duration	Defines the time between when the call is inserted into the queue until the call was transferred, abandoned, or reached the over-flow limit.
DNIS Name	Defines the name of the IVR service.
Queue Name	Defines the Queue name that got the call.
Queue Time	Defines the total time that the customer waited in the queue.
Talk Time	Defines how long the worker was in the talking state.
Disposition	Displays the disposition of the call.
Routed To	Defines the number where the call has been routed to.

Call Queue Reports

Journey Manager											
Filter Options											
Show 25 entries										Search	
Date	Timezone	Source	Destination	Duration	DNIS Name	Queue Name	Queue Time	Talk Time	Disposition	Routed To	
2023-12-27 10:49:43	UTC +2:00	+97254		00:00:55	regression	Queue 1	00:00:53	00:00:00	Call abandoned		
2023-12-11 15:08:26	UTC +2:00	+97254		00:00:38	regression	Queue 2	00:00:36	00:00:00	Call abandoned		
2023-12-11 15:03:36	UTC +2:00	+97254		00:00:04	regression	Queue 1	00:00:02	00:00:00	Call abandoned		
2023-12-10 15:54:02	UTC +2:00	+97254		00:00:15	regression	Queue 3	00:00:13	00:00:00	Call abandoned		
2023-12-10 15:53:03	UTC +2:00	+97254		00:00:09	regression	Queue 2	00:00:06	00:00:00	Call abandoned		
2023-12-10 15:48:21	UTC +2:00	+97254		00:00:25	regression	Queue 1	00:00:17	00:00:00	Call abandoned		
2023-11-27 14:22:24	UTC +2:00	+972549		00:00:19	regression	Queue 1	00:00:02	00:00:00	Transfer	+97239	
2023-11-22 13:55:51	UTC +2:00	+97254	+97239764820	00:01:09	regression	Queue 1	00:00:54	00:00:00	Transferred from Queue	+97239	
2023-11-22 13:31:00	UTC +2:00	+97254		00:00:27	regression	Queue 2	00:00:06	00:00:00	Call abandoned		
2023-09-05 14:53:49	UTC +2:00	+97254		00:00:10	regression	Queue 3	00:00:03	00:00:00	Max Wait Time Exceeded		

5. Click on any call to view its flow, separated by relevant sections.

Time	Action	Description	Content	Result					
2023-12-27 11:36:27	UTC +2:00	+972526403466	555111	00:03:19	N/A	Skill Based	00:00:00	00:00:00	Disconnect
Interaction Manager (Voice)									
Time	Action	Description	Content	Result					
11:36:10	Go to Menu	Default Speech Menu	-	-					
Speech Menu (Default Speech Menu)									
Queue (Skill Based)									
Time	Action	Description	Content	Result					
11:36:27	Overflow	All agents are offline	-	-					
11:36:27	Play Prompt	Busy	-	-					
11:36:32	Send SMS	-	-	Succeed					
11:36:32	Transfer to Queue	Journey 2	Priority:	-					
Queue (Journey 2)									
Time	Action	Description	Content	Result					
11:36:33	Queue Info	Call Position: 1	Number of Available Workers: 0	-					
11:39:28	Call Disposition	Call abandoned	-	-					
11:39:28	Disconnect	-	-	-					

Overall Report

The Overall Report displays a summary of calls that were transferred, abandoned and overflowed from each queue.

➤ To generate an Overall report:

1. Open the Overall Report page (**Reports > Call Queues Reports > Overall**); the following appears.

Call Queue Reports

≡ Call Queue Overall

▼ Filter Options

Queue Name	Any	▼
Date From	<input type="text"/>	<input type="text"/>
Date To	<input type="text"/>	<input type="text"/>
Call Source	<input type="text"/>	Exact ▼
Call Destination	<input type="text"/>	Exact ▼
Wait Time (Sec.)	<input type="text"/>	to <input type="text"/>
Status	Any	▼
Timezone Display Mode	Tenant Time zone	▼


2. Select the appropriate filter fields to generate your report:

- **Date From:** Display this report for a specific date/time range.
- **Date To:** Display this report for a specific date/time range.
- **Call Source:** Display information that is related to a specific source number.
- **Call Routed:** Display information that is related to call that was routed to a specific destination.
- **Call Duration:** Display information that is related to a specific duration of a call.
- **Call Disposition:** Display information that related to calls that ended with a specific disposition or “Any”. For an explanation of the different call disposition, refer to [Call Dispositions](#).
- **DNIS:** Defines the internal phone number that is called to access Voca. You can select the appropriate value from the drop-down list.
- **Timezone Display Mode:** Display this report in different time zones. The time zone of calls can be one of the following options:
 - ◆ **Tenant time zone:** Display the information in this report based on the tenant configured time zone.
 - ◆ **Flow time zone:** Display the information in this report based on the time zone configured under the Telephony Setting settings.
 - ◆ **Local time zone (Web):** Display the information in this report on the browser local time zone.

3. The following is a description of the report fields.

Report Column	Description
Disposition	Displays the disposition of the call.
Total Calls	Displays the total number of calls each disposition.

- Click **Generate** to generate the report; click **Export CSV** to export the report in CSV format.



Call Date Report

The Call Date Report displays a summary of a call's performance on given dates.

- **To generate a Call Date IVR report:**

- Open the Call Date page (**Reports > IVR Reports > Call Date**); the following appears.

IVR Reports

Call Date

Filter Options

Date From:

Date To:

Call Source: Begins wit

Call Routed: Begins wit

Call Duration: to

Call Disposition: Any

DNIS: Any

Timezone Display Mode: Tenant Time zone

- Select the appropriate filter fields:


- **Date From:** Defines this report for a specific date/time range.
- **Date To:** Defines this report for a specific date/time range.
- **Call Source:** Defines information that is related to a specific source number.
- **Call Routed:** Defines information that is related to a call that was routed to a specific destination.
- **Call Duration:** Defines information that is related to a specific duration of a call.
- **Call Disposition:** Defines information that related to calls that ended with a specific disposition or “Any”. For an explanation of the different call disposition, refer to [Call Dispositions](#).
- **DNIS:** Defines the internal phone number that is called to access Voca. You can select the appropriate value from the drop-down list.
- **Timezone Display Mode:** Defines this report in different time zone. The time zone of calls can be one of the following options:
 - ◆ **Tenant time zone:** Defines the information in this report based on the tenant configured time zone.
 - ◆ **Flow time zone:** Defines the information in this report based on the time zone configured under the Telephony Setting settings.
 - ◆ **Local time zone (Web):** Defines the information in this report on the browser local time zone.

3. The following is a description of the report fields:

Field	Description
Date	Defines the date.
Calls	Defines the number of calls.
Peak Concurrency	Defines the maximum number of concurrent calls the system holds for a specific period of time.
Transfer	Defines the number of transferred calls.
Disconnect	Defines the number of disconnected calls.
Operator	Defines the number of calls moved to the operator for some reason (not Operator Requested or Operator DTMF).
Operator Request	Defines the number of calls moved to the Operator because the user was asked by voice to move the call to the Operator.
Operator DTMF	Defines the number of calls moved to the Operator because the user pressed the DTMF to move the call to the Operator.

Field	Description
Transfer Fail	Defines the number of calls that failed to be transferred.
Not at Working Hours	Defines the number of calls that entered the system, outside of the working hours.
Dropped Calls	Defines the number of calls dropped by the Media Gateway module when it exceeds the number of the concurrent channel license capacity. This deposition parameter represents the dropped calls for the past day. The calls are dropped when the Media Gateway module, which controls the total number of IVR ports, is configured with X number of channels. The X+1 call is rejected by the Media Gateway with SIP Error 404.
Miscellaneous	Defines the number of calls that do not come under other dispositions in this report.
Average Call Time (sec)	Defines the average call time in seconds.
STD Dev Call Time (sec)	Defines the standard deviation in call time in seconds.
Max Call Time (sec)	Defines the maximum call time in seconds.

4. Click **Generate** to generate the report; click **Export CSV** to export the report in CSV format.



Drilldown Report

The procedure below describes how to generate an Overall report.

➤ **To generate a Drilldown report:**

1. Open the Call Queue Drilldown page (**Reports > Call Queues Reports > Drilldown**); the following appears:

Call Queue Reports

☰ Call Queue Drilldown

▼ Filter Options

Queue Name	Any
Date From	<input type="text"/> <input type="text"/>
Date To	<input type="text"/> <input type="text"/>
Call Source	<input type="text"/> Exact
Call Destination	<input type="text"/> Exact
Wait Time (Sec.)	<input type="text"/> to <input type="text"/>
Status	Any
Timezone Display Mode	Tenant Time zone

Generate
Export CSV
Reset Filter

2. Select the appropriate filter fields:

- **Queue Name:** Select a specific queue name or 'Any' to show statistics for all call queues.
- **Date From:** Defines the From Date from which the calls were made.
- **Date To:** Defines the To Date that calls were made till.
- **Call Source:** Defines the source that calls were made from.
- **Call Destination:** Defines the destination that calls were routed to from the queue.
- **Wait Time:** Defines the call waiting time in the queue.
- **Status:** Defines the disposition of the call when leaving the queue. For an explanation of the different statuses, see [Call Dispositions](#).
- **Timezone Display Mode:** Define this report in different time zones. The time zone of calls can be one of the following options:
 - ◆ **Tenant Time zone:** Defines the information in this report based on the tenant configured time zone.
 - ◆ **Flow Time zone:** Defines the information in this report based on the time zone configured under the Telephony settings.
 - ◆ **Local Time zone (Web):** Defines the information in this report based on the browser local time zone.

3. The following is a description of the report fields:

Field	Description
Queue Name	Defines the Queue name that got the call.
Source	Defines the originator's telephone number (ANI – Automatic Number identification).
Destination	Defines the telephone number that was dialed by the caller.
Start Time	Defines the date and time that the call was started.
End Time	Defines the date and time that the call was transferred, abandoned, or reached the overflow limit.
Timezone	Defines the time zone of the call.
Duration	Defines the time between when the call is inserted into the queue until the call was transferred, abandoned, or reached the overflow limit.
Status	Defines if the call was transferred, abandoned, or reached the overflow limit.

Call Queue Reports

Call Queue Drilldown

Filter Summary

Filter Options

Show 25 entries

Search

#	Queue Name	Source	Destination	Start Time	End Time	Timezone	Duration	Status
1	HR	+972547988732	+97233768850	2023-05-04 21:12:57	2023-05-04 21:13:05	UTC +3:00	8	Transferred from Queue
2	HR	+972547988732	+97233768850	2023-05-04 21:12:34	2023-05-04 21:12:44	UTC +3:00	10	Transferred from Queue
3	HR	+972547988732	+97233768850	2023-05-04 21:07:35	2023-05-04 21:08:02	UTC +3:00	27	Transferred from Queue

Showing 1 to 3 of 3 entries

Real-Time Dashboard


The Real-Time Dashboard provides an easy way to monitor the queue activity and to get real-time insights on queues.

Adding a New Dashboard

The procedure below describes how to add a new dashboard.

➤ To add a new dashboard:

1. Open the Dashboards page (**Reports > Call Queue Reports > Real-time Dashboard**); the following appears:



The following is a description of the fields to be entered:

Field	Description
Name	Defines the name of the dashboard.
Description	Defines the dashboard description.
Dashboard URL	Opens the dashboard in a new window with a permanent link

2. Click **Add New**; the following appears:

New Dashboard

Name*

Description

Queue Name*

Pending Calls ● ●

Calls Abandoned ● ●

Overflowed Calls (Max Time) ● ●

Overflowed Calls (Max Limit) ● ●

Queue Members ● ●

Longest Waiting Time ● Hrs. Mins. Secs. ● Hrs. Mins. Secs.

Average Waiting Time ● Hrs. Mins. Secs. ● Hrs. Mins. Secs.

+

Save Changes

3. The following is a description of the fields to be entered:

Field	Description
Name	Defines the name of the dashboard.
Description	Defines the dashboard description.
Queue Name	Defines the queue to be monitored from the drop-down list.
Pending Calls	Sets the minimum and maximum threshold for calls waiting in the queue.

Field	Description
Calls Abandoned	Sets the minimum and maximum threshold for abandoned calls.
Overflowed Calls (Max Time)	Sets the minimum and maximum threshold for calls that exceeded the Time Limit in the queue level.
Overflowed Calls (Max Limit)	Sets the minimum and maximum threshold for calls that exceeded the Call Limit in the queue level.
Longest Waiting Time	Sets the minimum and maximum threshold for the longest call waiting in the queue (in seconds).
Queue Members	Sets the minimum and maximum threshold for the longest call waiting in the queue.
Longest Waiting Time	Sets the minimum and maximum threshold for the longest waiting time.
Average Waiting Time	Sets the minimum and maximum threshold for the average waiting time.

Additional queues can be added to the dashboard by pressing the (+) button.



- The graphic view is generated automatically when up to two queues are configured. If more than two queues are configured, the dashboard displays a table view. The dashboard's data is reset every 24 hours at 00:00.

Editing a Dashboard


The procedure below describes how to edit a dashboard.

➤ To edit a dashboard:


1. Open the Dashboards screen (**Reports > Interaction Center Reports > Real-time Dashboard**); the following appears:

Name	Description	Dashboard URL
Dash 1	The first dashboard	Go To Dashboard
Dash 2	The second dashboard	Go To Dashboard

2. Select the dashboard you wish to edit by selecting the corresponding **Dashboards** check box.



3. From the 'Actions' drop-down menu, choose **Edit Dashboard**; the following appears:




4. Make your changes on the 'Edit Dashboard' page, and then click **Save Changes**; the updated Dashboard details appear.

Deleting a Dashboard

The procedure below describes how to delete a dashboard.

➤ **To delete a dashboard:**

1. Open the Dashboards page (**Reports > Interaction Center Reports > Real-time Dashboard**); the following appears:



2. Select the dashboard you wish to delete by selecting the corresponding **Dashboards** check box.

Dashboards			+ Add New	⚙ Actions ▾
Show	100	entries	Search: <input type="text"/>	
<input type="checkbox"/>	Name	Description	Dashboard URL	
<input type="checkbox"/>	Dash 1	The first dashboard	Go To Dashboard	
<input checked="" type="checkbox"/>	Dash 2	The second dashboard	Go To Dashboard	
Showing 1 to 2 of 2 entries			< 1 >	

- From the 'Actions' drop-down menu, choose **Delete Dashboard(s)**.

Dashboards			+ Add New	⚙ Actions ▾
Show	100	entries	Search: <input type="text"/>	
<input type="checkbox"/>	Name	Description	Dashboard URL	
<input type="checkbox"/>	Dash 1	The first dashboard	Go To Dashboard	
<input checked="" type="checkbox"/>	Dash 2	The second dashboard	Go To Dashboard	
Showing 1 to 2 of 2 entries			< 1 >	

- The following message appears: "Are you sure you want to delete the selected dashboard (s)?"
- Click **OK** to delete the selected dashboard.

Interaction Center Reports

You can generate the following Interaction Center historical reports:

- Report Scheduler
- Voice Reports
- Email Reports
- Webchat Reports
- Real-time Dashboard

Report Scheduler

The Report Scheduler provides an easy way to automate the generation of reports on a regular and recurring basis by setting up a schedule. Scheduled reports can run at predetermined times and automatically sent to email recipients as attachments.




The Report Scheduler functionality is only applicable if Voca is integrated with an email Server. For more information, click [here](#).

Adding a Report Scheduler

The procedure below describes how to add a new Report Scheduler.

➤ **To add a new Report Scheduler:**

1. Open the Report Scheduler page (**Reports > Interaction Center Reports > Report Scheduler**); the following appears:



2. The following is a description of all the fields:

Field	Description
Schedule Name	Defines the report scheduler name that was configured.
Start Date	Defines the start dates that were configured on the report scheduler.
Select Frequency	Defines the frequency that this report is sent.
Export Format	Defines the format in which this report is sent.
Status	Defines the status of the schedule report.

3. Click **+ New Scheduled**; the following appears:

NEW SCHEDULED REPORT

Please edit the details of your Scheduled Reports

Schedule Name

Report export method

Start date & time mm/dd/yyyy --:-- --

End date & time mm/dd/yyyy --:-- --

Export Frequency

At

Daily

Time

--:-- --

Export Format

Email Subject

Recipients

Report Details

Reports

4. The following is a description of the fields that must be entered:

Field	Description
Schedule Name	Defines the name of the scheduled report.
Report Export Method	Defines the method that this report is sent.
Start Date & Time	Defines the first time that this report is run. The Start Date & Time uses the time zone that is configured at the tenant level.
End Date & Time	Defines the last time that this report will be run. The End Date & Time uses the time zone that is configured at the tenant level.
Export Frequency	Defines the recurrence pattern for the scheduled report.
Time	Defines the time that this report will be generated.

Field	Description
Day	Defines the day that this report will be generated. This option is only available when the frequency is set to Weekly .
Range	Defines a specific time range within the month, or choose a custom day range within the month that the report will be generated. This option is only available when the frequency is set to Monthly .
Export Format	Defines the format that this report is sent in.
Email Subject	Defines the subject name of email that is sent.
Recipients	Defines the recipients who will be receiving the email. More than one recipient can be added.
Reports	Select the report to be scheduled.

5. The following is a description of the filter that can be applied for this report:

Field	Description
Queue Name	Filter by a specific queue. If that queue is not selected, it will be considered as any queue.
Call Source	Filter by a specific call source.
Call Destination	Filter by a specific call destination.
Wait Time (sec.)	Filter by Wait Time in seconds.


6. Click **Save Changes**.

Editing a Report Scheduler


The procedure below describes how to edit a Report Scheduler.

➤ **To edit a Report Scheduler:**

1. Open the Report Scheduler page (**Reports > Interaction Center Reports > Report Scheduler**); the following appears:



2. Select the report schedule that you wish to edit by selecting the corresponding **Report Schedule** check box.



3. From the 'Actions' drop-down menu, choose **Edit**; the following appears:

EDIT SCHEDULED REPORT

Please edit the details of your Scheduled Reports

Schedule Name
Daily Schedule

Report export method
Email

Start date & time
05/28/2023 01:41 PM

End date & time
05/31/2023 01:42 PM

Export Frequency
At
Daily

Time
01:41 PM

Export Format
XLSX

Email Subject
Overall - Daily

Recipients
admin@voca.audiocodes.com

Report Details

Reports
Overall

Queue Name

Call Source
Exact

Call Destination
Exact

Wait Time (Sec.)
From To

Status
Any

Timezone Display Mode
Tenant Time zone

Cancel Schedule

4. Make your changes on the Edit Schedule Report page, and then click **Schedule**.

Deleting a Report Scheduler

The procedure below describes how to delete a Report Scheduler.

➤ To delete a Report Scheduler:

1. Open the Report Scheduler page (**Reports > Interaction Center Reports > Report Scheduler**); the following appears:

Report Scheduler

Action
+ New Scheduled

<input type="checkbox"/>	SCHEDULE NAME	START DATE	SELECT FREQUENCY	EXPORT FORMAT	STATUS
<input type="checkbox"/>	Daily Schedule	Jul 24, 2023, 1:06:00 PM	Daily	XLSX	<input checked="" type="checkbox"/>

Items per page: 10
1 - 1 of 1
<< < > >>

2. Select the report schedule that you wish to delete by selecting the corresponding **Report Schedule** check box.

Report Scheduler

Action
+ New Scheduled

<input checked="" type="checkbox"/>	SCHEDULE NAME	START DATE	SELECT FREQUENCY	EXPORT	STATUS
<input checked="" type="checkbox"/>	Daily Schedule	Jul 24, 2023, 1:06:00 PM	Daily	XLSX	<input checked="" type="checkbox"/>

Items per page: 10
1 - 1 of 1
<< < > >>

3. From the 'Actions' drop-down menu, choose **Delete**.

Interaction Center Reports - Voice

You can generate the following Voice Interaction Center historical reports:

- Journey Manager
- Worker Activity Report
- Queue Activity Report
- Abandoned Call Detail Activity Report
- Worker Call Report
- Worker State Summary Report
- Worker Login-Logout Report
- Worker State Detail Report

Journey Manager Report

The Journey Manager Report displays a summary of calls with a full detailed flow, from the moment it enters to the questions asked and answers provided.

➤ To generate the Journey Manager report:

1. Open the Journey Manager Report page (**Reports > Interaction Center Reports > Journey Manager**); the following appears:

Interaction Center Reports

The screenshot shows the 'Journey Manager' report filter options. It includes a 'Filter Options' section with the following fields:

- Date From:** A date input field with a calendar icon and a clear button.
- Date To:** A date input field with a calendar icon and a clear button.
- Call Source:** A text input field followed by a dropdown menu set to 'Exact'.
- DNIS:** A dropdown menu set to 'Any'.
- Queue Name:** A dropdown menu set to 'Any'.
- Call Disposition:** A dropdown menu set to 'Any'.
- Timezone Display Mode:** A dropdown menu set to 'Tenant Time zone'.

At the bottom of the filter options, there are two buttons: a blue 'Generate' button and a grey 'Reset Filter' button.

2. Select the appropriate filter fields to generate your report:
 - **Date From:** Displays this report for a specific date/time range.
 - **Date To:** Displays this report for a specific date/time range.
 - **Call Source:** Displays information that is related to a specific source number.
 - **DNIS:** Defines the internal phone number that is called to access Voca. You can select the appropriate value from the drop-down list.
 - **Queue Name:** Defines a specific queue name or 'Any' to show statistics for all call queues.
 - **Call Disposition:** Defines information that relates to calls that ended with a specific disposition or 'Any'. For an explanation of the different call disposition, refer to [Call Dispositions](#) on page 207.
 - **Timezone Display Mode:** Defines this report in different time zones. The time zone of calls can be one of the following options:
 - ◆ **Tenant time zone:** Displays the information in this report based on the tenant configured time zone.
 - ◆ **Flow time zone:** Displays the information in this report based on the time zone configured under the Telephony Setting settings.

- ◆ **Local time zone (Web):** Displays the information in this report based on the browser local time zone.
- 3. Click **Generate** to generate the report; click **Export CSV** to export the report in CSV format.
- 4. The following is a description of the report fields.

Field	Description
Date	Defines the date of the call.
Timezone	Defines the time zone of the call.
Source	Defines the phone number the call was made from.
Destination	Defines the telephone number that was dialed by the caller.
Duration	Defines the time between when the call is inserted into the queue until the call was transferred, abandoned, or reached the over-flow limit.
DNIS Name	Defines the name of the IVR service.
Queue Name	Defines the Queue name that got the call.
Queue Time	Defines the total time that the customer waited in the queue.
Talk Time	Defines how long the worker was in the talking state.
Disposition	Displays the disposition of the call.
Routed To	Defines the number where the call has been routed to.

Call Queue Reports

Date	Timezone	Source	Destination	Duration	DNIS Name	Queue Name	Queue Time	Talk Time	Disposition	Routed To
2023-12-27 10:49:43	UTC +2:00	+97254		00:00:55	regression	Queue 1	00:00:53	00:00:00	Call abandoned	
2023-12-11 15:08:26	UTC +2:00	+97254		00:00:38	regression	Queue 2	00:00:36	00:00:00	Call abandoned	
2023-12-11 15:03:36	UTC +2:00	+97254		00:00:04	regression	Queue 1	00:00:02	00:00:00	Call abandoned	
2023-12-10 15:54:02	UTC +2:00	+97254		00:00:15	regression	Queue 3	00:00:13	00:00:00	Call abandoned	
2023-12-10 15:53:03	UTC +2:00	+97254		00:00:09	regression	Queue 2	00:00:06	00:00:00	Call abandoned	
2023-12-10 15:48:21	UTC +2:00	+97254		00:00:25	regression	Queue 1	00:00:17	00:00:00	Call abandoned	
2023-11-27 14:22:24	UTC +2:00	+972549		00:00:19	regression	Queue 1	00:00:02	00:00:00	Transfer	+97239
2023-11-22 13:55:51	UTC +2:00	+97254	+97239764820	00:01:09	regression	Queue 1	00:00:54	00:00:00	Transferred from Queue	+97239
2023-11-22 13:31:00	UTC +2:00	+97254		00:00:27	regression	Queue 2	00:00:06	00:00:00	Call abandoned	
2023-09-05 14:53:49	UTC +2:00	+97254		00:00:10	regression	Queue 3	00:00:03	00:00:00	Max Wait Time Exceeded	

- 5. Click on any call to view its flow, separated by relevant sections.

2023-12-27 11:36:27	UTC +2:00	+972526403466	555111	00:03:19	N/A	Skill Based	00:00:00	00:00:00	Disconnect
Interaction Manager (Voice)									
Time	Action	Description	Content	Result					
11:36:10	Go to Menu	Default Speech Menu	-	-					
Speech Menu (Default Speech Menu)									
Queue (Skill Based)									
Time	Action	Description	Content	Result					
11:36:27	Overflow	All agents are offline	-	-					
11:36:27	Play Prompt	Busy	-	-					
11:36:32	Send SMS	-	-	Succeed					
11:36:32	Transfer to Queue	Journey 2	Priority:	-					
Queue (Journey 2)									
Time	Action	Description	Content	Result					
11:36:33	Queue Info	Call Position: 1	Number of Available Workers: 0	-					
11:39:28	Call Disposition	Call abandoned	-	-					
11:39:28	Disconnect	-	-	-					

Worker Activity Report

The Worker Activity Report displays a summary of workers’ activities, including calls and workers state activities.

➤ **To generate a Worker Activity report:**

1. Open the Worker Activity Report page (**Reports > Interaction Center Reports > Worker Activity Report**); the following appears:

Interaction Center Reports

Worker Activity Report

Filter Options

Interval Use Interval

Date From

Date To

Worker

Worker Group

Extension Exact

Timezone Display Mode

2. Select the appropriate filter fields:
 - **Interval:** Defines how the report's date intervals are segmented. Select the box to reveal a drop-down list of predefined time periods, based on the customer's end date ("Date To"):
 - ◆ **Last Day:** Displays data from the past day, segmented by hours.
 - ◆ **Last Week:** Displays data from the previous week, separated by days.

- ◆ **Last Month:** Displays data from the previous month, categorized by weeks.
- ◆ **Last Year:** Displays data from the last year, organized by months.
- **Date From:** Defines this report for a specific date/time range.
- **Date To:** Defines this report for a specific date/time range.
- **Workers:** Defines information that is related to a specific worker.
- **Worker Group:** Defines information that is related to a specific worker group.
- **Extension:** Defines information that is related to a specific extension.
- **Timezone Display Mode:** Defines this report in different time zones. The time zone of calls can be one of the following options:
 - ◆ **Tenant time zone:** Defines the information in this report based on the tenant configured time zone.
 - ◆ **Flow time zone:** Defines the information in this report based on the time zone configured under the **Telephony Setting** settings.
 - ◆ **Local time zone (Web):** Display the information in this report on the browser local time zone.

3. The following is a description of the report fields.

Field	Description
Worker Name	Defines the first name and last name of the Worker.
Worker Extension	Defines the Worker's extension number.
Total Calls	Defines the total number of outbound and inbound calls.
Outbound Calls	Defines the total number of outbound calls. Outbound calls refer to calls that workers manually dial.
Inbound Calls	Defines the total number of inbound calls. Inbound calls refer to calls received by workers via queues or direct calls.
Calls Presented	Defines the number of calls routed to the Worker, regardless of whether the Worker picked up the call.
Calls Handled	Defines the number of calls that were accepted by the worker.
Calls Declined	Defines the number of calls that were not answered or were declined by the Worker.
Calls Handle Ratio (%)	Defines the Handle ratio = Calls that the Worker handled / Calls that are routed to the Worker (Overall percentage).
Transfer Out	Defines the available field for queued calls. Defines the number of

Field	Description
	calls that were transferred by the worker to other workers.
Max Talk Time	Defines the longest talk time of any call that the Worker handled. Talk Time refers to the elapsed time, between the time a Worker connects to a call and the time that the call is disconnected or transferred, including hold time.
Avg. Talk Time	Defines the average talk time for calls that the Worker handled.
Avg. Hold Time	Defines the average hold time for calls that the Worker handled.
Max. Hold Time	Defines the longest hold time of any call that the Worker handled.
Avg. Consult Time	Defines the average consult time of any call that the Worker handled.
Max Consult Time	Defines the longest consult time of any call that the Worker handled.

- Click **Generate** to generate the report; click **Export CSV** to export the report in CSV format.

Interaction Center Reports

Worker Activity Report

Filter Summary

Filter Options

Show 25 entries

Search:

Worker Name	Extension	Total Calls	Outbound Calls	Inbound Calls	Calls Presented	Calls Handled	Calls Declined	Calls Handle Ratio (%)	Transfer Out	Max. Talk Time	Avg. Talk Time	Max. Hold Time
Worker 1	+1095844	6	0	6	2	1	1	50	0	00:00:23	00:00:23	00:00:00
Worker 2	+1095845	67	0	67	67	60	7	90	18	00:09:06	00:01:50	00:03:30

Queue Activity Report

The Queue Activity Report displays summarized information of calls for each queue - e.g., Presented, Handled and Abandoned.

The procedure below describes how to generate a Queue Activity Report.

➤ **To generate a queue activity report:**

- Open the Queue Activity Report page (**Reports > Interaction Center Reports > Queue Activity Report**); the following appears:

Interaction Center Reports

2. Select the appropriate filter fields to generate your report:

- **Interval:** Defines how the report's date intervals are segmented. Select the check-box to reveal a drop-down list of predefined time periods, based on the customer's end date ("Date To"):
 - ◆ **Last Day:** Displays data from the past day, segmented by hours.
 - ◆ **Last Week:** Shows data from the previous week, separated by days.
 - ◆ **Last Month:** Presents data from the previous month, categorized by weeks.
 - ◆ **Last Year:** Displays data from the last year, organized by months.
- **Date From:** Defines this report for a specific date/time range.
- **Date To:** Defines this report for a specific date/time range.
- **Queue Name:** Defines information that is related to a specific queue name or 'Any' to show statistics for all call queues.
- **Timezone Display Mode:** Defines this report in a different time zone.
 - ◆ **Tenant time zone:** Defines the information in this report based on the tenant configured time zone.
 - ◆ **Flow time zone:** Defines the information in this report based on the time zone configured under the **Telephony Setting** settings.
 - ◆ **Local time zone (Web):** Defines the information in this report on the browser local time zone.

3. The following is a description of the report fields.

Field	Description
Queue Name	Defines the queue to which the call is queued.
Calls Presented	Defines the number of calls routed to the queue, regardless of

Field	Description
	whether a Worker picked up the call.
Calls Handled	Defines the number of calls that are handled by this Queue. A call is handled if a caller is connected to a Worker while queued for this Queue.
Max. Handle Time	Defines the longest handle time of any call that the queue handled by the Worker.
Avg. Handle Time	Defines the average handle time for all calls that the queue handled by the Worker.
Avg. Queue Time	Defines the average queue time for all calls routed to the Queue, including answered and abandoned calls.
Max. Queue Time	Defines the longest queue time of any one call that was routed to the Queue.
Avg. Answer Speed	Defines the Average Answer Speed = Total queue time / Calls handled.
Num. of Abandoned Call	Defines the calls that are routed to the queue that were not answered by a Worker because the caller hung up while in the queue
Abandoned – Avg.	Defines the average time the calls are in the queue before being abandoned.
Abandoned – Max.	Defines the longest time any call is in the queue before being abandoned.
Abandoned – Avg. per Day	Defines the average time any call is in the queue before being abandoned.
Abandoned – Max. per Day	Abandoned – Max. per Day, defines the average abandoned calls in a day = Number of calls abandoned / Number of days.
Overflow - Max Call Limit	Defines the number of all the calls that overflowed due to exceeding the defined threshold for call limits (in number of calls) for each queue.
Overflow - Max Wait Time	Overflow - Max Wait Time Defines the number of all the calls that overflowed due to exceeding the defined threshold for waiting time (in seconds) for each queue.
Overflow - Max Wait-	Defines the number of all the calls that overflowed when all

Field	Description
ing Time	agents are logged out.

- Click **Generate** to generate the report; click **Export CSV** to export the report in CSV format.

Interaction Center Reports

Queue Activity

Filter Summary

Filter Options

Show 25 entries

#	Queue Name	Calls Presented	Calls Handled	Max. Handle Time	Avg. Handle Time	Avg. Queue Time	Max. Queue Time	Avg. Answer Speed	Num. of Abandoned Calls	Avg. per	Max. per	Avg. per
1	Help_desk Queue	1	1	00:01:55	00:00:55	00:00:16	00:00:16	00:00:16	0	00:00:00	00:00:00	00:00:00

Showing 1 to 1 of 1 entries

Abandoned Call Report

An Abandoned Call Report displays the actual information about calls that were abandoned.

The procedure below describes how to generate an Abandoned Call Detail Report.

➤ **To generate an Abandoned Call Report:**

- Open the Abandoned Call Report page (**Reports > Interaction Center Reports > Abandoned Call Report**); the following appears:

Interaction Center Reports

Abandoned Call Report

Filter Options

Date From: [] []

Date To: [] []

Queue Name: Any

Called Number: [] Exact

Call ANI: [] Exact

Time Zone Display Mode: Tenant Time Zone

Generate Export CSV Reset Filter

- Select the appropriate filter fields:
 - Date From:** Defines this report for a specific time range.
 - Date To:** Defines this report for a specific time range.
 - Queue Name:** Defines information that is related to a specific queue name or 'Any' to show statistics for all call queues.
 - Called Number:** Defines information that is related to a specific destination number.
 - Called ANI:** Defines information that is related to a specific source number.

- **Timezone Display Mode:** Defines this report in different time zones. The time zone of calls can be one of the following options:
 - ◆ **Tenant time zone:** Defines the information in this report based on the tenant configured time zone.
 - ◆ **Flow time zone:** Defines the information in this report based on the time zone configured under the **Telephony Setting** settings.
 - ◆ **Local time zone (Web):** Defines the information in this report on the browser local time zone.

The following is a description of the report fields.

Field	Description
Call Start Time	Defines the date and time that the call started.
Called Number	Defines the telephone number that was dialed by the caller.
Call ANI	Defines the originator’s telephone number ANI (Automatic Number identification).
Call Routed Queue	Defines the queue to which the call is queued.
Call Abandonment Time	Defines the date and time the call was abandoned.
Time to Abandon	Defines the elapsed time between the time the call comes to the system and the time it is abandoned.

3. Click **Generate** to generate the report; click **Export CSV** to export the report in CSV format.

Interaction Center Reports

≡ Abandoned Call Report

Filter Summary

▼ Filter Options

Show 25 entries Search:

#	Call Start Time	Called Number	Call ANI	Call Routed Queue	Call Abandonment Time	Time to Abandon
1	2022-02-28 11:56:31	+97281234567	+97227654321	Support1	2022-02-28 12:00:05	00:03:34
2	2022-02-27 14:48:56	+97281234567	+97227654321	Support1	2022-02-27 14:49:54	00:00:58

Worker Call Report

The Worker Call Report presents a summary of each call that is dialed and received by the Worker. The report also includes the type of each call (Inbound/Outbound).

➤ **To generate an Worker Call Report:**

1. Open the Worker Call Report page (**Reports > Interaction Center Reports > Worker Call Report**); the following appears:

Interaction Center Reports

The screenshot shows the 'Worker Call Report' filter options. The fields and their current values are:

- Date From: [Empty] [Calendar icon]
- Date To: [Empty] [Calendar icon]
- Worker: Any [Dropdown arrow]
- Worker Extension: [Empty] Exact [Dropdown arrow]
- Queue Name: Any [Dropdown arrow]
- Called Number: [Empty] Exact [Dropdown arrow]
- Call ANI: [Empty] Exact [Dropdown arrow]
- Call Type: Any [Dropdown arrow]
- Time Zone Display Mode: Tenant Time Zone [Dropdown arrow]

Buttons at the bottom: Generate, Export CSV, Reset Filter.

2. Select the appropriate filter fields to generate your report:

- **Date From:** Defines this report for a specific time range.
- **Date To:** Defines this report for a specific time range.
- **Workers:** Defines information that is related to a specific worker.
- **Workers Extension:** Defines information that is related to a specific extension.
- **Queue Name:** Defines information that is related to a specific queue name or 'Any' to show statistics for all call queues.
- **Called Number:** Defines information that is related to a specific destination number.
- **Call ANI:** Defines information that is related to a specific source number.
- **Call Type:** Defines information that is related to a specific call type:
 - ◆ **Any:** Defines the information that is related to inbound and outbound calls.
 - ◆ **Inbound:** Defines the information that is related to all the inbound calls.
 - ◆ **Outbound:** Defines the information that is related to all the outbound calls.
- **Timezone Display Mode:** Display this report in different time zone. The time zone of calls can be one of the following options:
 - ◆ **Tenant time zone:** Display the information in this report based on the tenant configured time zone.
 - ◆ **Flow time zone:** Display the information in this report based on the time zone configured under the Telephony Setting settings.
 - ◆ **Local time zone (Web):** Display the information in this report on the browser local time zone.

3. The following is a description of the report fields.

Report Column	Description
Worker Name	Defines the name of the worker.
Worker Extension	Defines the extension of the worker.
Call Start Time	Defines the date and time the call started.
Call End Time	Defines the date and time the call ended.
Call Type	Defines whether the call was inbound or outbound.
Answering Device	Defines whether the call was answered via the Voca Worker App or via Microsoft Teams.
Call Duration	Defines the duration of the call.
Status	Defines whether the call was 'Accepted' or 'Declined' by the worker.
Called Number	Defines the telephone number that the caller dialed.
Call ANI	Defines the originator's telephone number (ANI = Automatic Number Identification).
Call Routed Queue	Defines the queue to which the call is queued.
Call Skills	Defines the skills that are associated with the queue to which the call is routed.
Talk Time	Defines how long the worker was in the talking state.
Hold Time	Defines how long the call was put on hold.

- Click **Generate** to generate the report; click **Export CSV** to export the report in CSV format.

Interaction Center Reports

Worker Name	Extension	Call Start Time	Call End Time	Call Type	Answering Device	Call Duration	Status	Called Number	Call ANI	Call Routed Queue	Call Skills	Talk Time	Hold Time	Consult Time	Wrap-up Time
Someone	+1234567	2023-12-04 14:31:47	2023-12-04 14:31:57	Inbound	Voca Worker App	00:00:10	Declined	+7654321	+1111111	IT_SKILLED_Q	IT_HARDWARE_IT_GENERAL	00:00:00	00:00:00	00:00:00	00:00:00

Worker Login-Logout Report

The Worker Login-Logout Report presents the workers' Logged-in and Logged-out times. This report is separated by each Worker's name.

➤ **To generate a Worker State Report:**

1. Open the Worker Login-Logout Report page (**Reports > Interaction Center Reports > Worker Login-Logout Report**); the following appears:

Interaction Center Reports

≡ Worker Login-Logout Report

▼ Filter Options

Date From	<input type="text"/>	<input type="text"/>
Date To	<input type="text"/>	<input type="text"/>
Worker	<input type="text" value="Any"/>	
Worker Group	<input type="text" value="Any"/>	
Timezone Display Mode	<input type="text" value="Tenant Time zone"/>	

✔ Generate
📄 Export CSV
▼ Reset Filter

2. Select the appropriate filter fields to generate your report:
 - **Date From:** Defines this report for a specific time range.
 - **Date To:** Defines this report for a specific time range.
 - **Worker:** Defines information that is related to a specific worker.
 - **Worker Group:** Defines information that is related to a specific worker group.
 - **Timezone Display Mode:** Defines this report in different time zones. The time zone of calls can be one of the following options:
 - ◆ **Tenant time zone:** Defines the information in this report based on the tenant configured time zone.
 - ◆ **Flow time zone:** Defines the information in this report based on the time zone configured under the Telephony Setting settings.
 - ◆ **Local time zone (Web):** Defines the information in this report on the browser local time zone.
3. The following is a description of the report fields.

Report Column	Description
Worker Name	Defines the name of the worker.
Logged-In Time	Defines the date and hour of the login.
Logged-Out Time	Defines the date and hour of the logout.

Report Column	Description
Logged-Out Reason	<p>Defines the cause of the logout:</p> <ol style="list-style-type: none"> 1. Supervisor Logout: When the supervisor logs out the worker. 2. Connection Lost: Indicating network issues. 3. Worker Logout: Worker-initiated logout from the Worker Application.
Duration	<p>Defines the elapsed time between the login and logout time.</p>

4. Click **Generate** to generate the report; click **Export CSV** to export the report in CSV format.

Interaction Center Reports

Worker Login-Logout Report

Filter Summary

Filter Options

Show 25 entries

Worker Name	Logged-in Time	Logged Out Time	Logged Out Reason	Duration
Worker 1	2023-08-14 08:10:16	2023-08-14 14:04:21	Connection Lost	05:54:05
	2023-08-14 14:19:36	2023-08-14 18:01:39	Worker Logout	03:42:03
	2023-08-15 08:23:30	2023-08-15 08:56:45	Worker Logout	00:33:15
	2023-08-15 08:58:25	2023-08-15 13:20:22	Connection Lost	04:21:57
	2023-08-15 14:52:31	2023-08-15 17:51:00	Worker Logout	02:58:29
	2023-08-16 08:19:31	2023-08-16 10:16:22	Connection Lost	01:56:51
	2023-08-16 10:52:33	2023-08-16 18:01:05	Worker Logout	07:08:32

Worker State Detail Report

The Worker State Detail Report displays the amount of time that workers spend in different states. The Report provides a detailed breakdown of the Workers’ state transitions. This report is divided by the Worker’s name.

➤ **To generate a Worker State Detail Report:**

1. Open the Worker State Detail Report page (**Reports > Interaction Center Reports > Worker State Detail Report**); the following appears:

Interaction Center Reports

The screenshot shows the 'Worker State Detail Report' filter options. It includes fields for 'Date From', 'Date To', 'Worker', 'State', and 'Timezone Display Mode'. The 'Date From' and 'Date To' fields have calendar icons. The 'Worker' and 'State' fields are dropdown menus with 'Any' selected. The 'Timezone Display Mode' field is a dropdown menu with 'Tenant Time zone' selected. At the bottom, there are three buttons: 'Generate', 'Export CSV', and 'Reset Filter'.

2. Select the appropriate filter fields to generate your report:

- **Date From:** Defines this report for a specific time range.
- **Date To:** Defines this report for a specific time range.
- **Workers:** Defines information that is related to a specific worker.
- **State:** Defines information that is related to a specific worker state or “Any”. The worker state can be any of the following values:
 - ◆ **Any:** Defines the information that related to all states.
 - ◆ **Logged-in:** Defines the information that is related only to the login time.
 - ◆ **Not Ready:** Defines the information that related only to the not ready time.
 - ◆ **In a Call:** Defines the information that is related only to the talking time.
 - ◆ **Wrap-up:** Defines the information that is related only to the wrap-up time.
- **Timezone Display Mode:** Defines this report in different time zones. The time zone of calls can be one of the following options:
 - ◆ **Tenant time zone:** Defines the information in this report based on the tenant configured time zone.
 - ◆ **Flow time zone:** Defines the information in this report based on the time zone configured under the Telephony Setting settings.
 - ◆ **Local time zone (Web):** Defines the information in this report on the browser local time zone.

3. The following is a description of the report fields.

Report Column	Description
Worker Name	Defines the name of the worker.
State	Defines the various states in which a Worker can be in.

Report Column	Description
Sub State	Defines the 'Sub' state information related to the state (e.g., Not-Ready reasons).
Start Time	Defines the start date and hour.
End Time	Defines the end date and hour.
Duration	Defines the amount of time a worker spends in a particular state.

- Click **Generate** to generate the report; click **Export CSV** to export the report in CSV format.

Interaction Center Reports

Worker State Detail Report

Filter Options

Show All entries Search

Worker Name	State	Sub State	Start Time	End Time	Duration
Worker 1	Login	-	2023-07-11 10:25:48	N/A	N/A
	Not Ready	Shift Start	2023-07-11 10:25:48	2023-07-11 10:25:55	00:00:07
		Outbound	2023-07-11 10:35:58	2023-07-11 10:39:04	00:03:06
		In a Call	2023-07-11 10:36:03	2023-07-11 10:38:52	00:02:49
		Not Ready	Launch Break	2023-07-11 10:39:08	2023-07-11 10:39:11

Worker State Summary Report

The Worker State Summary Report displays a summary of the time workers spend in various states. This report is divided by Worker’s names.

➤ **To generate a Worker State Report:**

- Open the Worker State Summary Report page (**Reports > Interaction Center Reports > Worker State Summary Report**); the following appears:

Worker State Summary Report

Filter Options

Date From

Date To

Worker

State

Timezone Display Mode

Generate Export CSV Reset Filter

- Select the appropriate filter fields to generate your report:
 - Date From:** Defines this report for a specific time range.

- **Date To:** Defines this report for a specific time range.
- **Worker:** Defines information that is related to a specific worker.
- **State:** Defines information that is related to a specific worker state or “Any”. The worker state can be any of the following values:
 - ◆ **Any:** Defines the information that relates to all states.
 - ◆ **Logged-in:** Defines the information that is related only to the login time.
 - ◆ **Ready:** Defines the information that is related only to the ready time.
 - ◆ **Not Ready:** Defines the information that is related only to the not ready time.
 - ◆ **In a Call:** Defines the information that is related only to the talking time.
 - ◆ **Wrap-up:** Defines the information that is related only to the wrap-up time.
- **Timezone Display Mode:** Defines this report in different time zones. The time zone of calls can be one of the following options:
 - ◆ **Tenant time zone:** Defines the information in this report based on the tenant configured time zone.
 - ◆ **Flow time zone:** Defines the information in this report based on the time zone configured under the Telephony Setting settings.
 - ◆ **Local time zone (Web):** Defines the information in this report on the browser local time zone.

3. The following is a description of the report fields.

Report Column	Description
Worker Name	Defines the name of the worker.
State	Defines the various states in which a worker can be.
Sub State	Defines the 'Sub' state information related to the state (e.g., Not-Ready reasons).
Total	Defines the total time the worker spent on a sub state.

4. Click **Generate** to generate the report; click **Export CSV** to export the report in CSV format.

Interaction Center Reports

Worker State Summary Report

Filter Summary

Filter Options

Show All entries Search

Worker Name	State	Sub State	Total
Worker 1	Login	-	48:32:50
	Ready	-	48:20:07
	Not Ready	Shift Start	00:12:43
	In a Call	Talking	00:00:26
		Hold	00:00:00
		Consult	00:00:00

Interaction Center Reports - Email

You can generate the following Email Interaction Center historical reports:

- Email Worker Activity Report
- Email Queue Activity Report
- Email Worker Report

Email Worker Activity Report

The Email Worker Activity Report displays a summary of workers' email activities, including emails and workers state activities.

➤ **To generate Email Worker Activity report:**

1. Open the Email Worker Activity Report page (**Reports > Interaction Center Reports > Email Worker Activity Report**); the following appears:

Interaction Center Reports

Email Worker Activity Report

Filter Options

Interval Use Interval

Date From

Date To

Worker Any

Worker Group Any

Timezone Display Mode Tenant Time zone

Generate Export CSV Reset Filter

2. Select the appropriate filter fields:
 - **Interval:** Defines how the report's date intervals are segmented. Select the check box to view a drop-down list of predefined time periods, based on the customer's end date ("Date To"):

- ◆ **Last Day:** Displays data from the past day, segmented by hours.
- ◆ **Last Week:** Displays data from the previous week, separated by days.
- ◆ **Last Month:** Displays data from the previous month, categorized by weeks.
- ◆ **Last Year:** Displays data from the last year, organized by months.
- **Date From:** Defines the report for a specific date/time range.
- **Date To:** Defines the report for a specific date/time range.
- **Workers:** Defines information related to a specific worker.
- **Worker Group:** Defines information related to a specific worker group.
- **Extension:** Defines information related to a specific extension.
- **Timezone Display Mode:** Defines the report in different time zones. The time zone of calls can be one of the following options:
 - ◆ **Tenant time zone:** Defines the information based on the tenant configured time zone.
 - ◆ **Flow time zone:** Defines the information based on the time zone configured under the Telephony Setting settings.
 - ◆ **Local time zone (Web):** Display the information on the browser local time zone.

3. The following is a description of the report fields.

Field	Description
Worker Name	Defines the first name and last name of the Worker.
Emails Presented	Defines the number of emails routed to the Worker, regardless of whether the Worker replied to the email.
Emails Handled	Defines the number of emails that were accepted by the worker.
Emails Declined	Defines the number of emails that were not answered or were declined by the Worker.
Handle Ratio (%)	Defines the Handle ratio: emails that the Worker handled / emails that are routed to the Worker (overall percentage).
Transfer Out	Defines the available field for queued emails. Defines the number of emails that were transferred by the Worker to other Workers.
Max Interaction Time	Defines the longest interacting time of any email that the Worker handled. Talk Time refers to the elapsed time between the time a Worker accepted the email and the time that the email was sent or transferred.

Field	Description
Avg. Interaction Time	Defines the average interacting time for emails that the Worker handled.

4. Click **Generate** to generate the report; click **Export CSV** to export the report in CSV format.

Interaction Center Reports

≡ Email Worker Activity Report

Filter Summary
Worker Name: Any | Worker Group Name: Any |

Filter Options

Show 25 entries Search:

Worker Name	Emails Presented	Emails Handled	Emails Declined	Handle Ratio (%)	Transfer Out	Max. Talk Time	Avg. Talk Time
John Wesselman	33	23	10	70	0	04:53:48	00:48:57
Oren Batchelor	3	2	1	67	0	00:04:07	00:03:47

Showing 1 to 2 of 2 entries

First Previous 1 Next Last

Queue Activity Report

The Queue Activity Report displays summarized information of emails per queue (e.g., Presented and Handled).

The procedure below describes how to generate a Queue Activity Report.

➤ **To generate a Queue Activity report:**

1. Open the Queue Activity Report page (**Reports > Interaction Center Reports > Email Reports > Queue Activity Report**); the following appears:

≡ Queue Activity Report

Filter Options

Interval Use Interval

Date From

Date To

Queue Name Any

Timezone Display Mode Tenant Time zone

Generate Export CSV Reset Filter

2. Select the appropriate filter fields to generate your report:

- **Interval:** Defines how the report's date intervals are segmented. Select the check box to reveal a drop-down list of predefined time periods, based on the customer's end date ("Date To"):
 - ◆ **Last Day:** Displays data from the past day, segmented by hours.
 - ◆ **Last Week:** Shows data from the previous week, separated by days.
 - ◆ **Last Month:** Presents data from the previous month, categorized by weeks.
 - ◆ **Last Year:** Displays data from the last year, organized by months.
- **Date From:** Defines the report for a specific date/time range.
- **Date To:** Defines the report for a specific date/time range.
- **Queue Name:** Defines information related to a specific queue name or 'Any' to show statistics for all call queues.
- **Timezone Display Mode:** Defines the report in a different time zone.
 - ◆ **Tenant time zone:** Defines the information in the report based on the tenant configured time zone.
 - ◆ **Flow time zone:** Defines the information in the report based on the time zone configured under the Telephony Setting settings.
 - ◆ **Local time zone (Web):** Defines the information in the report on the browser local time zone.

3. The following is a description of the report fields.

Field	Description
Queue Name	Defines the queue to which the email is queued.
Emails Presented	Defines the number of emails routed to the queue, regardless of whether a Worker replied.
Emails Handled	Defines the number of emails that are handled by this Queue. An email is handled if a customer is connected to a Worker while queued for this Queue.
Max. Handle Time	Defines the longest handle time of any email that the queue handled by the Worker.
Avg. Handle Time	Defines the average handle time for all emails that the queue handled by the Worker.
Avg. Queue Time	Defines the average queue time for all emails routed to the Queue.
Max. Queue	Defines the longest queue time of any one email that was routed to the

Field	Description
Time	Queue.
Avg. Answer Speed	Defines the Average Answer Speed: Total queue time / emails handled.

4. Click **Generate** to generate the report; click **Export CSV** to export the report in CSV format.

Interaction Center Reports

≡ Email Queue Activity Report

Filter Summary
Queue Name: Any |

Filter Options

Show 25 entries Search:

Queue Name	Emails Presented	Emails Handled	Max. Handle Time	Avg. Handle Time	Avg. Queue Time	Max. Queue Time	Avg. Answer Speed
IT HW & SW	27	27	04:53:48	00:32:27	04:24:09	17:30:05	04:24:09

Showing 1 to 1 of 1 entries

First Previous 1 Next Last

Worker Report

The Worker Report presents a summary of each email that is received by the Worker.

➤ **To generate a Worker report:**

1. Open the Webchat Worker Report page (**Reports > Interaction Center Reports > Email Reports > Worker Report**); the following appears:

Interaction Center Reports

≡ Webchat Worker Report

Filter Options

Date From

Date To

Worker Any

Queue Name Any

Timezone Display Mode Tenant Time zone

Generate Export CSV Reset Filter

2. Select the appropriate filter fields to generate your report:
 - **Date From:** Defines the report for a specific time range.
 - **Date To:** Defines the report for a specific time range.
 - **Workers:** Defines information related to a specific worker.

- **Queue Name:** Defines information related to a specific queue name or 'Any' to show statistics for all call queues.
- **Timezone Display Mode:** Display the report in a different time zone. The time zone of calls can be one of the following options:
 - ◆ **Tenant time zone:** Display the information in the report based on the tenant configured time zone.
 - ◆ **Flow time zone:** Display the information in the report based on the time zone configured under the Telephony Setting settings.
 - ◆ **Local time zone (Web):** Display the information in the report on the browser local time zone.

3. The following is a description of the report fields.

Report Column	Description
Worker Name	Defines the name of the worker.
Email Start Time	Defines the date and time the email started.
Email End Time	Defines the date and time the email ended.
Email Duration	Defines the duration of the email.
Status	Defines whether the email was 'Accepted' or 'Declined' by the worker.
Email Routed Queue	Defines the queue to which the email is queued.
Email Skills	Defines the skills that are associated with the queue to which the email is routed.
Interaction Time	Defines how long the worker handled the email.
Wrap-up Time	Defines the duration it took the worker to complete the wrap-up.

4. Click **Generate** to generate the report; click **Export CSV** to export the report in CSV format.

Interaction Center Reports

Webchat Worker Report

Filter Summary
Queue Name: Any | Worker Name: Any |

Filter Options

Show 25 entries Search:

Worker Name	Chat Start Time	Chat End Time	Chat Duration	Status	Chat Routed Queue	Chat Skills	Interaction	Wrap-up Time
John Wesselman	2024-03-18 05:41:38	2024-03-18 05:55:46	00:14:08	Accepted	IT HW & SW	IT Support	00:14:03	00:00:00
	2024-03-25 10:52:25	2024-03-25 10:57:50	00:05:25	Accepted	IT HW & SW	HW support	00:05:22	00:00:00
	2024-03-25 14:18:29	2024-03-25 14:26:41	00:08:12	Accepted	IT HW & SW	HW support	00:08:00	00:00:00
	2024-03-25 15:11:49	2024-03-25 15:14:42	00:02:53	Accepted	IT HW & SW	HW support	00:02:39	00:00:00
	2024-03-25 16:24:12	2024-03-25 16:26:35	00:02:23	Accepted	IT HW & SW	HW support	00:02:12	00:01:00
	2024-03-26 11:11:22	2024-03-26 11:21:33	00:10:11	Accepted	IT HW & SW	HW support	00:10:04	00:00:00

Interaction Center Reports - Webchat Reports

You can generate the following Webchat Interaction Center historical reports:

- Webchat Worker Activity Report
- Webchat Queue Activity Report
- Webchat Worker Report

Webchat Worker Activity Report

The Webchat Worker Activity report displays a summary of workers' chat activities, including chats and workers state activities.

➤ **To generate Webchat Worker Activity report:**

1. Open the Webchat Worker Activity Report page (**Reports > Interaction Center Reports > Webchat Worker Activity Report**); the following appears:

Interaction Center Reports

Webchat Worker Activity Report

Filter Options

Interval Use Interval

Date From

Date To

Worker

Worker Group

Timezone Display Mode

2. Select the appropriate filter fields:

- **Interval:** Defines how the report's date intervals are segmented. Select the check box to reveal a drop-down list of predefined time periods, based on the customer's end date ("Date To"):
 - ◆ **Last Day:** Displays data from the past day, segmented by hours.
 - ◆ **Last Week:** Displays data from the previous week, separated by days.
 - ◆ **Last Month:** Displays data from the previous month, categorized by weeks.
 - ◆ **Last Year:** Displays data from the last year, organized by months.
- **Date From:** Defines this report for a specific date/time range.
- **Date To:** Defines this report for a specific date/time range.
- **Workers:** Defines information that is related to a specific worker.
- **Worker Group:** Defines information that is related to a specific worker group.
- **Extension:** Defines information that is related to a specific extension.
- **Timezone Display Mode:** Defines this report in different time zones. The time zone of calls can be one of the following options:
 - ◆ **Tenant time zone:** Defines the information in this report based on the tenant configured time zone.
 - ◆ **Flow time zone:** Defines the information in this report based on the time zone configured under the Telephony Setting settings.
 - ◆ **Local time zone (Web):** Display the information in this report on the browser local time zone.

3. The following is a description of the report fields.

Field	Description
Worker Name	Defines the first name and last name of the Worker.
Chats Presented	Defines the number of chats routed to the Worker, regardless of whether the Worker replayed the chat.
Chats Handled	Defines the number of chats that were accepted by the worker.
Chats Declined	Defines the number of chats that were not answered or were declined by the Worker.
Handle Ratio (%)	Defines the Handle ratio: chats that the Worker handled / chats that are routed to the Worker (Overall percentage).
Transfer Out	Defines the available field for queued chats: number of chats that were

Field	Description
	transferred by the worker to other workers.
Max Interaction Time	Defines the longest interacting time of any chat that the Worker handled. Talk Time refers to the elapsed time between the time a Worker accepted the chat and the time that the chat was sent or transferred.
Avg. Interaction Time	Defines the average interacting time for chats that the Worker handled.

4. Click **Generate** to generate the report; click **Export CSV** to export the report in CSV format.

Interaction Center Reports

Webchat Worker Activity Report

Filter Summary
Worker Name: Any | Worker Group Name: Any |

Filter Options

Show 25 entries Search

Worker Name	Chats Presented	Chats Handled	Chats Declined	Handle Ratio (%)	Transfer Out	Max. Talk Time	Avg. Talk Time
John Wesselman	35	33	2	94	0	03:05:18	00:18:41
Oren Batchelor	3	3	0	100	0	00:05:24	00:02:28

Showing 1 to 2 of 2 entries

First Previous 1 Next Last

Webchat Queue Activity Report

The Queue Activity Report displays summarized information of chats per queue (e.g., Presented and Handled).

The procedure below describes how to generate a Queue Activity Report.

➤ **To generate Queue Activity report:**

1. Open the Webchat Queue Activity Report page (**Reports > Interaction Center Reports > Webchat Reports > Queue Activity Report**); the following appears:

Interaction Center Reports

Webchat Queue Activity Report

Filter Options

Interval Use Interval

Date From

Date To

Queue Name Any

Timezone Display Mode Tenant Time zone

Generate Export CSV Reset Filter

2. Select the appropriate filter fields to generate your report:

- **Interval:** Defines how the report's date intervals are segmented. Select the check-box to reveal a drop-down list of predefined time periods, based on the customer's end date ("Date To"):
 - ◆ **Last Day:** Displays data from the past day, segmented by hours.
 - ◆ **Last Week:** Shows data from the previous week, separated by days.
 - ◆ **Last Month:** Presents data from the previous month, categorized by weeks.
 - ◆ **Last Year:** Displays data from the last year, organized by months.
- **Date From:** Defines this report for a specific date/time range.
- **Date To:** Defines this report for a specific date/time range.
- **Queue Name:** Defines information that is related to a specific queue name or 'Any' to show statistics for all call queues.
- **Timezone Display Mode:** Defines this report in a different time zone.
 - ◆ **Tenant time zone:** Defines the information in this report based on the tenant configured time zone.
 - ◆ **Flow time zone:** Defines the information in this report based on the time zone configured under the Telephony Setting settings.
 - ◆ **Local time zone (Web):** Defines the information in this report on the browser local time zone.

3. The following is a description of the report fields.

Field	Description
Queue Name	Defines the queue to which the chat is queued.
Chats Presented	Defines the number of chats routed to the queue, regardless of whether a Worker replied.
Chats Handled	Defines the number of chats that are handled by this Queue. A chat is handled if a customer is connected to a Worker while queued for this Queue.
Max. Handle Time	Defines the longest handle time of any chat that the queue handled by the Worker.
Avg. Handle Time	Defines the average handle time for all chats that the queue handled by the Worker.
Avg. Queue Time	Defines the average queue time for all chats routed to the Queue.
Max. Queue Time	Defines the longest queue time of any one chat that was routed to

Field	Description
	the Queue.
Avg. Answer Speed	Defines the Average Answer Speed (total queue time / chats handled).

4. Click **Generate** to generate the report; click **Export CSV** to export the report in CSV format.

Interaction Center Reports

Webchat Queue Activity Report

Filter Summary
Queue Name: Any |

Filter Options

Show 25 entries Search:

Queue Name	Chats Presented	Chats Handled	Max. Handle Time	Avg. Handle Time	Avg. Queue Time	Max. Queue Time	Avg. Answer Speed
IT HW & SW	41	40	03:05:18	00:17:20	00:01:39	00:36:54	00:01:42

Showing 1 to 1 of 1 entries

First Previous 1 Next Last

Webchat Worker Report

The Worker Report presents a summary of each chat that is received by the Worker.

➤ **To generate Worker Report:**

1. Open the Webchat Worker Report page (**Reports > Interaction Center Reports > Webchat Reports > Worker Report**); the following appears:

Interaction Center Reports

Webchat Worker Report

Filter Options

Date From

Date To

Worker Any

Queue Name Any

Timezone Display Mode Tenant Time zone

Generate Export CSV Reset Filter

2. Select the appropriate filter fields to generate your report:

- **Date From:** Defines this report for a specific time range.
- **Date To:** Defines this report for a specific time range.
- **Workers:** Defines information that is related to a specific worker.

- **Queue Name:** Defines information that is related to a specific queue name or 'Any' to show statistics for all call queues.
- **Timezone Display Mode:** Display this report in different time zone. The time zone of calls can be one of the following options:
 - ◆ **Tenant time zone:** Display the information in this report based on the tenant configured time zone.
 - ◆ **Flow time zone:** Display the information in this report based on the time zone configured under the Telephony Setting settings.
 - ◆ **Local time zone (Web):** Display the information in this report on the browser local time zone.

3. The following is a description of the report fields.

Report Column	Description
Worker Name	Defines the name of the worker.
Chat Start Time	Defines the date and time the chat started.
Chat End Time	Defines the date and time the chat ended.
Chat Duration	Defines the duration of the chat.
Status	Defines whether the chat was 'Accepted' or 'Declined' by the worker.
Chat Routed Queue	Defines the queue to which the chat is queued.
Chat Skills	Defines the skills that are associated with the queue to which the chat is routed.
Interaction Time	Defines how long the worker handled the chat.
Wrap-up Time	Defines the duration it took the worker to complete the wrap-up.

4. Click **Generate** to generate the report; click **Export CSV** to export the report in CSV format.

Interaction Center Reports

Webchat Worker Report

Filter Summary
Queue Name: Any | Worker Name: Any |

Filter Options

Show 25 entries Search:

Worker Name	Chat Start Time	Chat End Time	Chat Duration	Status	Chat Routed Queue	Chat Skills	Interaction	Wrap-up Time
John Wesselman	2024-03-18 05:41:38	2024-03-18 05:55:46	00:14:08	Accepted	IT HW & SW	IT Support	00:14:03	00:00:00
	2024-03-25 10:52:25	2024-03-25 10:57:50	00:05:25	Accepted	IT HW & SW	HW support	00:05:22	00:00:00
	2024-03-25 14:18:29	2024-03-25 14:26:41	00:08:12	Accepted	IT HW & SW	HW support	00:08:00	00:00:00
	2024-03-25 15:11:49	2024-03-25 15:14:42	00:02:53	Accepted	IT HW & SW	HW support	00:02:39	00:00:00
	2024-03-25 16:24:12	2024-03-25 16:26:35	00:02:23	Accepted	IT HW & SW	HW support	00:02:12	00:01:00
	2024-03-26 11:11:22	2024-03-26 11:21:33	00:10:11	Accepted	IT HW & SW	HW support	00:10:04	00:00:00

Real-Time Dashboard

The Interaction Center Dashboard enables Supervisors to monitor the Workers and queue activity by creating customized dashboards to get real-time insights on interaction center performance.

For Tenant with Digital Engagement, the real-time dashboard displays all essential statistics for each communication channel on one-screen.

Adding a Real-Time Dashboard

The procedure below describes how to add a new real-time dashboard.

➤ **To add a new real-time dashboard:**

1. Open the Dashboards page (**Reports > Interaction Center Reports > Real-time Dashboard**); the following appears:

Dashboards

+ Add New Actions

Show 100 entries Search:

Name	Description	Dashboard URL
No data available in table		

Showing 0 to 0 of 0 entries

2. The following is a description of the fields to be entered:

Report Column	Description
Name	Defines the name of the dashboard.
Description	Defines the dashboard description.

Report Column	Description
Dashboard URL	Opens the dashboard in a new window with a permanent link.

3. Click **Add New**; the following appears:

New Dashboard

Name*

Description

Voice
Webchat
Email

Enabled

Queue Name*

Pending Calls 0 1

Calls Abandoned 0 1

Longest Waiting Time 00:00:00 00:00:00

Average Answering Time 00:00:00 00:00:00

Average Waiting Time 00:00:00 00:00:00

+ Save Changes



Additional queues can be added to the dashboard by clicking the (+) button.



The graphic view is generated automatically when up to two queues are configured. If more than two queues are configured, the dashboard displays a table view. The dashboard's data is reset every 24 hours at 00:00.

4. The following is a description of the fields to be entered:

- Voice information:**

Field	Description
Enabled	An enabled interaction allows the appearance of the channel statistics in the real time dashboard.
Queue Name	Defines the queue to be monitored from the drop-down list.
Pending Calls	Defines the minimum and maximum threshold for calls waiting in the queue.
Calls Abandoned	Defines the minimum and maximum threshold for abandoned calls.
Longest Waiting Time	Defines the minimum and maximum threshold for the longest call waiting in the queue (in seconds).

Field	Description
Average Answering Time	Defines the minimum and maximum threshold for the average answering time.
Average Waiting Time	Defines the minimum and maximum threshold for the average waiting time (in seconds).

- **Email information**

Field	Description
Enabled	An enabled interaction allows the appearance of the channel statistics in the real time dashboard.
Queue Name	Defines the queue to be monitored from the drop-down list.
Pending Email	Defines the minimum and maximum threshold for emails waiting in the queue.
Average Answering Time	Defines the minimum and maximum threshold for the average answering time.

- **Webchat information**

Field	Description
Enabled	An enabled interaction allows the appearance of the channel statistics in the real time dashboard.
Queue Name	Defines the queue to be monitored from the drop-down list.
Pending Webchats	Defines the minimum and maximum threshold for chats waiting in the queue.
Webchats Abandoned	Defines the minimum and maximum threshold for abandoned chats.
Longest Waiting Time	Defines the minimum and maximum threshold for the longest chat waiting in the queue (in seconds).
Average Answering Time	Defines the minimum and maximum threshold for the average answering time.
Average Waiting Time	Defines the minimum and maximum threshold for the average waiting time (in seconds).

Editing a Real-Time Dashboard


The procedure below describes how to edit a real-time dashboard.

➤ To edit a real-time dashboard:

1. Open the Dashboards page (**Reports > Interaction Center Reports > Real-time Dashboard**); the following appears:



2. Select the dashboard you wish to edit by selecting the corresponding Dashboards check box.



3. From the 'Actions' drop-down menu, choose **Edit Dashboard**; the following appears:

The 'Edit Dashboard' form is displayed. It includes the following fields and controls:

- Name***: Dash 1
- Description**: The first Dashboard
- Queue Name***: IT HW & SW
- Enabled**: A toggle switch is turned on.
- Pending Calls**: Two input fields with values 3 and 7.
- Calls Abandoned**: Two input fields with values 2 and 3.
- Longest Waiting Time**: Two input fields with values 00:00:00 and 00:00:00.
- Average Answering Time**: Two input fields with values 00:00:00 and 00:00:00.
- Average Waiting Time**: Two input fields with values 00:00:00 and 00:00:00.
- A **Save Changes** button is located at the bottom.

4. Make your changes on the Edit Dashboard page, and then click **Save Changes**; the updated Dashboard details appear.

Deleting a Real-Time Dashboard


The procedure below describes how to delete a real-time dashboard.

➤ **To delete a real-time dashboard:**

1. Open the Dashboards page (**Reports > IVR Reports > Real-time Dashboard**); the following appears:



2. Select the dashboard you wish to delete by selecting the corresponding Dashboards check box.



3. From the 'Actions' drop-down menu, choose **Delete Dashboard(s)**.
4. The following message appears: "Are you sure you want to delete the selected dashboard (s)?"
5. Click **OK** to delete the selected dashboard.

IVR Reports

You can generate the following Interactive Voice Response (IVR) reports:

- Report Scheduler
- Drill-down
- Overall Performance
- Call Date
- Call Hour
- Requested Contacts
- Requested Departments

Report Scheduler

The Report Scheduler provides an easy way to automate the generation of reports on a regular and recurring basis by setting up a schedule. Scheduled reports can run at predetermined times

and automatically send to email recipients.




The Report Scheduler functionality is only applicable if Voca is integrated with an email Server. For more information, click [here](#).

Adding a Report Scheduler

The procedure below describes how to add a Report Scheduler.

➤ **To add a new Report Scheduler:**

1. Open the Report Scheduler page (**Reports > IVR Reports > Report Scheduler**); the following appears:



2. The following is a description of all the fields:

Field	Description
Schedule Name	Defines the report scheduler name that was configured.
Start Date	Defines the start dates that were configured on the report scheduler.
Select Frequency	Defines the frequency that this report is sent.
Export Format	Defines the format in which this report is sent.
Status	Defines the status of the schedule report.

3. Click **+ New Scheduled**; the following appears:

NEW SCHEDULED REPORT

Please edit the details of your Scheduled Reports

Schedule Name

Report export method

Start date & time mm/dd/yyyy --:-- --

End date & time mm/dd/yyyy --:-- --

Export Frequency

At

Daily

Time

--:-- --

Export Format

Email Subject

Recipients

Report Details

Reports

4. The following is a description of the fields that must be entered:

Field	Description
Schedule Name	Defines the name of the scheduled report.
Report Export Method	Defines the method that this report is sent.
Start Date & Time	Defines the first time that this report is run. The Start Date & Time uses the time zone that is configured at the tenant level.
End Date & Time	Defines the last time that this report will be run. The End Date & Time uses the time zone that is configured at the tenant level.
Export Frequency	Defines the recurrence pattern for the scheduled report.
Time	Defines the time that this report will be generated.

Field	Description
Day	Defines the day that this report will be generated. This option is only available when the frequency is set to Weekly .
Range	Defines a specific time range within the month, or choose a custom day range within the month that the report will be generated. This option is only available when the frequency is set to Monthly .
Export Format	Defines the format that this report is sent in.
Email Subject	Defines the subject name of email that is sent.
Recipients	Defines the recipients who will be receiving the email. More than one recipient can be added.
Reports	Select the report to be scheduled.

5. The following is a description of the filter that can be applied for this report:

Field	Description
Queue Name	Filter by a specific queue. If that queue is not selected, it will be considered as any queue.
Call Source	Filter by a specific call source.
Call Destination	Filter by a specific call destination.
Wait Time (sec.)	Filter by Wait Time in seconds.

6. Click **Save Changes**.

Editing a Report Scheduler

The procedure below describes how to edit a Report Scheduler.

➤ **To edit a Report Scheduler:**

1. Open the Report Scheduler page (**Reports > IVR Reports > Report Scheduler**); the following appears:

Report Scheduler

Action
+ New Scheduled

<input type="checkbox"/>	SCHEDULE NAME	START DATE	SELECT FREQUENCY	EXPORT FORMAT	STATUS
<input type="checkbox"/>	Daily Schedule	Jul 24, 2023, 1:06:00 PM	Daily	XLSX	<input checked="" type="checkbox"/>

Items per page: 10 | 1 - 1 of 1 | < >

2. Select the report schedule that you wish to edit by selecting the corresponding **Report Schedule** check box.

Report Scheduler

Action
+ New Scheduled

<input checked="" type="checkbox"/>	SCHEDULE NAME	START DATE	SELECT FREQUENCY	EXPORT	STATUS
<input checked="" type="checkbox"/>	Daily Schedule	Jul 24, 2023, 1:06:00 PM	Daily	XLSX	<input checked="" type="checkbox"/>

Action

- Edit
- Delete

Items per page: 10 | 1 - 1 of 1 | < >

3. From the 'Actions' drop-down menu, choose **Edit**; the following appears:

EDIT SCHEDULED REPORT

Please edit the details of your Scheduled Reports

Schedule Name

Report export method

Email
▼

Start date & time

End date & time

Export Frequency

At

Daily
▼

Time

01:41 PM
⊙

Export Format

XLSX
▼

Email Subject

Recipients

admin@voca.audiocodes.com
✕

Report Details

Reports

Overall
▼

Queue Name

Call Source

Call Source

Exact
▼

Call Destination

Call Destination

Exact
▼

Wait Time (Sec.)

From

To

Status

Any
▼

Timezone Display Mode

Tenant Time zone
▼

Cancel
Schedule

4. Make your changes on the Edit Schedule Report page, and then click **Schedule**.

Deleting a Report Scheduler

The procedure below describes how to delete a Report Scheduler.

➤ To delete a Report Scheduler:

1. Open the Report Scheduler page (**Reports > IVR Reports > Report Scheduler**); the following appears:

Report Scheduler

Search Action + New Scheduled

<input type="checkbox"/>	SCHEDULE NAME	START DATE	SELECT FREQUENCY	EXPORT FORMAT	STATUS
<input type="checkbox"/>	Daily Schedule	Jul 24, 2023, 1:06:00 PM	Daily	XLSX	<input checked="" type="checkbox"/>

Items per page: 10 1 - 1 of 1 < >

2. Select the report schedule that you wish to delete by selecting the corresponding **Report Schedule** check box.

Report Scheduler

Search Action + New Scheduled

<input checked="" type="checkbox"/>	SCHEDULE NAME	START DATE	SELECT FREQUENCY	EXPORT	STATUS
<input checked="" type="checkbox"/>	Daily Schedule	Jul 24, 2023, 1:06:00 PM	Daily	XLSX	<input checked="" type="checkbox"/>

Items per page: 10 1 - 1 of 1 < >

3. From the 'Actions' drop-down menu, choose **Delete**.

Drill-down Report

The Drill-down Report displays the details of all the calls that were entered into Voca and how they were handled.

➤ To generate a Drill-down report:

1. Open the Drill-down page (**Reports > IVR Reports > Drill-down**); the following appears:

IVR Reports

Drill-down

Filter Options

Date From	<input type="text"/>	<input type="text"/>
Date To	<input type="text"/>	<input type="text"/>
Call Source	<input type="text"/>	Exact
Call Routed	<input type="text"/>	Exact
Call Duration	<input type="text"/>	To <input type="text"/>
Call Disposition	Any	
DNIS	Any	
Timezone Display Mode	Tenant Time zone	

Generate Export CSV Reset Filter

2. Select the appropriate filter fields:

- **Date From:** Defines this report for a specific date/time range.
- **Date To:** Defines this report for a specific date/time range.
- **Call Source:** Defines information that is related to a specific source number.
- **Call Routed:** Defines information that is related to a call that was routed to a specific destination.
- **Call Duration:** Defines information that is related to a specific duration of a call.
- **Call Disposition:** Defines information related to calls that ended with a specific disposition or “Any”. For an explanation of the different call dispositions, see [Call Dispositions](#).
- **DNIS:** Defines information that is related to a specific leading phone number.
- **Timezone Display Mode:** Defines this report in different time zone:
 - ◆ **Tenant Time zone:** Defines the information in this report based on the tenant configured time zone.
 - ◆ **Flow Time zone:** Defines the information in this report based on the time zone configured under the **Telephony Setting** settings.
 - ◆ **Local Time zone (Web):** Defines the information in this report on the browser local time zone.


Filter Summary

Filter Options

Show 25 entries Search

#	Service	Domain	Source	Destination	Start Time	End Time	Timezone	Duration	Disposition	Routed To	
1	Time Zone	Time Zone.com	Mariya	4111	2021-08-02 14:09:52	2021-08-02 14:09:58	UTC +0:00	6	Early Disconnect		
2	Time Zone	Time Zone.com	Mariya	4012	2021-07-29 10:12:39	2021-07-29 10:12:50	UTC +0:00	11	Disconnect		
3	Time Zone	Time Zone.com	Mariya	4445	2021-07-29 10:12:21	2021-07-29 10:12:31	UTC +0:00	10	Disconnect		
4	Time Zone	Time Zone.com	Mariya	4440	2021-07-29 10:12:02	2021-07-29 10:12:09	UTC +0:00	7	Early Disconnect		
5	Time Zone	Time Zone.com	Mariya	4440	2021-07-29 10:11:23	2021-07-29 10:11:38	UTC +0:00	15	Disconnect		
6	Time Zone	Time Zone.com	Mariya	4111	2021-07-29 10:10:28	2021-07-29 10:11:06	UTC +0:00	38	Missed calls notification		
7	Time Zone	Time Zone.com	Mariya	4009	2021-07-29 10:10:09	2021-07-29 10:10:23	UTC +0:00	14	Early Disconnect		
8	Time Zone	Time Zone.com	Mariya	4009	2021-07-29 10:09:31	2021-07-29 10:09:50	UTC +0:00	19	Early Disconnect		
9	Time Zone	Time Zone.com	5202	4445	2021-07-14 06:24:29	2021-07-14 06:24:39	UTC +0:00	10	Early Disconnect		
10	Time Zone	Time Zone.com	5202	4445	2021-07-14 06:21:11	2021-07-14 06:21:29	UTC +0:00	18	Transfer	5203	

3. The following is a description of the report fields.

Report Column	Description
Customer	Defines the customer name.
Domain	Defines the domain name.
Source	Defines the phone number the call was made from.
Destination	Defines the destination phone number.
Start Time	Defines the start time of the call adjusted to the timezone selected in the filter.
End Time	Defines the end time of the call adjusted to the timezone selected in the filter.
Timezone	Defines the relevant timezone according to the option selected in the filter.
Duration	Defines the duration of the call.
Disposition	Defines the disposition of the call.
Routed To	Defines the number of where the call has been routed to.
	Opens the CDR and displays more information, including a recording of the call.

Call Details information is displayed for each call. If recognitions were made on a particular call, the recognition results (one or more) are shown. When you display the information, the following appears:

212	Attended	Attended.com	5103	4567	2021-07-26 09:41:26	2021-07-26 09:41:44	UTC +0:00	18	Transfer	5102
Result String Station		State ID 1		Grammar Main		Confidence 92		Listen Record		
▶ 0:00 / 0:02										

Each recognition includes the following:

Field	Description
Result string	Displays the analyzed result returned from the ASR.
State ID	Displays the ID that specifies the step within the call that the recognition was made.
Grammar	Displays the grammar used (e.g., Main, Disambiguation)
Confidence	Displays the confidence level of the ASR returned for the result. If the confidence level is below a specific threshold, the recognition is rejected and the caller is prompted to request the destination again. (based on the service configuration). For more information on the relevant confidence threshold, contact AudioCodes Support.
Listen Record	Displays the recording details for the recognition.

4. Click **Generate** to generate the report; click **Export CSV** to export the report in CSV format.

Filter Summary

▼ Filter Options

Show 25 entries Search:

#	Service	Domain	Source	Destination	Start Time	End Time	Timezone	Duration	Disposition	Routed To
1	Time Zone	Time Zone.com	Mariya	4111	2021-08-02 14:09:52	2021-08-02 14:09:58	UTC +0:00	6	Early Disconnect	
2	Time Zone	Time Zone.com	Mariya	4012	2021-07-29 10:12:39	2021-07-29 10:12:50	UTC +0:00	11	Disconnect	
3	Time Zone	Time Zone.com	Mariya	4445	2021-07-29 10:12:21	2021-07-29 10:12:31	UTC +0:00	10	Disconnect	
4	Time Zone	Time Zone.com	Mariya	4440	2021-07-29 10:12:02	2021-07-29 10:12:09	UTC +0:00	7	Early Disconnect	
5	Time Zone	Time Zone.com	Mariya	4440	2021-07-29 10:11:23	2021-07-29 10:11:38	UTC +0:00	15	Disconnect	
6	Time Zone	Time Zone.com	Mariya	4111	2021-07-29 10:10:28	2021-07-29 10:11:06	UTC +0:00	38	Missed calls notification	
7	Time Zone	Time Zone.com	Mariya	4009	2021-07-29 10:10:09	2021-07-29 10:10:23	UTC +0:00	14	Early Disconnect	
8	Time Zone	Time Zone.com	Mariya	4009	2021-07-29 10:09:31	2021-07-29 10:09:50	UTC +0:00	19	Early Disconnect	
9	Time Zone	Time Zone.com	5202	4445	2021-07-14 06:24:29	2021-07-14 06:24:39	UTC +0:00	10	Early Disconnect	
10	Time Zone	Time Zone.com	5202	4445	2021-07-14 06:21:11	2021-07-14 06:21:29	UTC +0:00	18	Transfer	5203

Overall Performance Report

The Overall Performance Report displays a summary of all the performance of the tenant.

➤ **To generate an Overall Performance report:**

1. Open the Overall Performance page (**Reports > IVR Reports > Overall Performance**); the following appears.

IVR Reports

☰ Overall Performance

▼ Filter Options

Date From	<input type="text"/>	📅	<input type="text"/>	🕒
Date To	<input type="text"/>	📅	<input type="text"/>	🕒
Call Source	<input type="text"/>		Exact	▼
Call Routed	<input type="text"/>		Exact	▼
Call Duration	<input type="text"/>	to	<input type="text"/>	
Call Disposition	Any ▼			
DNIS	Any ▼			
Timezone Display Mode	Tenant Time zone ▼			

✔ Generate
▼ Reset Filter

2. Select the appropriate filter fields:

- **Date From:** Defines this report for a specific date/time range.
- **Date To:** Defines this report for a specific date/time range.
- **Call Source:** Defines information that is related to a specific source number.
- **Call Routed:** Defines information that is related to call that was routed to a specific destination.
- **Call Duration:** Defines information that is related to a specific duration of a call.
- **Call Disposition:** Defines information that is related to calls that ended with a specific disposition or "Any".

For an explanation of the different call disposition, refer to [Call Dispositions](#).

- **DNIS:** Defines the internal phone number that is called to access Voca. You can select the appropriate value from the drop-down list.
- **Timezone Display Mode:** Defines this report in different time zones.


The time zone of calls can be one of the following options:

- ◆ **Tenant time zone:** Defines the information in this report based on the tenant configured time zone.
- ◆ **Flow time zone:** Defines the information in this report based on the time zone configured under the Telephony Setting settings.
- ◆ **Local time zone (Web):** Defines the information in this report on the browser local time zone.

3. The following is a description of the report fields.

Report Column	Description
Disposition	Defines the disposition of the call.
Number of Calls	Defines the total number of calls for each disposition.
Avg. Call Time	Defines the average call time for each disposition.

4. Click **Generate** to generate the report; click **Export CSV** to export the report in CSV format.



Call Hour Report

The Call Hour Report displays a summary of call performance by the hour on one specific day.

➤ **To generate a Call Hour IVR report:**

1. Open the Call Hour page (**Reports > IVR Reports > Call Hour**); the following appears.

Figure 7-1: Call Hour IVR Filter Options

IVR Reports

Call Date

Filter Options

Date From:

Date To:

Call Source: Exact

Call Routed: Exact

Call Duration: To

Call Disposition: Any

DNIS: Any

Timezone Display Mode: Tenant Time zone

Generate Export CSV Reset Filter

2. Select the appropriate filter fields:

- **Date From:** Defines this report for a specific date/time range.
- **Date To:** Defines this report for a specific date/time range.
- **Call Source:** Defines information that is related to a specific source number.
- **Call Routed:** Defines information that is related to calls routed to a specific destination.
- **Call Disposition:** Defines information that is related to calls that ended with a specific disposition or "Any". For an explanation of the different call dispositions, see [Call Dispositions](#).
- **DNIS:** Defines information that is related to a specific destination number.
- **Timezone Display Mode:** Defines this report in different time zones. The time zone of calls can be one of the following options:
 - ◆ **Tenant time zone:** Defines the information in this report based on the tenant configured time zone.
 - ◆ **Flow time zone:** Defines the information in this report based on the time zone configured under the Telephony Setting settings.
 - ◆ **Local time zone (Web):** Defines the information in this report on the browser local time zone.


3. The following is a description of the report fields:

Report Column	Description
Hour	Defines the time frame the calls were made in.
Calls	Defines the number of calls.
Peak Concurrency	Defines the maximum number of concurrent calls the system held for a specific period of time.
Transfer	Defines the number of transferred calls.
Disconnect	Defines the number of disconnected calls. Voca could have tried before to transfer the call with no answer.
Operator	Defines the number of calls transferred to the operator for some reason (not Operator Requested or Operator DTMF).
Operator Request	Defines the number of calls transferred to the Operator because the user pressed "0" and sent a DTMF to transfer the call to the Operator.
Operator DTMF	Defines the number of calls transferred to the Operator

Report Column	Description
	because the user pressed “0” and sent a DTMF to transfer the call to the Operator.
Transfer Failed	Defines the number of calls that failed to be transferred.
Not at Working Hours	Defines the number of calls that entered the system outside of the working hours.
Dropped Calls	Defines the number of calls dropped by the Media Gateway module when it exceeds the number of the concurrent channel license capacity. This deposition parameter represents the dropped calls for the past day. The calls are dropped when the Media Gateway module, which controls the total number of IVR ports, is configured with X number of channels. The X+1 call is rejected by the Media Gateway with SIP Error 404.
Miscellaneous	Defines the number of calls with disposition other to the ones in other columns.
Avg. Call Time (sec)	Defines the average call time in seconds.
Std. Dev. Call Time (sec)	Defines the standard deviation in call time, in seconds.
Max. Call Time (sec)	Defines the maximum call time in seconds.

4. Click **Generate** to generate the report; click **Export CSV** to export the report in CSV format.

IVR Reports




Requested Contacts Report

The Requested Contacts Report Displays a summary of contacts that were requested during Voca sessions and the transfer results.

➤ **To generate a Requested Contacts report:**

1. Open the Requested Contacts page (**Reports > IVR Reports > Requested Contacts**); the following appears.



2. Select the appropriate filter fields:
 - **Date From:** Defines this report for a specific date/time range.
 - **Date To:** Defines this report for a specific date/time range.
 - **Menu:** Defines information that related to specific menu or “Any”.
 - **Timezone Display Mode:** Defines this report in different time zones. The time zone of calls can be one of the following options:
 - ◆ **Tenant time zone:** Defines the information in this report based on the tenant configured time zone.
 - ◆ **Flow time zone:** Defines the information in this report based on the time zone configured under the Telephony Setting settings.
 - ◆ **Local time zone (Web):** Defines the information in this report on the browser local time zone.
3. The following is a description of the report fields.

Report Column	Description
Calls	Defines the number of calls made to the Contact.
Transfer Extension	Defines the number of calls that were transferred to the Customer's extension.

Report Column	Description
Transfer Mobile	Defines the number of calls that were transferred to the Customer's mobile.
Disconnected	Defines the number of calls that were disconnected.
Operator	Defines the number of calls that were transferred to the operator.
Operator Request	Defines the number of calls that were requested to be transferred to the operator.
Operator DTMF	Defines the number of calls that used the Operator DTMF.
Transfer Failed	Defines the number of calls that the transfer failed.
Not at Working Hours	Defines the number of calls made outside of working hours.
Miscellaneous	Defines the number of calls that do not come under other dispositions in this report.

4. Click **Generate** to generate the report; click **Export CSV** to export the report in CSV format.

IVR Reports

Requested Contacts

Filter Summary

Filter Options

Show 25 entries Search:

Contact Name	Calls	Transfer Extension	Transfer Mobile	Disconnect	Operator	Operator Request	Operator DTMF	Transfer Failed	Not at working Hours	Miscellaneous
Adi	3	0	0	0	0	0	0	0	0	3
Edna	1	0	0	0	0	0	0	0	0	1
Ami	4	0	0	0	0	0	0	0	0	4
Amir Klein	1	0	0	0	0	0	0	0	0	1

Requested Departments Report

The Requested Departments Report displays a summary of departments that were requested during Voca sessions and the transfer results.

➤ **To generate a Requested Departments report:**

1. Open the Requested Departments page (**Reports > IVR Reports > Requested Departments**); the following appears.

Requested Departments

IVR Reports

Requested Departments

Filter Options

Date From

Date To

Menu

Generate
Export CSV
Reset Filter

2. Select the appropriate filter fields:

- **Date From:** Defines this report for a specific date/time range.
- **Date To:** Defines this report for a specific date/time range.
- **Menu:** Defines information that is related to specific menu or “Any”.
- **Timezone Display Mode:** Defines this report in different time zone. The time zone of calls can be one of the following options:
 - ◆ **Tenant time zone:** Defines the information in this report based on the tenant configured time zone.
 - ◆ **Flow time zone:** Defines the information in this report based on the time zone configured under the Telephony Setting settings.
 - ◆ **Local time zone (Web):** Defines the information in this report on the browser local time zone.

3. The following is a description of the report fields.

Report Column	Description
Calls	Defines the number of calls made to the Department.
Transfer	Defines the number of calls that were transferred to the Department.
Disconnected	Defines the number of Department calls that were disconnected.
Operator	Defines the number of Department calls that were transferred to the operator.
Operator Request	Defines the number of Department calls that were requested to be transferred to the operator.
Operator DTMF	Defines the number of Department calls that used the Operator DTMF.

Report Column	Description
Transfer Failed	Defines the number of Department calls that the transfer failed.
Not at Working Hours	Defines the number of Department calls made outside of working hours.
Miscellaneous	Defines the number of Department calls that come under other categories.

4. Click **Generate** to generate the report; click **Export CSV** to export the report in CSV format.

IVR Reports

Requested Departments

Filter Summary

Filter Options ^

Show entries
Search

Department Name	Calls	Transfer	Disconnect	Operator	Operator Request	Operator DTMF	Transfer Failed	Not at working Hours	Miscellaneous
Marketing	1	1	0	0	0	0	0	0	0
Purchasing	1	0	0	0	0	0	0	0	1
Sales	2	2	0	0	0	0	0	0	0

8 Actions

The following describes the different actions that are supported in Voca.

- **Play prompt:** Plays a prompt, and then performs the next action.
- **Go to menu:** Transfers the caller to the menu.
- **Transfer to Operator:** Transfers the call to the operator.
- **Collect and Dial:** Allows the user to press several DTMF keys, and then transfers the caller to the collected number.
- **Disconnect:** Automatically disconnects the caller.
- **Transfer to Phone:** Transfers the call to a defined phone number.
- **Silent Transfer to Phone:** Transfers the call to a defined phone number without playing the "Transferring the call to..." prompt.
- **Transfer to Extension:** Transfers the call to the extension number.
- **Attended Transfer:** Transfers the call to a predefined number in a supervised way. If the transfer destination is not reachable (e.g., busy, no answer), the next action is performed.
- **Send SMS:** Allows for an SMS message to be sent.



If you have selected "Send SMS" and you are calling from a mobile phone, the SMS is sent directly to your mobile phone. If you are calling from a landline, the system asks you to enter the mobile number that you wish to receive the SMS on.



The "Send SMS" action is only applicable if the Administrator has given the appropriate permissions.

- **Missed Call Notification:** A missed call notification will be sent to the customer via email. For this action, there are two options:
 - **Without Voice Recording:** The system doesn't let the customer leave a message and just sends an email notification for this missed call.
 - **With Voice Recording:** The system lets the user to leave a message, and then send an email notification with the recorded message.



The "Missed Call Notification" action is only applicable if Voca is integrated with the SMTP server. For more information refer to [Email Setting Configuration](#).

- **Go To Contact:** Transfers the call to specific contact.
- **Go to Department:** Transfers the call to specific department.
- **Transfer to Queue:** Transfers the call to a predefined call queue.

- **Go To Flow:** Transfers the call to predefined flow from the flow designer.
- **Leave Message:** Lets the user leave a message and send an email notification with the recorded message.



The "Leave Message" action is only applicable if Voca is integrated with the SMTP server.

9 Call Dispositions

The following describes the different call dispositions that are supported in Voca:

- **All Agents are Offline:** All worker/queue members are logged out from the queue.
- **Call Abandoned:** The call was abandoned while waiting in the queue.
- **Call Started:** Script execution failed. Error in Communication Portal software. Please contact Voca Team.
- **Disconnect:** Refers to calls that disconnected before the transfer (for example, calls canceled by the caller after listening to the prompt. It might be that an attended transfer was not successful, and then the caller canceled the call).
- **DTMF Transfer:** The caller dialed the number during speech recognition, to be transferred to a specific extension.
- **Duplicate Name and Transfer to Operator:** Destination was recognized but due to duplicate names, the caller was transferred to the Operator.
- **Early Disconnect:** Refers to calls that were canceled by the caller before providing spoken input.
- **Flow Designer Error:** Refers to calls that reached flow designer incomplete flows.
- **Max Call Limit:** This limit is reached when the maximum number of concurrent calls exceeds the number of Voca licenses originally allocated to the designated service. This happens when the service is defined using the Web Administrator with N number of licenses (concurrent calls). The N+1 call that reaches the Voca system is rejected by the Voca service with SIP Error 603.
- **Max Call Limit Exceeded:** This limit is reached when the maximum number of concurrent calls exceeds the maximum number of calls that was configured in the Queue level.
- **Max Wait Time Exceeded:** This limit is reached when the maximum wait time exceeds the maximum wait time that was configured in the queue level.
- **Missed Calls Notification:** A missed call notification was successfully sent to the contact/email that was configured.
- **Missed Calls Notification Failed:** A missed call notification to the contact/email failed.
- **Not at Working Hours:** Refers to calls reaching the service out of working hours.
- **Operator:** Successfully transfers the call to the operator.
- **Operator is Disabled:** Tries to transfer the call to the operator, but operator is disabled.
- **Operator 2nd language:** IVR menu option for second language was selected.
- **Operator at Confirmation:** Calls that were transferred to the operator, due to missing confirmation before transferring the call.
- **Operator IVR Timeout:** The caller was routed to the operator when there was no response.

- **Operator Request:** The caller said “Operator” during speech recognition, to be transferred to the operator.
- **Operator Transfer Fail:** Transfer to the operator failed.
- **Transfer:** Successfully transferred the call.
- **Transfer Fail:** Tried to transfer the call and failed.
- **Transferred from Queue:** Successfully transferred from the queue to a member of the queue.
- **SMS Error:** Sending SMS failed.
- **SMS Sent:** Calls that resulted in successfully sending a SMS.

This page is intentionally left blank.

International Headquarters

Naimi Park

6 Ofra Haza Street

Or Yehuda, 6032303, Israel

Tel: +972-3-976-4000

Fax: +972-3-976-4040

AudioCodes Inc.

80 Kingsbridge Rd

Piscataway, NJ 08854, USA

Tel: +1-732-469-0880

Fax: +1-732-469-2298

Contact us: <https://www.audiocodes.com/corporate/offices-worldwide>

Website: <https://www.audiocodes.com/>

Documentation Feedback: <https://online.audiocodes.com/documentation-feedback>

©2024 AudioCodes Ltd.. All rights reserved. AudioCodes, AC, HD VoIP, HD VoIP Sounds Better, IPmedia, Mediant, MediaPack, What's Inside Matters, OSN, SmartTAP, User Management Pack, VMAS, VoIPerfect, VoIPerfectHD, Your Gateway To VoIP, 3GX, VocaNom, AudioCodes One Voice, AudioCodes Meeting Insights, and AudioCodes Room Experience are trademarks or registered trademarks of AudioCodes Limited. All other products or trademarks are property of their respective owners. Product specifications are subject to change without notice.

Document #: LTRT-28848

